
File Edit Selection View Go Run Terminal Help
claseconeccion.php - proyecto - Visual Studio Code
EXPLORER
OPEN EDITORS
PROYECTO
controller
delete.php
insert.php
listar.php
css
imagenes
js
librerias
model
claseconeccion.php
POO.php
POOConstructor.php
TareaPHP
view
clase1php.php
clase2php.php
clase3php.php
delete.php
insert.php
listar.php
index.php
OUTLINE
claseconeccion.php
listar.php controller
listar.php view
delete.php view
delete.php controller
model > claseconeccion.php
51 }
52
53 public function listar(){
54 $sql = "CALL web_sp_customerlist()";
55 $statement = $this->conn->prepare($sql);
56
57 if($statement->execute()){
58
59 $result = $statement->fetchAll(PDO::FETCH_ASSOC);
60 return $result;
61
62 }
63 }
64
65 function delete($email){
66
67 $sql = "CALL web_sp_delete(?)";
68 $statement = $this->conn->prepare($sql);
69 $statement->bindParam(1,$email);
70
71 if($statement->execute()){
72
73 $count=$statement->rowCount();
74 if($count){
75 return "ESTUDIANTE ELIMINADO";
76 }else{
77 return "ESTUDIANTE NO ELIMINADO";
78 }
79 }
80
81 }
82 }
83
84 ?>
Ln 82, Col 6 (423 selected) Spaces: 4 UTF-8 CRLF PHP
ENG
10:17 a. m.
17/11/2020


File Edit Selection View Go Run Terminal Help
delete.php - proyecto - Visual Studio Code
EXPLORER
OPEN EDITORS
PROYECTO
controller
delete.php
insert.php
listar.php
css
imagenes
js
librerias
model
claseconeccion.php
POO.php
POOConstructor.php
TareaPHP
view
clase1php.php
clase2php.php
clase3php.php
delete.php
insert.php
listar.php
index.php
OUTLINE
claseconeccion.php
listar.php controller
listar.php view
delete.php view
delete.php controller
view > delete.php
<!DOCTYPE html>
<html lang="en">
<head>
<title>Bootstrap Example</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
</head>
<body>

<h2>DELETE STUDENT</h2>
The form below contains two input elements; one of type text and one of type password:

<label for="usr">Email:</label>
<input type="email" class="form-control" id="em" name="email" required>

<button type="button" id="submit" class="btn btn-primary">DELETE</but ton>

<script>
$(document).ready(function(){
$("#submit").click(function(){
var email = $("#em").val();
if(email == ""){
alert("Introdusca el email");
}
else{
$.post("../controller/delete.php",
{
email: email
},
function(data,status){
alert("Data: " + data + "\nStatus: " + status);
});
}
});
});
</script>
Ln 26, Col 13 Spaces: 4 UTF-8 CRLF PHP
ENG
10:17 a. m.
17/11/2020


File Edit Selection View Go Run Terminal Help
delete.php - proyecto - Visual Studio Code
EXPLORER
OPEN EDITORS
PROYECTO
controller
delete.php
insert.php
listar.php
css
imagenes
js
librerias
model
claseconeccion.php
POO.php
POOConstructor.php
TareaPHP
view
clase1php.php
clase2php.php
clase3php.php
delete.php
insert.php
listar.php
index.php
OUTLINE
claseconeccion.php
listar.php controller
listar.php view
delete.php view
delete.php controller
controller > delete.php
1 <?php
2
3 if ($_SERVER['REQUEST_METHOD'] =="POST"){
4 $email = $_POST['email'];
5
6
7 require_once("../model/claseconeccion.php");
8 $obj = new Conection();
9 $resultado = $obj->delete($email);
10
11 echo $resultado;
12 }
Ln 11, Col 21 Spaces: 4 UTF-8 CRLF PHP
ENG
10:17 a. m.
17/11/2020


Menú
Bootstrap Example
CLASE 6 2/4 CRUD LISTAR
http://localhost/dashboard/proyecto/view/delete.php
Google
Platzi: Cursos Onlin...
SIAGE
DELETE STUDENT
The form below contains two input elements; one of type
Email:
victor@gmail.com
DELETE
localhost dice
Data: ESTUDIANTE ELIMINADO
Status: success
Aceptar
Console
Sources
Network
Performance
Filter
Default levels
Console
What's New
ENG
10:18 a. m.
17/11/2020


MySQL Workbench
Local - Warning - not supported
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
phpmyadmin
secreto
test
walmart
Tables
customers
Views
Stored Procedures
Functions
Administration Schemas
Information
Schema: walmart
Object Info Session
Query 1
customers
Limit to 1000 rows
1 SELECT * FROM walmart.customers;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
idcustomers email password
7 manuel@gmail.com 654321
8 galvan@gmail.com 789456
customers 1
Apply Revert
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
1 10:14:10 SELECT * FROM walmart.customers LIMIT 0, 1000 0 row(s) returned 0.000 sec / 0.000 sec
ENG 10:18 a. m. 17/11/2020