

A

A

B


B

C

C


D

D




XS1	Цель	Конт.	
	RED	1	R
	GREEN	2	G
	BLUE	3	B
	RES	4	
	GND	5	GND
	RGND	6	GND
	GGND	7	GND
	BGND	8	GND
	+5V	9	
	SGND	10	GND
	ID0	11	
	SDA	12	
	HSYNC/CSYNC	13	HSYNC
	VSYNC	14	VSYNC
	SCL	15	


Title		
Size A3	Number	Revision
Date: 18.04.2015	Sheet of	
File: D:\Random..\schematic.SchDoc	Drawn By:	



AGA Adapter




AGA
AGA ADAPTER




XSI



XPI



VGA Adapter



Comment	Description	Designator	Quantity	LibRef	Footprint	Datasheet
Diode 1N4148	High Conductance Fast Diode	D1, D2, D3	3	Diode 1N4148	DO-35	
470	Resistor	R1, R2, R3	3	Res1	AXIAL-0.3	
75	Resistor	R4, R5, R6	3	Res1	AXIAL-0.4	
1K	Resistor	R7, R8	2	Res1	AXIAL-0.3	
Input Header	Header, 7-Pin	XP1	1	Header 7	HDR1X7	
D-SUB VGA	D-SUB VGA Fem	XS1	1	D-SUB VGA	D-SUB VGA	http://lib.chipdip.ru