

Progress Report

Victor Huang

November 29, 2020

Overview:

Concerned variables and underlying Monte-Carlo model:

nSims: Number of simulations to run for each groups of parameter.

N: Size of population.

p: Probability an observation is sampled.

sigma_e2: Variance of Model error e.

sigma_epi2: variance of unpredicted error epsilon.

yi: Dependent variable without unpredicted error.

xi: Independent variable.

cap_y: Dependent variable with unpredicted error.

Simulation2: A function that randomly draws samples from population given. Each observation \\ has probability p of being sampled. It repeats this operation nSims times and will output a \\ vector of beta, the empirical value for an OLS fitting model based on cap_y and xi.

```
# setting parameters
sigma_e2<-1
N<-10000
beta<-2
nSims<-10000

p<-c(0.01,0.1,0.5,0.9,0.99)
sigma_epi2<-c(0,1,2)

x_para<-set_para(0,1)
e_para<-set_para(0,sigma_e2)

# generating population
xi<-pop_gen(x_para,N,'uniform')
ei<-pop_gen(e_para,N,'normal')

yi<-xi*beta+ei

result<-NULL

# for each group of simulations, generate one population with
```

```

# independent error epsilon.

for (j in c(1:length(sigma_epi2))){
  epi_para<- set_para(0,sigma_epi2[j])
  epi<-pop_gen(epi_para,N,'normal')

  cap_y<-yi+epi

# sample from the population with probability p and return the
# variance of the beta.
  for (i in c(1:length(p))){
    start.time.small<-Sys.time()
    var_beta<-var(simulation2(cap_y,xi,p[i],nSims))
    theo_var<-sigma_epi2[j]/(sum(xi**2))+((1-p[i])/p[i])*
      ((sum(xi**2*ei**2))/((sum(xi**2)**2)+sigma_epi2[j]/(sum(xi**2)))


    end.time.small<-Sys.time()


# rearranging the data for presentation and making graph
    out<-cbind(obs=var_beta,theo=theo_var,prob=sprintf('p = %f ',p[i]),
              sigma=sprintf('sigma_epi2 = %f',sigma_epi2[j]),
              time=end.time.small-start.time.small)
    result<-rbind(result,out)
  }
}


result1<-as.data.frame(result) %>% gather(type,num,obs:theo) %>% type_convert()


for (i in (c(1:length(p)))){
  a<-ggplot(result1 %>% filter(prob==sprintf('p = %f',p[i]))) +
    geom_col(aes(sigma,num,fill=type),position='dodge',width = 0.9)+
    geom_text(aes(sigma,num,label=round(as.numeric(num),5),group=type),
              position = position_dodge(width = 0.9))+
    theme(axis.title.x=element_blank(),
          axis.ticks.x=element_blank(),
          plot.margin = unit(c(1,1,1,1), "cm"))+
    ggtitle(sprintf('Observation with p= %f',p[i]))
  plot(a)
}


```














```
for (i in (c(1:length(sigma_epi2)))){
a<-ggplot(result1 %>% filter(sigma==sprintf('sigma_epi2 = %f',sigma_epi2[i]))) +
  geom_col(aes(prob,num,fill=type),position='dodge',width = 0.9) +
  geom_text(aes(prob,num,label=round(as.numeric(num),5),group=type),
    position = position_dodge(width = 0.9)) +
  theme(axis.title.x=element_blank(),
    axis.ticks.x=element_blank(),
    plot.margin = unit(c(1,1,1,1), "cm")) +
  ggtitle(sprintf('Observation with sigma= %f',sigma_epi2[i]))
plot(a)
}
```







prob	sigma	obs	theo
p = 0.010000	sigma_epi2 = 0.000000	0.0299514665704794	0.029582626068724
p = 0.100000	sigma_epi2 = 0.000000	0.00266401212574631	0.00268932964261128
p = 0.500000	sigma_epi2 = 0.000000	0.000297435212798823	0.000298814404734586
p = 0.900000	sigma_epi2 = 0.000000	3.35315387378322e-05	3.32016005260651e-05
p = 0.990000	sigma_epi2 = 0.000000	2.96638181366461e-06	3.01832732055138e-06
p = 0.010000	sigma_epi2 = 1.000000	0.0602491900815253	0.0599939639930228
p = 0.100000	sigma_epi2 = 1.000000	0.0052219283226897	0.00573046343504116
p = 0.500000	sigma_epi2 = 1.000000	0.000599667787880193	0.000907041163220562
p = 0.900000	sigma_epi2 = 1.000000	6.62935041135531e-05	0.000371105355240496
p = 0.990000	sigma_epi2 = 1.000000	6.07323212033474e-06	0.000310203558879125
p = 0.010000	sigma_epi2 = 2.000000	0.0919633442408937	0.0904053019173217
p = 0.100000	sigma_epi2 = 2.000000	0.00827404676640942	0.00877159722747104
p = 0.500000	sigma_epi2 = 2.000000	0.000883229388406762	0.00151526792170654
p = 0.900000	sigma_epi2 = 2.000000	9.90431045265223e-05	0.000709009109954928
p = 0.990000	sigma_epi2 = 2.000000	9.01867927477978e-06	0.000617388790437699

prob	sigma	time
p = 0.010000	sigma_epi2 = 0.000000	3.95838212966919
p = 0.100000	sigma_epi2 = 0.000000	4.17284178733826
p = 0.500000	sigma_epi2 = 0.000000	4.94677710533142
p = 0.900000	sigma_epi2 = 0.000000	4.86473202705383
p = 0.990000	sigma_epi2 = 0.000000	4.82209300994873
p = 0.010000	sigma_epi2 = 1.000000	3.77591896057129
p = 0.100000	sigma_epi2 = 1.000000	4.12297701835632
p = 0.500000	sigma_epi2 = 1.000000	4.967689037323
p = 0.900000	sigma_epi2 = 1.000000	4.86766219139099
p = 0.990000	sigma_epi2 = 1.000000	4.87909197807312
p = 0.010000	sigma_epi2 = 2.000000	3.87666702270508
p = 0.100000	sigma_epi2 = 2.000000	4.10000514984131
p = 0.500000	sigma_epi2 = 2.000000	5.02359795570374
p = 0.900000	sigma_epi2 = 2.000000	4.8689820766449
p = 0.990000	sigma_epi2 = 2.000000	4.8064169883728
time in total	time in total	1.16511705319087