DEVKIT VISAO Variant: SPI FLASH

06/05/2025 Version P1

RELEASED 17-AUG-2022

Page	Index	Page	Index	Page	Index	Page	Index
1	COVER PAGE	11		21		31	
2	BLOCK DIAGRAM	12		22		32	
3	SOFTEX-BUTTONS-AND-SPI	13		23		33	
4	SOFTEX-USB-AND-GPIO	14		24		34	
5	REVISION HISTORY	15		25		35	
6		16		26		36	
7		17		27		37	
8		18		28		38	
9		19		29		39	
10		20		30		40	

DESIGN CONSIDERATIONS

Example text for informational design notes.

DESIGN NOTE: Example text for cautionary

Example text for critical LAYOUT NOTE:

Cannot UFAL https://softex.br/ open file C:\Users\E DEVKIT VISAO stab\Down Variants: SPI FLASH [01] - COVER PAGE.SchDoo Designed by: Victor Holanda Checked by:

Example text for critical layout guidelines.

DESIGN NOTE: Example text for debug notes.

DEVKIT VISAO (Block Diagram) Page 03 Page 04 Page 04 Page 04 and page 04 MICRO USB-B LDO LDO CAM CONECTOR Page 04 LDO RXD,TXD USB CONVERTER Page 03 USER Button (Reset Board) GPIO Xtensa® 32-bit LX7 dual-core processor ESP32-S3 Page 03 Page 3 USER Button (Boot mode) 56-QFN (7x7) SD CARD CONECTOR Page 03 Bluetooth Page 3 2.4GHz Ceramic Antenna FLASH 4MB UFL Page 03 STATUS LED (YELLOW) Page 04 LED FLASH (WHITE) Cannot
open file
C:\Users\E
stab\Down

Title: DEVKIT VISAO Variants: SPI FLASH Revision: P1 Designed by: Victor Holanda Checked by: Alex Batista Release Date: 06/05/2025 Sheet: 2 of 6 8







