Nested Model Comparisons

Assuming model Unconstrained to be correct:

Model	DF	CMIN	J P	NFI	IFI	RFI	TLI
Wiodei	DI	CIVIIIN	Г	Delta-1	Delta-2	rho-1	rho2
Measurement weights	15	86.621	.000	.013	.013	.008	.008
Structural weights	19	89.829	.000	.013	.014	.006	.007
Structural covariances	25	101.677	.000	.015	.015	.006	.006
Structural residuals	27	102.017	.000	.015	.016	.005	.005
Measurement residuals	47	239.779	.000	.035	.036	.017	.018
Н6а	1	.267	.605	.000	.000	.000	.000
H6b	1	1.215	.270	.000	.000	.000	.000
Н6с	1	.030	.863	.000	.000	.000	.000
H6d	1	2.880	.090	.000	.000	.000	.000

Assuming model Measurement weights to be correct:

Model	DF	CMIN	P	NFI Delta-1	IFI Delta-2	RFI rho-1	TLI rho2
Structural weights	4	3.208	.524	.000	.000	001	001
Structural covariances	10	15.056	.130	.002	.002	002	002
Structural residuals	12	15.396	.220	.002	.002	003	003
Measurement residuals	32	153.158	.000	.022	.023	.010	.010

Assuming model Structural weights to be correct:

Model	DF	CMIN	P	NFI Delta-1	IFI Delta-2		
Structural covariances	6	11.848	.065	.002	.002	001	001
Structural residuals	8	12.188	.143	.002	.002	001	002
Measurement residuals	28	149.950	.000	.022	.023	.011	.012

Assuming model Structural covariances to be correct:

Model	DF	CMIN	P	NFI Delta-1	IFI Delta-2		
Structural residuals	2	.340	.844	.000	.000	001	001
Measurement residuals	22	138.102	.000	.020	.021	.012	.012

Assuming model Structural residuals to be correct:

Model	DE	CMIN	D	NFI	IFI	RFI	TLI
Model	Dr	CIVIIIN	Г	Delta-1	Delta-2	rho-1	rho2
Measurement residuals	20	137.762	.000	.020	.021	.012	.013

Assuming model H6a to be correct:

Model	DF	CMIN	P	NFI Delta-1	IFI Delta-2	RFI rho-1	TLI rho2

Structural weights	18	89.562	.000	.013	.014	.007	.007
Structural covariances	24	101.409	.000	.015	.015	.006	.007
Structural residuals	26	101.750	.000	.015	.015	.005	.006
Measurement residuals	46	239.512	.000	.035	.036	.018	.019

Assuming model H6b to be correct:

Model	DF	CMIN	D	NFI	IFI	RFI	TLI
Model	Dr	CMIIN	Г	Delta-1	Delta-2	rho-1	rho2
Structural weights	18	88.614	.000	.013	.013	.007	.007
Structural covariances	24	100.462	.000	.015	.015	.006	.006
Structural residuals	26	100.802	.000	.015	.015	.005	.006
Measurement residuals	46	238.564	.000	.035	.036	.018	.019

Assuming model H6c to be correct:

Model	DF	CMIN	P	NFI Delta-1	IFI Delta-2	RFI rho-1	TLI rho2
Structural weights	18	89.799	.000	.013	.014	.007	.007
Structural covariances	24	101.647	.000	.015	.015	.006	.007
Structural residuals	26	101.987	.000	.015	.016	.005	.006
Measurement residuals	46	239.749	.000	.035	.036	.018	.019

Assuming model H6d to be correct:

Model	DF	CMIN	D	NFI	IFI	RFI	TLI
Wiodei	DI	CIVIIIV	1	Delta-1	Delta-2	rho-1	rho2
Structural weights	18	86.949	.000	.013	.013	.006	.007
Structural covariances	24	98.797	.000	.014	.015	.006	.006
Structural residuals	26	99.137	.000	.014	.015	.005	.005
Measurement residuals	46	236.899	.000	.034	.036	.017	.018