

LinT_EX: Enhancing L^AT_EX document accessibility for screen reader users

by
Mohammad Danyal

In partial fulfilment of the
requirements for the degree of
Bachelor of Science
in
CS408: Individual Project







Department of
Computer and Information Sciences

April, 2026

Abstract

The abstract is a bird's eye view of the project.

It should not exceed one page. Mention the scope and objectives of the project, the methodology used, the main findings, and significance of your results.



Acknowledgements

I would like to thank the participants who evaluated my project, my supervisor etc.

Contents

Overview Diagram	i
Acknowledgments	ii
Glossary	v
1 Introduction	1
1.1 Identifying $\text{\LaTeX}$'s key accessibility problems for screen reader users	1
1.2 Why accessibility is important	1
1.3 Why LuaLaTeX provides better accessibility than PDFLaTeX	1
1.4 Creating LinTeX	1
1.5 aims and objectives	1
1.6 Limitations of the project overall	1
1.7 research questions/hypothesis	1
1.8 from nov progress	2
2 Background Literature	4
2.1 (brief intro into background, such as accessibility or latex-related background)	4
2.2 Choice of programming language	4
2.3 Choosing a PEG library under the Go programming language	6
2.4 Choice of frameworks and libraries	6
2.5 guidelines for accessibility	8
2.6 Choosing a software development methodology	8
2.7 Choosing a screen reader	8
2.8 User study design choices	8
2.9 Designing a GUI	8
3 Specification & Design	9
3.1 Methodology	9
3.2 Analysis	9
3.3 Requirements	9
3.4 Design	10
4 Implementation	12
4.1 general overview of technologies used	12
4.2 website with server-client relationship	12
4.3 possibly include things about peg	12
4.4 verification & validation	12
5 User study	13
5.1 Study design	13
5.2 Hypothesis	13
5.3 Results	14
5.4 Analysis	17
5.5 Hypothesis testing and discussion	20

6	Discussion and reflection	22
6.1	something	22
7	Conclusion	23
7.1	Project summary	23
7.2	Project limitations	23
7.3	Achievements – potentially optional/swap with final thoughts or another area?	23
7.4	Future work	23
7.5	Reflection	23
7.6	Final thoughts	23
A	Appendix	25
A.1	Ethical approval form	25
A.2	Participant information sheet	25
A.3	Consent form	25
A.4	User study script	25

List of Figures

1	Comparing screen reader output quality ratings before and after applying LinTeX	15
2	Paired t-test formula	16
3	Participants likelihood to support screen reader users in the future	17

List of Tables

2	Languages and related PEG frameworks	5
3	Languages and related website development support	5
4	Comparison between PEG and Pigeon	6
5	Memorable aspects of document extracts	14
6	Difficult aspects from the initial and final listenings	15
7	Simple aspects from the initial and final listenings	16
8	LinTeX usability	18

Glossary

accessible document	an accessible document created after using $\text{LinT}_{\text{E}}\text{X}$. 13, 14, 19, 20
AST	abstract syntax tree 6
CDN	content delivery network 8
CGI	Common Gateway Interface 4, 5
CLI	command-line interface 8
CMD	command prompt for Windows 7
CSS	Cascading Style Sheet 7
GUI	graphical user interface iii, 8
HTML	Hypertext Markup Language 7, 8
HTTP	HyperText Transfer Protocol 8
inaccessible document	a document that has intentionally been made inaccessible 13, 14, 19, 21
JS	JavaScript 8
metadata	data about data, such as a file's structure. 15, 19
npm	Node package manager 8
PDF	Portable Document Format 7
PEG	parsing expression grammar iii, iv, 4–6
right-tailed test	a test for whether the hypothesis should be rejected (Exeter 2025). 20
WSL	Window's Subsystem for Linux 6

1 Introduction

1.1 Identifying L^AT_EX's key accessibility problems for screen reader users

Similar to a tool like Microsoft Word, L^AT_EX is a tool used to process documents. However, L^AT_EX does this in a programmatical manner, likening it to a programming language, whereas Microsoft Word has a that

- xetex - came after pdflatex but before luatex created for better font handling - specify not under consideration - since latex devs focused on luatex - was useful, but not used much - 'could be considered evolutionary deadend'/might become one/find authoritative source to say it is
- introduce latex here? - rough definition ig, and purpose - (intended to be math textbook)
- (small paragraph)

1.2 Why accessibility is important

- who would benefit from it - stats with disabilities e.g. how many people are blind and use screen readers - (use good sources e.g. government websites or world health organisations)
- severity and frequency are considerations

1.3 Why LuaLaTeX provides better accessibility than PDFLaTeX

1.4 Creating LinTeX

- intended purpose - (this section has the finished overview diagram)

1.5 aims and objectives

1.6 Limitations of the project overall

1.7 research questions/hypothesis

This is a concise and clear overview of your dissertation (more or less 2-3 pages). You can start off the project description provided of the project that was allocated to you and flesh it out.

Include (1) the problem you have tackled, (2) why this problem is worth addressing, (3) what you did to address it - in broad terms. Detail will come later.

i.e., issue(s) on which the research will focus, shall be clearly identified and described. You shall refer to past research work relevant to the topic and objectives, i.e., of the study. You shall outline where applicable the potential research output with respect to research transfer and uptake by the community.

The introduction says: this is an overview of the project. This is why I did it (the problem) and how I tackled it. It is the *runway* into the project. It lets the marker know what to expect of your report.

If you're doing a research project, this would be the place to include the research questions you plan to address. For example:

RQ1: Where did James Bond come from?

RQ2: Why are pumpkins orange?

If you're doing a project of type 1, include a list of objectives. For example:

Objective 1: Provide software to allow James Bond to become invisible.

Objective 2: Provide software to keep track of all loyalty points in one place.

Provide a 'map' of your dissertation. For example: Section 2 reviews the background literature that was reviewed to inform this project. Then Section ??.....

1.8 from nov progress

There is a lack of accessibility with $\LaTeX$, largely due to usage of outdated PDF $\LaTeX$ as opposed to Lua $\LaTeX$. Usage of this outdated TEX engine necessitates workarounds for desired features and accessibility in resulting PDF documents.

What can be done to make $\LaTeX$ documents more accessible?

LinTeX is a developing tool dedicated to combat this problem by focusing on assisting screen readers' abilities to read the PDF documents produced from $\LaTeX$ documents. It aims to cover this area through suggesting structured tagging throughout a document, suggesting

components where it may be lacking. Additionally, it will request users to input appropriate alternative text ('alt text') for non-text components of the document, including figures, images, and tables. Further focus may be placed on features such as ensuring appropriate contrast in any colours in the document, appropriate Sans Serif fonts, and flexible document design, largely depending on what development time allows for.

Additionally, as a tool focused on promoting accessibility, it too should be accessible. Therefore, the tool will ensure strict adherence to the Web Content Accessibility Guidelines 2 (WCAG 2)

Why should I use LinTeX?

While the tool is not limited strictly to the field, it is aimed to assist the many academics that find difficulties in accessing reports and academic literatures. By utilising this tool, you can ensure a wider demographic of users can view your documents, without necessitating an especially large amount of research in accessibility; it has been done for you.

2 Background Literature

This section should provide the grounding for your project. You will be able to refer back to this in Section ??, where you report on design decisions and methodology.

There should be a strong link to your research questions (for project types 2 and 3). There will be a strong link to the software design decisions for project type 1.

Don't just include a paragraph for each paper you read. Synthesize it and create a story line.

Review between 5 and 10 authoritative sources. For research based projects, some of these should be from peer-reviewed journals or conferences.

This section will reference literature like this Turing 1950. Sloppy referencing will (1) take time and effort, and (2) lose you marks if you don't do it.

2.1 (brief intro into background, such as accessibility or latex-related background)

2.2 Choice of programming language

There were many considerations when deciding what programming language to write `LinTeX` in. Languages chosen were based on those that I had prior experience in, to ensure minimal hinderance from the language itself to the development of the project. An important factor is ensuring `LinTeX`'s maintainability in the future. Therefore, only the languages which have actively maintained parsing expression grammar (PEG) libraries will be considered, as can be seen in Table 2. The most recent update times provided in Table 2 are in reference to 24th November 2025.

Based on the current criteria, we can rule out C, C#, PHP, and Dart.

As many languages remain, there is a need for a stricter criteria: suitability to be utilised as a web application as well as compatibility with the University of Strathclyde's development web server (devweb) system.

It should be noted that while Go, C, C#, and C++ are not directly compatible with devweb, as referenced in Table 3, they can be supported through use of Common Gateway Interface

Table 2: Languages and related PEG frameworks

Language	PEG library link	PEG library is in development
Python	https://pythonhosted.org/pyPEG2/	No, last updated in October 2015
Python	https://github.com/erikrose/parsimonious	Yes, last updated in November 2025
JavaScript	https://github.com/pegjs/pegjs	No, last updated in November 2019
JavaScript	https://peggyjs.org/	Yes, last updated in September 2025
Go	https://github.com/pointlander/peg	Yes, last updated in November 2025
Go	https://github.com/mna/pigeon	Yes, last updated in November 2025
C	N/A	N/A
Java	https://github.com/sirthias/parboiled	Yes, last updated in November 2025
C#	https://code.google.com/archive/p/peg-sharp/	No, last updated in May 2011
C#	https://github.com/otac0n/Pegasus	No, last updated in December 2023
C++	https://github.com/yhirose/cpp-peglib	Yes, last updated in July 2025
PHP	https://github.com/hafriedlander/php-peg	No, last updated in May 2014
TypeScript	https://github.com/metadevpro/ts-pegjs	No, last updated in November 2024
TypeScript	https://github.com/EoinDavey/tsPEG	Yes, last updated in November 2025
Dart	https://github.com/darmie/dart-peg	No, last updated in July 2015

Table 3: Languages and related website development support

Language	Web development support	DevWeb support
Python	Yes	Yes
JavaScript	Yes	Yes
Go	Yes	No
C	No, except for rare exceptions	No
Java	Yes, but not generally used	Yes
C#	Yes, but not generally used	No
C++	Yes, but not generally used	No
PHP	Yes	Yes
TypeScript	Yes	Yes
Dart	Yes	Yes

(CGI) scripts, and consequently should not be fully disregarded for this alone. However, based on their support for web development, C, Java, C#, and C++ will have a lower priority for being a chosen language.

This leaves us with a focus placed on JavaScript, Go, and TypeScript. However, JavaScript will be removed from consideration as a strictly typed language is preferred for our context. Therefore, leaving Go and TypeScript as the main considerations for this project. Finally, as I have more experience and a stronger preference towards Go as opposed to TypeScript, it was the chosen programming language for the project.

2.3 Choosing a PEG library under the Go programming language

Go has two libraries that are used in relation to PEG systems: Pigeon by Martin Angers (mna), and PEG by Andrew Snodgrass (pointlander). Direct comparisons with core components of both have been made in Table 4.

Table 4: Comparison between PEG and Pigeon

	Pigeon	PEG
Installation	Requires running a <code>go install</code> command and setting up environment variables.	Requires supporting bash scripting (through Windows Subsystem for Linux (WSL) for Windows users), as well as running a <code>go install</code> command, cloning the repository, and running <code>go generate && go build</code> .
Documentation	Contains a Godoc page, wiki page, an examples subdirectory, and a detailed README.md providing what PEG features are supported, command line interface usage, installation, and examples.	Contains a detailed README.md and a PEG file syntax file containing what PEG features are supported, installation steps, and example projects links.
Generated Code	Generated Go code can be used to configure settings on the parser, view statistics or error information, debug, enable or disable memoization, and parse readers, files, and strings. Additionally, the generated code is well documented, with several comments surrounding usage of public functions.	Generated Go code can be used to run the PEG script on a provided string, debug and output the abstract syntax tree (AST), output errors in parsing, and enable or disable memoization.
Examples	Provides three direct examples: detecting indentation in files, parsing JSON files, and a calculator example. Examples were kept short (regarding PEG scripts) with the calculator and indentation examples showcasing usage via a main function.	Provides two project links for examples on PEG usage: a natural date/time parser and a scientific names parser. Both projects have large PEG scripts, with most lines being simple to read. The natural date/time project was intuitive to use and understand program flow.

While examples are relatively similar, the simplicity of installation for Pigeon as opposed to PEG, combined with the depths of documentation both in generated code and outwith it, makes Pigeon a more ideal option. Additionally, its greater number of features gives LinTeX more to make use of. Therefore, Pigeon was the chosen library for the project.

2.4 Choice of frameworks and libraries

2.4.1 Backend frameworks and libraries

There were three options for web frameworks and packages, namely Gin (Martínez-Almeida 2014), Gorilla (The Gorilla Authors 2023), and net/http (The Go Authors 2009c). For LinTeX, net/http was chosen for the key reason that it had the least barriers to entry, as there was a provided guide on the Go development website that was utilised in the

project setup. However, in hindsight more consideration towards what web framework to use would have had a great impact on the project as a whole, as net/http is a lower level web framework than Gin or Gorilla, consequently requiring more management on LinTeX's end. Some examples of difficulties that occurred is a lack of POST requests being easily supported and necessitating server files are explicitly stated as opposed to implicitly defined within a given context.

The html/template (The Go Authors 2009b) package was included in the project. This package provided the ability to load Hypertext Markup Language (HTML) files through Go, while allowing information to be provided to them. The alternative choice was to provide a raw print output to the client, which made the package a far more clear winner.

For the project to be able to compile L^AT_EX documents to convert them into PDFs, it was necessary to either use a pre-built package or to compile L^AT_EX documents locally. Pre-built packages that were found include go-latex (T. I. Authors 2020) and latex-fast-compile (Kpym 2020). It was necessary to rule out go-latex as it emulated a L^AT_EX compiler, rather than directly linking to one. Additionally, it lacked documentation and necessary features making it unsuitable. Latex-fast-compile was also unsuitable due to using PDFL^AT_EX rather than LuaL^AT_EX which was desired.

Consequently, it became necessary to compile L^AT_EX documents directly. This was done through the use of command prompt for Windows (CMD) which allowed the 'lualatex' command to be ran, consequently compiling the requested file. It did, however, prerequisite that the hosting server had a L^AT_EX compiler in their backend, for the relevant LuaL^AT_EX engine. The os/exec (The Go Authors 2009a) package allowed for a CMD shell to be created within Go code, consequently allowing the 'lualatex' command to be ran. Hence, compiling the L^AT_EX document that the user provides.

2.4.2 Frontend frameworks and libraries

As plain Cascading Style Sheet (CSS) is difficult to work with and maintain, it was necessary to decide on a CSS framework for the project. My prior experience in Bootstrap (T. B. Authors 2011) made it a close choice, but the opportunity to learn to utilise Tailwind CSS (Tailwind Labs 2017) was more enticing and eventually won the decision.

To implement Tailwind CSS, it was necessary to install its command-line interface (CLI) through Node package manager (npm). This permitted usage of Tailwind CSS without necessitating JavaScript (JS) within the codebase, and avoided workarounds such as a content delivery network (CDN). Additionally, due to difficulties in using Tailwind CSS, it was necessary to utilise a component library built on top of it, for which Flowbite (Inc. 2023) was chosen as it could be used as almost plug-and-play.

To ensure appropriate responsiveness of LinTeX, it was necessary to be able to introduce updates in real time. For this, HTMX (Software 2020) was utilised, as it is a tool that permits HTML tags other than the 'a' and 'form' tags to send HyperText Transfer Protocol (HTTP) requests to the server. For example, it is possible to use HTMX to create a HTTP request when a given key is pressed through its event management.

2.5 guidelines for accessibility

- guidelines should be understood by me - languages guidelines are written in - check if authority publishing guidelines is a good source i.e. is an international standard instead of a random person

2.6 Choosing a software development methodology

2.7 Choosing a screen reader

2.8 User study design choices

2.9 Designing a GUI

LinTeX will take strong inspiration from Integrated Development Environments (IDEs) with regards to its User Interface/User Experience (UI/UX) design. This is because LaTeX in structure, is similar to a programming language, even being Turing complete Murrish 2012. Hence, an environment suitable to programming is suitable to LaTeX, with some special considerations put aside for its quirks. For example, depending on the user's screen size and preferences, they may wish to have the output of the LaTeX documents taking up half of the screen, a separate browser window or monitor, or out of the way until compilation.

- Tailwind choice? - Flowbite choice? - Potential HTMX usage if time allowed for it?

3 Specification & Design

Describe all details of the design and procedures used to achieve the project objectives. Do this chronologically.

It should be detailed enough to allow for an assessment of the rigour of your process, and, in the case of research projects, in terms of how well grounded your research is in the research literature. In these cases, refer back to relevant sections in the previous chapter.

Say which software lifecycle approach you used e.g., Waterfall, Spiral, Agile.

How did you gather user requirements?

3.1 Methodology

Which methodology did you choose?

3.2 Analysis

How did you decide on the particular software artifact you decided to develop?

3.3 Requirements

Here you explain what the functional and non-functional requirements are. Explain how you prioritised them. See <https://www.nuclino.com/articles/functional-requirements> for more information.

Functional requirement: "The system must **do** [requirement]."

Non-functional requirement: "The system shall **be** [requirement]."

Well-written functional requirements typically have the following characteristics:

Necessary: Although functional requirements may have different priority, every one of them needs to relate to a particular business goal or user requirement.

Concise: Use simple and easy-to-understand language without any unnecessary jargon to prevent confusion or misinterpretations.

Attainable: All requirements you include need to be realistic within the time and budget constraints set in the business requirements document.

Granular: Do not try to combine many requirements within one. The more precise and granular your requirements are, the easier it is to manage them.

Consistent: Make sure the requirements do not contradict each other and use consistent terminology.

Verifiable: It should be possible to determine whether the requirement has been met at the end of the project.

3.3.1 Functional Requirements

This is the **WHAT** of your artifact.

Functional requirements are product features that developers must implement to enable the users to achieve their goals. They define the basic system behavior under specific conditions.

Functional requirements need to be clear, simple, and unambiguous. Examples:

- The system must send a confirmation email whenever an order is placed.
- The system must allow blog visitors to sign up for the newsletter by leaving their email.
- The system must allow users to verify their accounts using their phone number.

3.3.2 Non-Functional Requirements

This is the **HOW** of your artifact. Example non-functional requirement: “When the submit button is pressed, the confirmation screen must load within 2 seconds.”

3.4 Design

3.4.1 Interface Design

Explain how you used wireframes, and how you tested these to design the user interface.

3.4.2 System Design

Show how you designed your database (if appropriate) and how you designed your system architecture, and the individual parts. Use UML and an Entity Relationship diagram

4 Implementation

4.1 general overview of technologies used

4.2 website with server-client relationship

4.3 possibly include things about peg

4.4 verification & validation

- (manual testing and error messages for server-side errors that should not occur in most cases)

5 User study

A user study is an approach taken to understand the requirements of users in relation to your application (Center 2024). It can be used to better understand user requirements for those who will be using the system and consequently improve design decisions.

5.1 Study design

The user study was designed with the goal of evaluating the effectiveness of the tool, LinTeX, and identifying areas of improvement for the tool. To meet these goals, the user study was split into six key stages:

1. An introductory stage where the goal is to identify where the participant's knowledge lies in related topics.
2. An initial listening of the inaccessible document, which was produced for this user study.
3. A questioning stage based on the initial listening of the inaccessible document.
4. A think-aloud session for understanding the accessibility of LinTeX.
5. A final listening of the newly created accessible document by using LinTeX.
6. A questioning stage based on the final listening of the accessible document.

These stages allowed for a comparison of the before and after of using LinTeX, through stages 2 and 5, as well as associated questioning stages 3 and 6, allowing both qualitative and quantitative data to be obtained. Additionally, the think-aloud session provides an opportunity to judge the usability of LinTeX.

Finer details for the user study can be found in the user study script (section A.4), with the reasoning behind their choices located in the user study design choices (section 2.8).

5.2 Hypothesis

There were several hypotheses that this user study aimed to prove or disprove:

- H1** The accessible document created by LinTeX showed an improvement from the

inaccessible document initially used in terms of the document's accessibility for screen reader users.

H2 LinT_EX is reasonably accessible.

H3 LinT_EX provided useful error messages.

H4 The inaccessible document used in the initial listening is not memorable.

5.3 Results

The sample size for this user study was small, with 5 participants being recruited for it.

5.3.1 Memorable document extracts

The following table, namely Table 5, showcases the results from the question in the initial questioning (stage 3), which requests participants to summarise the document.


Table 5: Memorable aspects of document extracts

Document extract	Comment
Improving spoken skills	The majority of participants recalled spoken skills being improved through tongue twisters, yet there was minimal mentions of other techniques referenced in the inaccessible document.
House sale	A little over half of the participants had recalled a house being mentioned, with the currency and specific pricing often incorrect.
Favourite pet	All users recalled the extract about the cat being the favourite pet.
Muhammad and Noah name comparisons in Scotland	All users recalled this extract, with finer details such as: whose name was more popular, the positions of the names, and what names were in the context were often incorrect.
Grade comparisons	All users recalled this extract, with finer details such as: the friends' names, John's name, the class codes, whether the extract referenced John's friends or general students, who was assigned what grades, and the grades themselves, were often incorrect.

It should be noted that participants who had requested to pause or repeat a segment of the initial listening showcased a better recollection of the document extracts, with the average participant able to recall 4 extracts on average.

5.3.2 Accessible document and inaccessible document comparisons

The following figure, namely Figure 1, showcases the comparison of Likert scale data obtained from the user study that queries the participants about the quality of the screen reader's audio output regarding its contents. This data was used to create a frequency polygon graph, for which the blue line showcases the data from the initial questioning (stage 3) and the red line showcases the data from the final questioning (stage 6).

Figure 1: Comparing screen reader output quality ratings before and after applying LinT_EX

The key difficult components of both the initial listening (stage 2) and final listening (stage 5) can be found in Table 6. It should be noted that this is not an exhaustive list of all difficult components from both stages, but rather the key points that a majority of participants in the user study emphasised. For example, a few participants noted that the scale of numbers included in a table had an impact on its legibility.

Table 6: Difficult aspects from the initial and final listenings

Initial document	Final document
Repetition of 'percent' in the second table was found to be distracting.	Repetition of 'percent' in the second table was found to be distracting.
Images were difficult to keep track of when and where they had occurred.	Tables contained too much metadata, with focus placed on 'column N' being repeated for each table cell.
Images being plain file names made it difficult to ascertain their purpose.	Document metadata could be confused with the contents of the document, with emphasis placed on column numbers being mixed with name positions in the first table.
Headings and pages did not have sufficiently long pauses before beginning.	
Tables were read too fast with no pauses between table cells.	
The table containing names is viewed from top to bottom, whereas the screen reader reads from left to right.	

The key simple components of both the initial listening (stage 2) and final listening (stage 5) can be found in Table 7. It should be noted that this is not an exhaustive list of all simple components from both stages, but rather the key points that a majority of participants in the user study emphasised. For example, many participants enjoyed the inclusion of an

example tongue twister in place of the relevant image.

Table 7: Simple aspects from the initial and final listenings

Initial document	Final document
Standalone sentences were read slower and with pauses. Sentences separated by images or tables were easier to distinguish.	Standalone sentences were read slower and with pauses. Sentences separated by images or tables were easier to distinguish.
Lists provided in bullet point form were simple to understand due to a clear starting point.	Lists provided in bullet point form were simple to understand due to a clear starting point. Each point in the list started with 'bullet' instead of 'bullet point' which was the case previously, consequently speeding up the screen reader's output.
The table discussing grades is read left to right, whereas the table discussing names is read top to bottom. When the table can be viewed left to right, it followed the same order the screen reader used when creating the audio output.	The table discussing grades is read left to right, whereas the table discussing names is read top to bottom. When the table can be viewed left to right, it followed the same order the screen reader used when creating the audio output.
Supplementary sentences included before or after images and tables improved the overall clarity of the related extracts.	Supplementary sentences included before or after images and tables improved the overall clarity of the related extracts.
	Images were easier to understand due to their included descriptors.
	The screen reader included more pauses and spoke slower, with emphasis placed on tables.
	Structural indicators such as 'out of list', 'out of table', and 'table with M columns and N rows' improved tracking of where the screen reader was on the document at that moment.
	Reading the table heading before each table data cell improved tracking of what data correlated to what name in the first table.

It should be noted that all participants required less pausing or repetition of an extract in the final listening (stage 5) compared to the initial listening (stage 2). Additionally, another point of note is that tables were a frequent aspect that required pausing or repetition.

5.3.3 Applying student's paired t-test

The student's paired t-test was developed by William Sealy Gosset in 1908 (Wadhwa and Marappa-Ganeshan 2023). Its purpose, in our context, is to determine if the difference between our audio output quality Likert scale data in Figure 1 is significant.

Figure 2: Paired t-test formula

$$t = \frac{\bar{d} - \mu_0}{\frac{s_d}{\sqrt{n}}} \quad (1)$$

Figure 2 has a standard deviation (s_d) of 0, as the difference between all results was 1. As


a result of this, it leads to a division by zero. Depending on interpretation, this could be seen as t approaching infinity (∞) or simply an undefined result.

Under the basis of t approaching infinity, we can consequently view it as a large t value, which suggests there is statistical significance in the results.

5.3.4 Likelihood to support screen reader users

The following figure, namely Figure 3, showcases the results from the Likert scale data obtained in the final questioning (stage 6), which queries participants on their likelihood to support screen reader users in the future.

Figure 3: Participants likelihood to support screen reader users in the future



5.3.5 LinTeX usability focuses

The following table, namely Table 8, highlights areas where usability could be improved or was found largely useful during the think-aloud session (stage 4). It should be noted that some results that stemmed from a lack of LaTeX knowledge were not included, as Table 8 aimed to identify the key components of usability.

5.4 Analysis

5.4.1 Reasoning behind document extracts being memorable

This section uses data from Table 5 to make an analysis of the reasoning behind why specific sections were memorable, and others were not.

While the tongue twister was memorable in the initial listening (stage 2), likely due to it

Table 8: LinTeX usability

Affected area	Comment
Uploading a file	Lacked responsiveness regarding actions performed when the upload button was clicked without a selected file, and informing the participant that a file has been uploaded.
Button phrasing	Phrasing of 'generate output' button caused participants to assume it could only be clicked after all errors were fixed.
Scrolling options	Scrolling options for the in-built code editor, errors, and the website as a whole, made navigation more difficult.
Submitting a document	A keybind to generate the document's PDF output was requested.
Error extracts	Most error extracts, the code taken from where the error had occurred, were helpful. However, a few syntax errors, such as a missing closing curly brace only provided the opening curly brace within its extract. It should be noted that many users utilised the browser's search features to locate where the error had occurred.
Image error messages	No difficulties found.
Table error messages	Attempts were made to place the 'tabular' group within the required argument of '\tagpdfsetup'.
Tagging error messages	Uncertainty existed with what should be provided to the required argument of '\DocumentMetadata' and how to handle several key-value pairs being provided to it, with some attempts to add an extra required argument.
Error messages	Examples helped to achieve the correct output, with long error messages found from requesting more details alleviating many prior concerns.
Text size	Text size was small.
Colour scheme	The colour scheme of the website may be inaccessible for users with dyslexia.

having a relatively large extract focused on it, participants had noted that providing the actual tongue twister made for a more enjoyable and consequently memorable experience in the final listening (stage 5).

Participants frequently misremembered finer details in smaller extracts relating to images, with only the extract on the cat being the favourite pet being the most memorable, likely due to its simplicity. This could be biased by the participants not being informed what specific questions would be asked, or the question being asked after the full document has been read, consequently requiring the participants to keep the full document in mind by that point. The latter point highlights a struggle a screen reader user may face.

Regarding name positioning and grade comparisons, a reasonable assumption as to why the overall topics were memorable despite finer details being frequently incorrect is that they required a greater degree of focus due to having more data in the tables. However, due to the magnitude of the data, and the speed and lack of pauses in their listening, as referenced in Table 6, the particulars of the data were often mistaken. Additionally, supplementary sentences surrounding these tables often provided a general overview of what the tables had contained, which may have influenced a participant's understanding.

5.4.2 LinTeX's impact on document screen reader accessibility

Figure 1 showcases that the accessible document's audio output rating had a higher peak compared to the inaccessible document. Additionally, we can view that the accessible document is shifted one data point higher on the x-axis at all points, with the same overall shape maintained as the inaccessible document. We can consequently conclude that, based on this quantitative data, LinTeX had provided an improvement to the document's accessibility, with emphasis placed on screen readers.

Table 6 highlights the components of the initial listening (stage 2) and final listening (stage 5) that were difficult to understand. This permits a comparison between the two columns, for which we can determine that the majority of difficult aspects had been improved, as they were no longer in the final listening (stage 5)'s column. However, there remained two components that provided some confusion in the final listening (stage 5):

- The document's contents added unnecessary confusion at times, where it could be confused for metadata that the screen reader was reading out.
- The tables within the document contained too much metadata. The phrasing 'less is more' could be applied here, where too much information obstructed a participant's ability to understand its contents.

Table 7 showcases the fact that there were many more simple to understand components in the accessible document compared to the inaccessible document, with many of the previously helpful components remaining the same or having mild improvements. Consequently, we can deduce that simple components were retained with the same, or arguably better, quality.

5.4.3 Areas of improvement for LinTeX usability

Table 8 highlights many areas where LinTeX suffers in its usability. Hence, some proposed solutions for these concerns have been indicated below:

- The file upload process could be simplified by combining both the file selector and the upload file button. This would reduce the number of steps required on the user's part to upload the file and begin using LinTeX.

- The phrasing of specific website components could be changed. For example, 'generate output' could be swapped out for 'check document' which has different connotations of applying some form of validation to the document. Additionally, a keybind to shortcut clicking this button has been indicated to be a desired feature, due to the reliance on frequently clicking it.
- Scrolling within the webpage could be alleviated by removing scrolling of the full webpage (for the tool webpage). That would ensure there is always a 'check document' button at the bottom, while still allowing the flexibility of scrolling error messages or the code editor.
- More information should be provided by some error messages, with emphasis on those related to tables or tagging. By providing more information upfront, there will be less confusion about where to progress from a specific point.
- The error extracts being less helpful in the context of syntax errors should be alleviated by providing the line and character position information. In the future, if there is enough time, an automated fix feature could be implemented.
- Text sizes being too small can be solved by simply increasing their size. There is also potential for choosing different font families that fit the context better.
- The colour scheme was indicated to have not been distinct enough for dyslexia users, which can be alleviated by choosing and applying a more accessible colour scheme for this user group.

5.5 Hypothesis testing and discussion

It can be claimed that, as there is statistical significance in applying student's paired t-test (section 5.3.3), a right-tailed test can be used to ascertain that there is a definitive improvement in the screen reader accessibility of the documents after applying LinTeX. Additionally, based on section 5.3.2, it can be concluded that there was a significant improvement in the document's screen reader accessibility after applying LinTeX, as it showed previously difficult aspects becoming simpler to understand, with minimal difficult aspects in the accessible document. Consequently, we choose not to reject the

hypothesis **H1**.

The hypothesis **H2** has been rejected in our case, due to the magnitude of accessibility-related difficulties found in the Table 8. However, proposed solutions have been provided in areas of improvement for LinT_EX usability (section 5.4.3), which indicate processes that may be undertaken to solve many of the identified concerns.

It can be reasonably chosen to not reject the hypothesis **H3** as the majority of error messages were greatly useful based on Table 5.4.3, with only a few points made to provide more information upfront to avoid the user being at a standstill for what action to perform at a given point and providing more information regarding the location the error had occurred.

The hypothesis **H4** is arguable, as the main key points were often recalled by the participants. However, as many finer details were significantly wrong, the overall memorability of the inaccessible document's content could be considered low. Consequently, this would permit not rejecting the hypothesis **H4**.

6 Discussion and reflection

The conclusion is similar to when a plane lands. You don't rewrite the introduction. You say something like - I addressed the problem outlined in the introduction, and I built some software to do this. I tested the software like this ADD FEW WORDS.

Summarize main findings drawn from the project work. Mention the objectives or research questions. Do not repeat points raised in the discussion and reflection Section. If applicable, you can make recommendations. The conclusion should NOT contain any references.

6.1 something

should've put more emphasis on researching frontend

7 Conclusion

7.1 Project summary

7.2 Project limitations

7.3 Achievements – potentially optional/swap with final thoughts or another area?

7.4 Future work

7.5 Reflection

7.6 Final thoughts

The conclusion is similar to when a plane lands. You don't rewrite the introduction. You say something like - I addressed the problem outlined in the introduction, and I built some software to do this. I tested the software like this ADD FEW WORDS.

Summarize main findings drawn from the project work. Mention the objectives or research questions. Do not repeat points raised in the discussion and reflection Section. If applicable, you can make recommendations. The conclusion should NOT contain any references.

References

- Authors, The go-latex (2020). *latex*. English. <https://pkg.go.dev/codeberg.org/go-latex/latex>. URL: <https://pkg.go.dev/codeberg.org/go-latex/latex>.
- Authors, The Bootstrap (2011). *Bootstrap*. English. <https://getbootstrap.com/>. URL: <https://getbootstrap.com/>.
- Authors, The Go (2009a). *Exec*. English. <https://pkg.go.dev/os/exec>. URL: <https://pkg.go.dev/os/exec>.
- (2009b). *html/template*. English. <https://pkg.go.dev/html/template>. URL: <https://pkg.go.dev/html/template>.
- (2009c). *net/http*. English. <https://pkg.go.dev/net/http>. URL: <https://pkg.go.dev/net/http>.
- Authors, The Gorilla (2023). *gorilla/mux*. English. <https://pkg.go.dev/github.com/gorilla/mux>. URL: <https://pkg.go.dev/github.com/gorilla/mux>.
- Center, Delaware Government Information (2024). *What is User Research and Why Should it be a Part of Your Process?* English. URL: <https://gic.delaware.gov/what-is-user-research-and-why-should-it-be-a-part-of-your-process/>.
- Exeter, University of (2025). *Test Statistics*. English. URL: <https://libguides.exeter.ac.uk/c.php?g=729256&p=5313318>.
- Inc., Bergside (2023). *Flowbite*. English. <https://flowbite.com/>. URL: <https://flowbite.com/>.
- Kpym (2020). *latex-fast-compile*. English. <https://pkg.go.dev/github.com/kpym/latex-fast-compile>. URL: <https://pkg.go.dev/github.com/kpym/latex-fast-compile>.
- Martínez-Almeida, Manuel (2014). *Gin Web Framework*. English. <https://pkg.go.dev/github.com/gin-gonic/gin>. URL: <https://pkg.go.dev/github.com/gin-gonic/gin>.
- Murrish, Robert (2012). *?LaTeX is More Powerful than you Think - Computing the Fibonacci Numbers and Turing Completeness?* English. **in** URL: https://www.overleaf.com/learn/latex/Articles/LaTeX_is_More_Powerful_than_you_Think_-_Computing_the_Fibonacci_Numbers_and_Turing_Completeness.
- Software, Big Sky (2020). *HTMX*. English. <https://htmx.org/>. URL: <https://htmx.org/>.
- Tailwind Labs, Inc. (2017). *Tailwind CSS*. English. <https://tailwindcss.com/>. URL: <https://tailwindcss.com/>.
- Turing, A. M. (1950). *?Computing Machinery and Intelligence?* English. **in** *Mind: New Series* 59.236, **pages** 433–460. ISSN: 00264423. URL: <http://www.jstor.org/stable/2251299>.
- Wadhwa, Raoul R. **and** Raghavendra Marappa-Ganeshan (2023). *?T Test?* English. **in** URL: <https://www.ncbi.nlm.nih.gov/books/NBK553048/>.

A Appendix

This is where you can include your documentation.

Remember that the marker is not required to read this, but might well check to ensure that you have included product documentation, and ethical approval, as required.

A.1 Ethical approval form

If your project required you to do any evaluation with humans, you **MUST** include this. It can be downloaded from the Ethics system.

<https://local.cis.strath.ac.uk/wp/extras/ethics/index.php>

A.2 Participant information sheet

If your project required you to do any evaluation with humans, you **MUST** include this

<https://www.strath.ac.uk/ethics/information-sheet-and-consent-form/>

A.3 Consent form

If your project required you to do any evaluation with humans, you **MUST** include this.

<https://www.strath.ac.uk/ethics/information-sheet-and-consent-form/>

A.4 User study script

something