ABRE O EDITOR PARA CONFIGURAR O ARQUIVO DOCKER-COMPOSE, YML

```
victoria@victoria-virtualbox:~/Desenvolvimento$ sudo nano docker-compose.ym
l
```

O ARQUIVO FICOU CONFIGURADO ASSIM:

```
services:
  teste-postgres-compose:
    image: postgres
    environment:
      POSTGRES_PASSWORD: "Postgres2019!"
      - "15432:5432"
    volumes:
      /home/victoria/Desenvolvimento/Docker-Compose/PostgreSQL:/var/lib/>
    networks:

    postgres-compose-network

  teste-pgadmin-compose:
    image: dpage/pgadmin4
    environment:
      PGADMIN DEFAULT EMAIL: "admin@email.com"
      PGADMIN DEFAULT PASSWORD: "admin"
    ports:
      - "16543:80"
    depends_on:
     - teste-postgres-compose
    networks:

    postgres-compose-network

networks:
  postgres-compose-network:
    driver: bridge
```


USAR O COMANDO ABAIXO PARA SUBIR E RODAR O DOCKER

DOCKER CRIADO

DOCKER INSTANCIADO CORRETAMENTE


```
CONTAINER ID
                IMAGE
                                  COMMAND
                                                            CREATED
  STATUS
                  PORTS
AMES
f8cd5102765a dpage/pgadmin4 "/entrypoint.sh"
  Up 2 minutes 443/tcp, 0.0.0.0:16543->80/tcp, [::]:16543->80/tc
esenvolvimento-teste-pgadmin-compose-1
cc5281e1b198
                postgres
                                  "docker-entrypoint.s..."
  Up 2 minutes
                  0.0.0.0:15432->5432/tcp, [::]:15432->5432/tcp
esenvolvimento-teste-postgres-compose-1
victoria@victoria-virtualbox:~/Desenvolvimento$
victoria@victoria-virtualbox:~/Desenvolvimento$ sudo docker network ls
NETWORK ID
             NAME
                                                     DRIVER
                                                               SCOPE
0236a2d5dced
             bridge
                                                     bridge
                                                               local
092284dd957e
             desenvolvimento_postgres-compose-network
                                                     bridge
                                                               local
4fda5408d359
             host
                                                     host
                                                               local
7da98873d421
                                                     null
             none
                                                               local
victoria@victoria-virtualbox:~/Desenvolvimento$
```

ENTRAR NA PORTA CONFIGURADA E ENTRAR COM AS CREDENCIAS CONFIGURADA NO ARQUIVO DOCKER-COMPOSE, YML






LOGADO COM SUCESSO



ACESSAR O SERVIDOR COM AS CREDENCIAIS CONFIGURADA NO ARQUIVO DOCKER-COMPOSE.YML



POSTGRES RODANDO

