

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unsuccessful

Users

ReqRes_Project / List users

GET{{base_url}}/api/users?page=2

Send

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

Query Params

Key	Value	Description
page	2	

KeyValueDescription

BodyCookiesHeaders (18)Test Results (4/4)

Status: 200 OKTime: 51 msSize: 1.91 KBSave as example

PrettyRawPreviewVisualizeJSON

```
1 {
2   "page": 2,
3   "per_page": 6,
4   "total": 12,
5   "total_pages": 2,
6   "data": [
7     {
8       "id": 7,
9       "email": "michael.lawson@reqres.in",
10      "first_name": "Michael",
11      "last_name": "Lawson",
12      "avatar": "https://reqres.in/img/faces/7-image.jpg"
13    },
14    {
15      "id": 8,
16      "email": "lindsay.ferguson@reqres.in",
```


HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

- GET List users
- GET Single user
- GET Single user not found
- POST Create user
- PUT Update user
- DEL Delete user
- POST Register_successful
- POST Register_unsuccessful
- POST Login_successful
- POST Login_unsuccessful

Users

ReqRes_Project / Single user

Save

GET

{{base_url}}/api/users/2

Send

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body

Cookies

Headers (18)

Test Results (2/2)

Status: 200 OK

Time: 61 ms

Size: 1.19 KB

Save as example

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "data": {
3      "id": 2,
4      "email": "janet.weaver@reqres.in",
5      "first_name": "Janet",
6      "last_name": "Weaver",
7      "avatar": "https://reqres.in/img/faces/2-image.jpg"
8    },
9    "support": {
10     "url": "https://reqres.in/#support-heading",
11     "text": "To keep ReqRes free, contributions towards server costs are appreciated!"
12   }
13 }
```

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

- GET List users
- GET Single user
- GET Single user not found
- POST Create user
- PUT Update user
- DEL Delete user
- POST Register_successful
- POST Register_unsuccessful
- POST Login_successful
- POST Login_unsuccessful

Users

ReqRes_Project / Single user

GET{{base_url}}/api/users/2

Send

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

```
1 pm.test("Correct user ID", function () {
2   var jsonData = pm.response.json();
3   pm.expect(jsonData.data.id).to.eql(2);
4 });
5 pm.test("User is listed successfully", function () {
6   pm.response.to.have.status(200);
7 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

[Send a request](#)

Status code: Code is 200

Response body: Contains string

BodyCookiesHeaders (18)Test Results (2/2)

Status: 200 OKTime: 61 msSize: 1.19 KB

Save as example

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

AllPassedSkippedFailed

PASS

Correct user ID

PASS

User is listed successfully

⋮

←

→

Home

Workspaces

API Network

Explore

Search Postman

Invite

⚙

🔔

🔥

Upgrade

—

📄

✕

My Workspace

NewImport

GET Single user

GET Single user not found

+⋮

ResponseRequest

Collections

+

⋮

⋮

Environments

History

⋮

ReqRes_Project

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unsuccessful

Trello_Project

Users

HTTP

ReqRes_Project / Single user not found

Save

✎

💬

📄

GET

⌵

{{base_url}}/api/users/23

Send

⌵

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

	Key	Value	Description	⋮	Bulk Edit
	Key	Value	Description		

Body

Cookies

Headers (16)

Test Results (2/2)

🌐

Status: 404 Not Found

Time: 312 ms

Size: 897 B

📄

Save as example

⋮

Pretty

Raw

Preview

Visualize

JSON

⌵

⋮

1

⌵

⋮ < > Home Workspaces ▾ API Network ▾ Explore

🔍 Search Postman

👤 Invite

⚙️

🔔

🔴

Upgrade ▾

—

📄

✕

👤 My Workspace

New Import

GET Single user

GET Single user not found

+

⋮

ResponseRequest ▾ 📄

🗑 Collections

+

☰

⋮

➤ Petstore

➤ Practice

▾ ReqRes_Project

➤ GET List users

➤ GET Single user

➤ GET Single user not found

➤ POST Create user

➤ PUT Update user

➤ DEL Delete user

➤ POST Register_successful

➤ POST Register_unsuccessful

➤ POST Login_successful

➤ POST Login_unseccessful

➤ Trello_Project

➤ Users

🔗 HTTP

ReqRes_Project / Single user not found

📄 Save ▾

🔗

💬

📄

GET ▾

{{base_url}}/api/users/23

Send ▾

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests ●

Settings

1 pm.test("User not found", function () {

2 | pm.response.to.have.status(404);

3 | });

4 pm.test("Response time is less than 1000ms", function () {

5 | pm.expect(pm.response.responseTime).to.be.below(1000);

6 | });

🔗

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

➤

💡

Snippets

[Get an environment variable](#)

[Get a global variable](#)

Body

Cookies

Headers (16)

Test Results (2/2)

🌐 Status: 404 Not Found

⌚ Time: 312 ms

📄 Size: 897 B

📄 Save as example

⋮

📘

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

✕

All

Passed

Skipped

Failed

🔄

PASS

User not found

PASS

Response time is less than 1000ms

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

> Petstore

> Practice

> ReqRes_Project

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unsuccessful

> Users

ReqRes_Project / Create user

POST{{base_url}}/api/users

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

1 {

2 "-"name": "morpheus",

3 "-"job": "leader"

4 }

5

BodyCookiesHeaders (14)Test Results (2/2)

PrettyRawPreviewVisualizeJSON

1 {

2 "name": "morpheus",

3 "job": "leader",

4 "id": "111",

5 "createdAt": "2023-12-07T13:19:20.312Z"

6 }

Status: 201 CreatedTime: 149 msSize: 926 BSave as example

HomeWorkspacesAPI NetworkExplore

Search Postman

InviteUpgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

Users

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unsuccessful

ReqRes_Project / Create user

POST{{base_url}}/api/users

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

```
1 pm.test("User created successfully", function () {
2   pm.response.to.have.status(201);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5   pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

[Send a request](#)

Status code: Code is 200

Response body: Contains string

BodyCookiesHeaders (14)Test Results (2/2)

Status: 201 CreatedTime: 149 msSize: 926 BSave as example

Perform API tests faster with templates for integration testing, regression testing, and more. [View Templates](#)

AllPassedSkippedFailed

PASS User created successfully

PASS Response time is less than 1000ms

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

- GET List users
- GET Single user
- GET Single user not found
- POST Create user
- PUT Update user
- DEL Delete user
- POST Register_successful
- POST Register_unsuccessful
- POST Login_successful
- POST Login_unsuccessful

Users

ReqRes_Project / Update user

Save

Send

PUT

{{base_url}}/api/users/2

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

```
1 {
2   ... "name": "morpheus",
3   ... "job": "zion resident"
4 }
5 |
```

Body

Cookies

Headers (16)

Test Results (3/3)

Status: 200 OK

Time: 129 ms

Size: 970 B

Save as example

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   "name": "morpheus",
3   "job": "zion resident",
4   "updatedAt": "2023-12-07T13:19:04.836Z"
5 }
```

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unsuccessful

Users

ReqRes_Project / Update user

Save

Send

PUT

{{base_url}}/api/users/2

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

```
1 pm.test("User is updated successfully", function () {
2   pm.response.to.have.status(200);
3 });
4 pm.test("Correct job name", function () {
5   var jsonData = pm.response.json();
6   pm.expect(jsonData.job).to.eql("zion resident");
7 });
8 pm.test("Response time is less than 1000ms", function () {
9   pm.expect(pm.response.responseTime).to.be.below(1000);
10  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

Response body: JSON value check

Response body: Is equal to a string

Response headers: Content-Type header check

Body

Cookies

Headers (16)

Test Results (3/3)

Status: 200 OK Time: 129 ms Size: 970 B Save as example

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

All

Passed

Skipped

Failed

PASS

User is updated successfully

PASS

Correct job name

PASS

Response time is less than 1000ms

Home

Workspaces

API Network

Explore

Search Postman

Invite

Upgrade

My Workspace

New

Import

Collections

Environments

History

Petstore

Practice

ReqRes_Project

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unsuccessful

Users

ReqRes_Project / Delete user

Save

DELETE

{{base_url}}/api/users/2

Send

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

1 pm.test("User is deleted successfully", function () {

2 pm.response.to.have.status(204);

3 });

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Body

Cookies

Headers (13)

Test Results (1/1)

Status: 204 No Content

Time: 140 ms

Size: 804 B

Save as example

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

All


Passed

Skipped

Failed

PASS

User is deleted successfully



HomeWorkspacesAPI NetworkExplore

Search Postman

InviteSettingsNotificationsUpgrade

My WorkspaceNewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

- GET List users
- GET Single user
- GET Single user not found
- POST Create user
- PUT Update user
- DEL Delete user
- POST Register_successful
- POST Register_unsuccessful
- POST Login_successful
- POST Login_unsuccessful

Users

ReqRes_Project / Register_successful

POST{{base_url}}/api/register

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

```
1 pm.test("User is registered successfully", function () {
2   pm.response.to.have.status(200);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5   pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

- Response headers: Content-Type header check
- Response time is less than 200ms
- Status code: Successful POST request

BodyCookiesHeaders (14)Test Results (2/2)

Status: 200 OKTime: 139 msSize: 877 BSave as example

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

AllPassedSkippedFailed

PASSUser is registered successfully

PASSResponse time is less than 1000ms

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

ReqRes_Project / Register_unsuccessful

Save

Collections

Environments

History

Petstore

Practice

ReqRes_Project

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unsuccessful

Users

POST

{{base_url}}/api/register

Send

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

1 {

2 "email": "sindi@fife"

3 }

4

Body

Cookies

Headers (14)

Test Results (1/1)

Status: 400 Bad Request

Time: 140 ms

Size: 878 B

Save as example

Pretty

Raw

Preview

Visualize

JSON

1 {

2 "error": "Missing password"

3 }

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

GET List users

GET Single user

GET Single user not found

POST Create user

PUT Update user

DEL Delete user

POST Register_successful

POST Register_unsuccessful

POST Login_successful

POST Login_unseccessful

Users

ReqRes_Project / Register_unsuccessful

Save

POST

{{base_url}}/api/register

Send

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

1

2

3

pm.test("User isn't registered", function () {
 pm.response.to.have.status(400);
});

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Send a request

Status code: Code is 200

Response body: Contains string

Body

Cookies

Headers (14)

Test Results (1/1)

Status: 400 Bad Request

Time: 164 ms

Size: 874 B

Save as example

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

All


Passed

Skipped

Failed

PASS

User isn't registered



HomeWorkspacesAPI NetworkExplore

Search Postman

InviteUpgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

- GET List users
- GET Single user
- GET Single user not found
- POST Create user
- PUT Update user
- DEL Delete user
- POST Register_successful
- POST Register_unsuccessful
- POST Login_successful
- POST Login_unsuccessful

Users

ReqRes_Project / Login_successful

POST{{base_url}}/api/login

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

1pm.test("User is logged in successfully", function () {

2pm.response.to.have.status(200);

3};

4

5

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

- Clear an environment variable
- Clear a global variable
- Clear a collection variable

BodyCookiesHeaders (14)Test Results (1/1)

Status: 200 OKTime: 169 msSize: 870 BSave as example

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

AllPassedSkippedFailed

PASSUser is logged in successfully

HomeWorkspacesAPI NetworkExplore

Search Postman

Invite

Upgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

- GET List users
- GET Single user
- GET Single user not found
- POST Create user
- PUT Update user
- DEL Delete user
- POST Register_successful
- POST Register_unsuccessful
- POST Login_successful
- POST Login_unsuccessful

Users

ReqRes_Project / Login_unsuccessful

Save

Send

POST{{base_url}}/api/login

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

```
1 {
2   ... "email": "peter@klaven"
3 }
4 
```

BodyCookiesHeaders (14)Test Results (1/1)

Status: 400 Bad RequestTime: 167 msSize: 874 BSave as example

PrettyRawPreviewVisualizeJSON

```
1
2   "error": "Missing password"
3 
```

HomeWorkspacesAPI NetworkExplore

Search Postman

InviteSettingsNotificationsUpgrade

My Workspace

NewImport

Collections

Environments

History

Petstore

Practice

ReqRes_Project

- GET List users
- GET Single user
- GET Single user not found
- POST Create user
- PUT Update user
- DEL Delete user
- POST Register_successful
- POST Register_unsuccessful
- POST Login_successful
- POST Login_unseccessful

Users

ReqRes_Project / Login_unseccessful

POST{{base_url}}/api/login

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

```
1 pm.test("User isn't logged in", function () {
2   pm.response.to.have.status(400);
3 });
4
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about [tests scripts](#)

Snippets

- [Clear an environment variable](#)
- [Clear a global variable](#)

BodyCookiesHeaders (14)Test Results (1/1)

Status: 400 Bad RequestTime: 125 msSize: 878 BSave as example

Perform API tests faster with templates for integration testing, regression testing, and more.

View Templates

AllPassedSkippedFailed

PASSUser isn't logged in

⌵

←

→

Home

Workspaces

API Network

Explore

Search Postman

Invite

⚙

🔔

🔄

Upgrade

—

📄

✕

My Workspace

New

Import

Collections

+

⌵

...

Environments

+

⌵

...

History

⌵

...

+

⌵

...

ReqRes_Project

+

...

ResponseRequest

⌵

📄

ReqRes_Project - Run results

Run Again

Automate Run

+ New Run

Export Results

Ran today at 16:05:37 · View all runs

Source	Environment	Iterations	Duration	All tests	Avg. Resp. Time
Runner	ResponseRequest	1	2s 640ms	19	112 ms

RUN SUMMARY

View Results

	1
GET List users	4 0
GET Single user	2 0
GET Single user not found	2 0
POST Create user	2 0
PUT Update user	3 0
DELETE Delete user	1 0
POST Register_successful	2 0
POST Register_unsuccessful	1 0
POST Login_successful	1 0
POST Login_unsuccessful	1 0

PASS Response time is less than 1000ms