Q1) Display the data in existing default employees or emp or employee table.

⇒ SELECT * FROM employees;

-- OR : SELECT * FROM emp;

-- OR: SELECT * FROM employee;

Output:

EMPNO	ENAME	JOB	MGR	HIREDATA	SAL	COM
7369	SMITH	CLERK	7902	17-DEC-80	800	
7499	ALLEN	SALESMAN	7698	20-DEC-81	1600	300
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500
7566	JONES	MANAGER	7839	09-APR-81	2975	
7554	MARIN	SALESMAN	7698	28-MAY-81	1250	1409
7902	FORD	ANALYST	7566	03-DEC-81	958	

2) Display the structure of the above table.

⇒ DESC employees;

-- OR: DESCRIBE employees;

1) Display the data in existing default employees or emp or employee table.

⇒ SELECT * FROM employees;

-- OR : SELECT * FROM emp;

-- OR: SELECT * FROM employee;

Output:

EMPNO	ENAME	JOB	MGR	HIREDATA	SAL	COM
7369	SMITH	CLERK	7902	17-DEC-80	800	
7499	ALLEN	SALESMAN	7698	20-DEC-81	1600	300
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500
7566	JONES	MANAGER	7839	09-APR-81	2975	
7654	MARIN	SALESMAN	7698	28-MAY-81	1250	1409
7902	FORD	ANALYST	7566	03-DEC-81	958	

2) Display the structure of the above table.

⇒ DESC employees;

-- OR: DESCRIBE employees;

Output:

NAME	NULL	TYPE
EMPNO	NOT NULL	NUMBER(4)
ENAME		VARCHAR2(10)
JOB		VARCHAR2(9)
MGR		NUMBER(4)
HIREDATE		DATE
SAL		NUMBER(7,2)
COMM		NUMBER(7,2)
DEPTNO		NUMBER(2)

3)

```
CREATE TABLE Student{
    Roll        NUMBER(5)
    NAME        VARCHAR(30)
    Age         NUMBER(5)
    Courage     VARCHAR2(5)
    MATH        NUMBER(6,2)
    physics     NUMBER(6,2)
    Computer    NUMBER(6,2)
    Birthday    DATE
};
```

Output:- Table Student)

Output:

NAME	NULL	TYPE
EMPNO	NOT NULL	NUMBER(4)
ENAME		VARCHAR2(10)
JOB		VARCHAR2(9)
MGR		NUMBER(4)
HIREDATE		DATE
SAL		NUMBER(7,2)
COMM		NUMBER(7,2)
DEPTNO		NUMBER(2)

3)

```
CREATE TABLE Student(
    Roll        NUMBER(5)
    NAME        VARCHAR(30)
    Age         NUMBER(5)
    Courage     VARCHAR2(5)
    MATH        NUMBER(6,2)
    Physics     NUMBER(6,2)
    Computer    NUMBER(6,2)
    Birthday    DATE
);
```

Output:- Table Student)

NAME	NULL	TYPE
ROLL		NUMBER(5)
NAME		VARCHAR2(30)
AGE		NUMBER(5)
COURSE		VARCHAR22(6,2).
MATH		NUMBER(6,2)
COMPUTER		NUMBER(6,2)
BIRTHDAY		DATE

4) CREATE TABLE MSC AS SELECT * FROM student WHERE 120;

Output

Table created.,

5) DESC MSC;

NAME	NULL	TYPE
ROLL		NUMBER(5)
NAME		VARCHAR2(30)
AGE		NUMBER(5)
COURSE		VARCHAR(2)
MATH		NUMBER(6,2)
PHYSICS		NUMBER(6,2)
COMPUTER		DATE
BIRTHDAY		

NAME	NULL	TYPE
ROLL		NUMBER(5)
NAME		VARCHAR2(30)
AGE		NUMBER(5)
COURSE		VARCHAR22(6/2)
MATH		NUMBER(6/2)
COMPUTER		NUMBER(6/2)
BIRTHDAY		DATE

4) CREATE TABLE MSC AS SELECT * FROM student WHERE ID20;

Output

Table created.

5) DESC MSC;

NAME	NULL	TYPE
ROLL		NUMBER(5)
NAME		VARCHAR2(30)
AGE		NUMBER(5)
COURSE		VARCHAR(2)
MATH		NUMBER(6/2)
PHYSICS		NUMBER(6/2)
COMPUTER		DATE
BIRTHDAY		

6)

```
CREATE TABLE MCA AS
SELECT ROLL, NAME AS FIRST_NAME_Age.
Course AS Department, Math, physics, Computer Birthday
FROM Student WHERE 120;
```

Output

Table created

7)

```
DESC MCA;
--OR: DESCRIBE MCA;
```

Output

NAME	NULL	Type
ROLL		NUMBER(5)
FIRST_NAME		VARCHAR2(5)
AGE		NUMBER(5)
DEPARTMENT		VARCHAR2(3)
MATH		NUMBER(6,2)
PHYSICS		NUMBER) (6,2)
COMPUTER		DATE
BIRTHDAY		

6)

⇒

```
CREATE TABLE MCA AS
SELECT ROLL, NAME AS FIRST_NAME_Age.
Course AS Department, Math, physics, Computer Birthday
FROM student WHERE 1201
```

OUTPUT

Table created

7)

```
DESC MCA;
--OR: DESCRIBE MCA;
```

OUTPUT

NAME	NULL	Type
ROLL		NUMBER(5)
FIRST_NAME		VARCHAR2(5)
AGE		NUMBER(5)
DEPARTMENT		VARCHAR2(3)
MATH		NUMBER(6,2)
PHYSICS		NUMBER)(6,2)
COMPUTER		DATE
BIRTHDAY		

8) Insert the following records records into the student table.

⇒ INSERT INTO Student VALUES (1, 'Rahul', 12, 'BCA', 79, 5, 67, 89, '15-Jun-93');

INSERT INTO Student VALUES (3, 'Alit', 29, 'SSC', 90, 73, 56, '20-Sep-92');

INSERT INTO Student VALUES (11, 'Sumit', 20, 'MCA', 80, 68, 63, '15-Sep-94');

INSERT INTO student VALUES (8, 'n', 21, 95, 76, 72, 'C', 'n', 92);

Output:

1 row created
1 row created
1 row created
1 row created
1 row created
1 row created
1 row created

8) Insert the following records records into the students table.

⇒ INSERT INTO Student VALUES (1, Rahul, 12, BCA, 79, 5, 67, 89, 15-Jun-93),

INSERT INTO Student VALUES (3, Alit, 29, SSC, 90, 73, 56, 20-Sep-92);

INSERT INTO Student VALUES (11, Sumit, 20, MCA, 80, 68, 63, 15-Sep-92);

INSERT INTO Student VALUES (8, Rn, 21, 95, 76, 72, 61, 72, 92);

Output:

1 row created
1 row created
1 row created
1 row created
1 row created
1 row created
1 row created

9) Display all the students details from Students table.

=> SELECT * FROM Students

Output

ROLL	NAME	Age	COURSE	MATH	PHYSICS	COMP
1	Rahul	19	BCA	79.5	67	67
2	kunal	21	BCA	68	76	59.5
3	Aditi	20	MSC	90	73	56
4	Sumit	20	MSC	54.5	78	81
5	kumkum	21	MCA	72	54.5	60
6	Anirban	21	BCA	91.5	32	60
7	Suman	21	BCA	80	68	63
8	Ronit	22	MSC	85	76	92

8 rows selected

10) SELECT * FROM Student WHERE Roll = 5

Output

ROLL	NAME	Age	COURSE	MATH	Phy	Comp
1	Anirban	22	MCA	80	68	63

1 row selected,

9) Display all the students details from Students table.

=> SELECT * FROM Students

Output

ROLL	NAME	Age	COURSE	MATH	PHYSICS	COMP
1	Rahul	19	BCA	79.5	67	67
2	Kunal	21	BCA	68	76	59.5
3	Aditi	20	MSC	90	73	56
4	Sumit	20	MSC	54.5	78	81
5	kumkum	21	MCA	72	54.5	60
6	Anirban	21	BCA	91.5	32	60
7	Suman	21	BCA	80	68	63
8	Ronit	22	MSC	95	76	92

8 rows selected

10) SELECT * FROM Student WHERE Roll = 5

Output

ROLL	NAME	Age	COURSE	MATH	Phy	Comp
1	Anirban	22	MCA	80	68	63

1 row selected,

(q) Show the Roll, NAME, marks of all subjects for all Students.

⇒ SELECT Roll, NAME, Maths, Physics, Computer, FROM Students

Output

Roll	NAME	MATH.	PHYSICS	COMPUTER
1	Rahul	79.5	67	89
2	kunal	68	76	59.5
3	Aditi	90	73	56
4	Sumit	57.5	78	81
5	Anirban	80	68	63
6	kumkum	72	59.5	80
7	Suman	91.5	82	61
8	Rohit	85	76	92

8 rows selected.

(2) SELECT FROM Student WHERE COURSE = 'BCA';

Output:

Roll	NAME	AGE	COURSE	MATH	PHYSICS	COMP
1	Rahul	19	BCA	79.5	67	89
2	Kunal	21	BCA	68	76	59.5
3	kumkum	21	BCA	72	59.5	69
4	Suman	21	BCA	91.5	82	61

4 rows selected.

(1) Show the Roll NAME, marks of all subjects for all students.

=> SELECT Roll, NAME, Math, Physics, Computer, FROM Students

Output

Roll	NAME	MATH.	PHYSICS	COMPUTER
1	Rahul	79.5	67	89
2	kunal	68	76	59.5
3	Aditi	90	73	56
4	Sumit	57.5	78	81
5	Anirban	80	68	63
6	kumkum	72	59.5	80
7	Suman	91.5	82	61
8	Rohit	85	76	92

8 rows selected.

(2) SELECT FROM Student WHERE COURSE = 'BCA';

output:

Roll	NAME	AGE	COURSE	MATH	PHYSICS	Comp
1	Rahul	19	BCA	79.5	67	89
2	Kunal	21	BCA	68	76	59.5
3	kumkum	21	BCA	72	59.5	69
4	Suman	21	BCA	91.5	82	61

4 rows selected.

Adamas University
ADAMAS UNIVERSITY

13) INSERT INTO MCA (Roll, First_NAme, Age, Department, Math, Physics, Computer, Birthday)

SELECT Roll, Name, Age, Course, Math, Physics, Compu, Birthday FROM Student WHERE Course = 'MCA';

Output

ROLL	FIRSTNAME	AGE	DEPARTMENT	MATH	Phy	Comp
4	Sumit	20	MCA	57.5	78	81
5	Anirban	22	MCA	80	68	63

2 rows selected

14) Insert INTO MSC SELECT * FROM Student WHERE COURSE = 'MSC'

Roll	Name	AGE	COURSE	PHYSICS	Comp	BD	MATH
2	Arati	29	MSC	90	73	20-Sep-92	90
8	Rohit	22	MSC	85	76	12-Mar-92	92

2 rows created.

13)

INSERT INTO MCA (Roll, First_NAme, Age, Department, Maths, Physics, Computer, Birthday)

SELECT Roll, Name, Age, Course, Math, Physics, Computer, Birthday FROM Student WHERE Course = 'MCA';

Output

ROLL	FIRSTNAME	AGE	DEPARTMENT	MATH	Phy	Comp
4	Sumit	20	MCA	57.5	78	81
5	Anirban	22	MCA	80	68	63

2 rows selected

14) Insert INTO MSC SELECT * FROM Student WHERE COURSE = 'MSC'

Roll	Name	AGE	COURSE	PHYSICS	Comp	BD	MATH
2	Amit	29	MSC	90	73	20-Sep-92	90
8	Rohit	22	MSC	83	71	12-Dec-92	92

2 rows created.

15)

» DESC Student;

-- OR: DESCRIBE Student;

Output

DES Student;

NAME	NULL	TYPE
ROLL		NUMBER(3)
NAME		VARCHAR2(30)
AGE		NUMBER(3)
Course		VARCHAR2(3)
MATH		NUMBER(6,2)
Physics		NUMBER(6,2)
COMPUTER		NUMBER(6,2)
BIRTHDAY		DATE

16) UPDATE Student SET Math = 95 WHERE Roll=7;

Output

1 row Update

SELECT FROM Student WHERE Roll = 7;

Roll	NAME	AGE	COURSE	MATH	PHYSICS	Comp
7	Suman	21	BCA	95	32	6

1 row selected.

15)

» DESC Student;

-- OR: DESCRIBE Student;

Output

DES Student;

NAME	NULL	TYPE
ROLL		NUMBER(3)
NAME		VARCHAR2(30)
AGE		NUMBER(3)
Course		VARCHAR2(3)
MATH		NUMBER(6,2)
PHYSICS		NUMBER(6,2)
COMPUTER		NUMBER(6,2)
BIRTHDAY		DATE

16) UPDATE Student SET Math = 95 WHERE Roll=7;

Output

1 row Update

SELECT FROM Student WHERE Roll = 7;

Roll	NAME	AGE	COURSE	MATH	PHYSICS	Comp
7	Suman	21	BCA	95	32	6

1 row selected.

18)

```
UPDATE student SET NAME = 'Sunitava' WHERE
Roll = 9;
```

Output:

```
1 row update

SELECT * FROM student WHERE ROLL = 9;

Roll  NAME     AGE  COURSE  MATH  PHYSICS  COMPUTER
9     Sunitava 20   MCA     57.5  78       81

1 row selected.
```

20)

```
DELETE FROM student;
-- OR; TRUNCATE TABLE student;
```

Output:

```
DELETE FROM student;
7 row deleted.
-- OR --
TRUNCATE TABLE student

Table truncated.
SELECT * FROM student;
no rows selected.
```

18)

UPDATE student SET NAME = 'Sritharan' WHERE Roll = 1;

Output:

1 row update

SELECT * FROM student WHERE Roll = 1;

Roll	NAME	AGE	COURSE	MATH	PHYSICS	COMPUTER
1	Sritharan	20	MCA	57.5	78	81

1 row selected.

19) DELETE FROM Student;

-- OR; TRUNCATE TABLE Student;

Output:

DELETE FROM Student;

7 row deleted.

-- OR --

TRUNCATE TABLE Students

Table truncated.

SELECT * FROM Student;

no rows selected.