Create table Employee with the following details.

FIELD NAME	TYPE
EMPLOYEE ID	NUMBER(6)
LAST_NAME	VARCHAR2(25)
JOB_ID	VARCHAR2(10)
SALARY	NUMBER(8,2)
COMM-PCT	NUMBER(4,2)
MGR-ID	NUMBER(6)
DEPARTMENT_ID	NUMBER(4)

```
CREATE TABLE EMPLOYEE (
   EMPLOYEE_ID NUMBER(6),
   LAST_NAME VARCHAR2(25),
   JOB_ID VARCHAR(10),
   SALARY NUMBER(8,2),
   COMM_PCT NUMBER(4,2),
   MGR_ID NUMBER(6),
   DEPARTMENT_ID NUMBER(4),
   );
```

2) INSERT the following data into EMPLOYEE table

```
INSERT ALL
INTO EMPLOYEE VALUES
(198,'Connell', 'SH-CLERK',2600,2.5,124,50)
INTO EMPLOYEE VALUES
(199,'Grant', 'SH_CLERK',2600,2.2,124,50)
INTO EMPLOYEE VALUES
(200,'Whalen', 'AD_ASST',4400,1.3,202,10)
INTO EMPLOYEE VALUES
(201,'Harstein','IT_PROG',6000,NULL,200,20)
INTO EMPLOYEE VALUES
(202,'Fay', 'AC_MGR',6500,NULL,210,20)
INTO EMPLOYEE VALUES
(203,'Mavris','AD_VP',7500,NULL,101;40)
INTO EMPLOYEE VALUES
(204,'Baer', 'AD_PRES',3500,15,101,90)
INTO EMPLOYEE VALUES
(205,'Higgins','AC-MGR',2300,NULL,101,60)
INTO EMPLOYEE VALUES
(206,'Britz','IT_PROG',5000,NULL,103,60)
INTO EMPLOYEE VALUES
(100,'king','AD_ASST',8956,0.3,108,100)
INTO EMPLOYEE VALUES
(101,'Kochhar','SH_CLERK',3400,1.3,118,30)
SELECT*FROM DUAL;
```

1) Create table Employee with the following details.

FIELD NAME	TYPE
EMPLOYEE ID	NUMBER(6)
LAST_NAME	VARCHAR2(25)
JOB_ID	VARCHAR2(10)
SALARY	NUMBER(8,2)
COMM-PCT	NUMBER(4,2)
MGR-ID	NUMBER(6)
DEPARTMENT_ID	NUMBER(4)

```
CREATE TABLE EMPLOYEE (
   EMPLOYEE_ID NUMBER(6),
   LAST_NAME VARCHAR2(25),
   JOB_ID VARCHAR(10),
   SALARY NUMBER(8,2),
   COMM_PCT NUMBER(4,2),
   MGR_ID NUMBER(6),
   DEPARTMENT_ID NUMBER(4),
   );
```

2) INSERT the following data into EMPLOYEE table

```
INSERT ALL
INTO EMPLOYEE VALUES
(198,'Connell', 'SH-CLERK',2600, 2.5, 124, 50)
INTO EMPLOYEE VALUES
(199,'Grant', 'SH_CLERK', 2600, 2.2,124, 50)
INTO EMPLOYEE VALUES
(200, 'Whalen', 'AD_ASST', 4400, 1.3, 101, 10)
INTO EMPLOYEE VALUES
(201, 'Hartstein', 'IT_PROG', 6000, NULL, 100, 20)
INTO EMPLOYEE VALUES
(202, 'Fay', 'AC_MGR', 6500, NULL, 210, 20)
INTO EMPLOYEE VALUES
(203, 'Mavris', 'AD_VP', 7500, NULL, 101, 40)
INTO EMPLOYEE VALUES
(204, 'Baer', 'AD_PRES', 3500, 15, 101, 90)
INTO EMPLOYEE VALUES
(205, 'Higgins', 'AC-MGR', 2300, NULL, 101, 60)
INTO EMPLOYEE VALUES
(206, 'Gietz', 'IT_PROG', 5000, NULL, 103, 60)
INTO EMPLOYEE VALUES
(100, 'king', 'AD_ASST', 8956, 0.3, 108, 100)
INTO EMPLOYEE VALUES
(101, 'Kochhar', 'SH_CLERK', 3400, 1.3, 118, 30)
SELECT * FROM DUAL;
```

3) Display last_name, job_id, employee_id for each employee with employee_id appearing first.

```
SELECT Employee_id, last_name,
job_id
FROM EMPLOYEE;
```

4) Display the details of all employees of department 60.

```
SELECT*
FROM EMPLOYEE
WHERE department_id =60;
```

5) Display the employee details of the employee whose last_name is king.

```
SELECT *
FROM EMPLOYEE
WHERE last_name = 'king';
```

6) Display unique job_id from EMPLOYEE table. Give alias name to the column as job_TITLE

```
SELECT DISTINCT Job_id AS
JOB_TITLE
FROMEMPLOYEE;
```

7) Display last_name, salary and salaryincrease of RS300, Give the new column name as increased salary

```
SELECT last_name, salary, salary
-300 AS "Increased Salary"
FROM EMPLOYEE;
```

8) Display last_name, salary and annual compensation of all employees, plus a on time bonus of RS100. Give an aliasis name to the column displaying annual compensation.

```
SELECT last_name, salary, salary
-12 +100 AS "AnnualCompensation"
FROM EMPLOYEE
```

9) Display the details of those employees who get commission.

```
SELECT*
FROM EMPLOYEE
WHERE COMM_PCT IS NOT NULL
```

10) Display the details of those employees who do not get commission.

```
SELECT*
FROM EMPLOYEE
WHERE COMM_PCT IS NULL
```

11) Display the details Employee_id, Department_id and salary all employees whose salary is greater than 5000.

```
SELECT*
FROM EMPLOYEE
WHERE COMM_PCT IS NULL
```

12) Display the last_Name and salary of all employee whose salary is between 4000 and 7000

```
SELECT last_name, salary
FROM EMPLOYEE
WHERE SALARY BETWEEN 4000 AND 7000;
```

13) Display the details of all employees whose salary is either 6000 or 6500 or 7000

```
SELECT*
FROM EMPLOYEE
WHERE salary IN (6000,6500, 7000);
```

14) All those employees who work either in department 10,20 or 30 or 50.

```
SELECT*
FROM EMPLOYEE
WHERE department_id IN (10,20, 30,50);
```

15) Display the details of all employees whose salary is not equal to 5000.

```
SELECT *
FROM EMPLOYEE
WHERE salary <>5000;
```

16) Display the details of all the CLERKS working in the organization.

```
SELECT*
FROM EMPLOYEE
WHERE job_id ='ST-CLERK';
```

3) Display last_name, job_id, employee_id for each employee with employee_id appearing first.

```
SELECT Employee_id, last_name,
job_id
FROM EMPLOYEE;
```

4) Display the details of all employees of department 60.

```
SELECT*
FROM EMPLOYEE
WHERE department_id =60;
```

5) Display the employee details of the employee whose last_name is king.

```
SELECT *
FROM EMPLOYEE
WHERE last_name = 'King';
```

6) Display unique job_id from EMPLOYEE table. Give alias name to the column as job_TITLE

```
SELECT DISTINCT job_id AS
JOB_TITLE
FROM EMPLOYEE;
```

7) Display last_name, salary and salaryincrease of RS300, Give the new column name as increased salary.

```
SELECT last_name, salary, salary
-300 AS "Increased Salary"
FROM EMPLOYEE;
```

8) Display last_name, salary and annual compensation of all employees, plus a on time bonus of RS100. Give an aliasis name to the column displaying annual compensation.

```
SELECT last_name, salary, salary
-12 +100 AS "AnnualCompensation"
FROM EMPLOYEE
```

9) Display the details of those employees who get commission.

```
SELECT*
FROM EMPLOYEE
WHERE COMM_PCT IS NOT NULL
```

10) Display the details of those employees who do not get commission.

```
SELECT*
FROM EMPLOYEE
WHERE COMM_PCT IS NULL
```

11) Display the details Employee_id, Department_id and salary all employees whose salary is greater than 5000.

```
SELECT*
FROM EMPLOYEE
WHERE COMM_PCT IS NULL
```

12) Display the last_Name and salary of all employee whose salary is between 4000 and 7000

```
SELECT last_name, salary
FROM EMPLOYEE
WHERE SALARY BETWEEN 4000 AND 7000;
```

13) Display the details of all employees whose salary is either 6000 or 6500 or 7000

```
SELECT*
FROM EMPLOYEE
WHERE salary IN (6000,6500, 7000);
```

14) All those employees who work either in department 10,20 or 30 or 50.

```
SELECT*
FROM EMPLOYEE
WHERE department_id IN (10,20, 30,50);
```

15) Display the details of all employees whose salary is not equal to 5000.

```
SELECT *
FROM EMPLOYEE
WHERE salary <>5000;
```

16) Display the details of all the CLERKS working in the organization.

```
SELECT*
FROM EMPLOYEE
WHERE job_id ='ST-CLERK';
```

17) Update job_id's employees who earn more than 5000 to Grade_A display

```
UPDATE EMPLOYEE
SET job_id = 'Grade_A'
WHERE SALARY > 5000;
SELECT * FROM EMPLOYEE;
```

18) Display those who are either CLERK or Assistant

```
SELECT *
FROM EMPLOYEE
WHERE Job_id IN ('SH_CLERK', 'IT_PROG', 'AD_Asst');
```

19) Display those employees from the EMPLOYEE table whose programmer.

```
SELECT *
FROM EMPLOYEE
WHERE job_id = 'SH_CLERK'
AND salary < 3000;
```

20) Display those employees last_Name, mgr_id from the EMPLOYEE table whose salary is above 3000 and work under manager 101.

```
SELECT last_name, mgr_id
FROM EMPLOYEE
WHERE Salary > 3000
AND mgr_id = 101;
```

17) Update job_id's employees who earn more than 5000 to Grade_A display

```
UPDATE EMPLOYEE
SET job_id = 'Grade_A'
WHERE SALARY > 5000;
SELECT * FROM EMPLOYEE;
```

18) Display those who are either CLERK or Assistant

```
SELECT *
FROM EMPLOYEE
WHERE Job_id IN ('SH_CLERK', 'IT_PROG', 'AD_Asst');
```

19) Display those employees from the EMPLOYEE table whose programmer.

```
SELECT *
FROM EMPLOYEE
WHERE job_id = 'SH_CLERK'
AND salary < 3000;
```

20) Display those employees last_Name, mgr_id from the EMPLOYEE table whose salary is above 3000 and work under manager 101.

```
SELECT last_name, mgr_id
FROM EMPLOYEE
WHERE Salary > 3000
AND mgr_id = 101;
```