```
CREATE TABLE Client_Master (
Client_no VARCHAR2(5)  CONSTRINT pk_client PRIMARY KEY
                       CONSTRINT ck_client_no CHECK
(Client_no LIKE 'C%'),
Name      VARCHAR2(20) CONSTRAINT nn_cname NOT NULL
                       CONSTRAINT uq_cname UNIQUE,
Address1  VARCHAR2(30),
State     VARCHAR2(30),
City      VARCHAR2(15) CONSTRINT ck_city CHECK(City IN
('Delhi', 'Mumbai', 'Chennai'))
);
CREATE TABLE Products_Master(
   Product_no VARCHAR2(10) CONSTRAINT pk_prod PRIMARY KEY
                           CONSTRAINT ck_prod_no CHECK
   (Product_no LIKE 'P%'),
   Description VARCHAR2(20) CONSTRAINT nn_desc NOT NULL
                            CONSTRAINT uq_desc UNIQUE,
                            CONSTRAINT ck_qty CHECK
    Qty_on_hand NUMBER(8)
   (Qty_on_hand >10),
   Sell_price NUMBER(8,2)   CONSTRAINT nn_sell NOT NULL,
   Cost_price NUMBER(8,2)   CONSTRAINT nn_cost NOT NULL
   );
```

```
CREATE TABLE Sales_Order(
 S_order_no VARCHAR2(10) CONSTRAINT PK-SO PRIMARY KEY
                         CONSTRAINT ck_so_no CHECK
 (S_order_no LIKE 'O%'),
 );
```

OUTPUT: Table created.(x3)

==INSERT DATA==

```
INSERT INTO Client_Master VALUES ('C01', 'Ivaan', 'Church Rd',
 'Maharashtra', 'Mumbai');
INSERT INTO client_Master VALUES ('C02', 'Vandana', 'St. Mary Rd',
 'Tamil Nadu', 'Chennai');
INSERT INTO Client_Master VALUES ('C03', 'Pramada', 'Mall Rd',
 'Maharashtra', 'Mumbai');
INSERT INTO Client_Master VALUES ('C04', 'Basu', 'Church Rd', 'Maharashtra',
 'Mumbai');
INSERT INTO Client_Master VALUES ('C05', 'Ravi', 'Chandi', NULL,
 Delhi');
INSERT INTO client_Master VALUES ('C06', 'Rukmini', Mall Rd',
 'Maharashthra', 'Mumbai');
```

```
COMMIT;
```

OUTPUT: 1row created.(x18) Commit complete.

SELECT * FROM Client_Master;

CLIENT_NO	NAME	ADDRESS1	STATE	CITY
C01	Ivaan	Church Rd	Maharashtra	Mumbai
C02	Vandana	St. Mary Rd	Tamil Nadu	Chennai
C03	Pramada	Mall Rd	Maharashtra	Mumbai
C04	Bosu	Church Rd	Maharashtra	Mumbai
C05	Ravi	Chandi		Delhi
C06	Rukmini	Wall Rd	Maharashtra	Mumbai

SELECT * FROM Products_Master;

PRODUCT_NO1

2) ALTER TABLE Client_Master MODIFY (Address1 CONSTRAINT nn_addr NOT NULL);

DESC Client_Master;

Name	Null?	Type
CLIENT	NOT NULL	VARCHAR(5)
NAME	NOT NULL	VARCHAR(20)
ADDRESS1	NOT NULL	VARCHAR(30)
STATE		VARCHAR(38)
CITY		VARCHAR2(15)

5) SELECT * FROM Client_Master WHERE Name LIKE 'R%';

CLIENT_NO	NAME	ADDRESS1	STATE	CITY
C01	Ivan	Church Rd	Maharashtra	Mumbai

6) SELECT * FROM Client_Master WHERE Name LIKE '%i';

CLIENT_NO	NAME	ADDRESS1	STATE	CITY
C05	Ravi	Chandi		Delhi
C06	Rumini	Mall Rd	Maharashtra	Mumbai

7) SELECT * FROM Client_Master WHERE Name LIKE '_a%';

CLIENT_NO	NAME	ADDRESS1	STATE	CITY
C03	Pramada	Mall Rd	Maharashtra	Mumbai

8) SELECT * FROM CLIENT_Master WHERE Name LIKE 'a%';

CLIENT_NO	NAME	ADDRESS1	STATE	CITY
C04	BSV	ADDRESS1		Delhi
005	Ravi	Chandi		

10) SELECT * FROM Client_Master WHERE State IS NULL;

CLIENT_NO	NAME	ADRESS1	STATE	CITY
C05	Ram	Chandi		Delhi

(12) SET S_order_date = TO_DATE ('29/07/96', 'DD/

Product_no = 'P01', Salesman_no = 'S09'

WHERE Client_no = '01';

Output : 2 Rows updated. (01001 and 01005)

(13) ALTER TABLE Client_Master SET City = 'Kolkata'

WHERE Client_no = '05';

Output : Table altered. 1 row updated.

(14) CREATE TABLE Course_Master(

Dept_no VARCHAR2(5),

Course_no VARCHAR2(5),

Course_name VARCHAR2(30),

CONSTRAINT PK_course PRIMARY KEY (Dept_no,

Course_no));

Output : Table created.

18)

```
CREATE TABLE Student_Enrol(
Roll_no NUMBER(5) CONSTRAINT Pk_enrol
PRIMARY KEY,
Stu_name VARCHAR 2(20)
Dept_no VARCHAR2(5),
Course_no VARCHAR2(3),
CONSTRAINT fk_enrol_course FOREIGN KEY(Dept_no
Course_no)
        REFERENCES Course_Master (Dept_no Course_no)
```

Output : Table created.