



WILLETTON SHS
YEAR 10 HEALTH EDUCATION
ASSESSMENT TASK 2 (20%)

RELATIONSHIPS FOR LIFE
Contraception Test

Name: _____

Answers _____

Date: _____

FINAL MARK

/55

MARKING GUIDE

1) Describe Barrier methods of contraception and Hormonal methods of contraception and give two examples of each.

1 mark = correct definition.

1 mark per correct example.

Barrier method-provides clear physical barrier during sexual activity which prevents sperm, blood bodily fluids from being exchanged between partners. Condoms can prevent STI's when used correctly.

Examples: Male and female condoms, cervical cap, diaphragm.

Hormonal Methods act on the endocrine/hormonal system by controlling hormone levels to manipulate ovulation or other processes necessary for conception. Prescribed by the doctor they include combined pill, mini pill, vaginal ring, Implanon, hormonal IUD. This method does not prevent STI's.

(6 marks)

2) Define 'Abstinence' in the context of a sexual relationship:

1 mark = correct definition.

Refraining from penetrative sexual activity.

(1 mark)

3) Explain the law of consent according to Australian Law. Consent is not freely and voluntarily given if: (4 aspects for 4 marks)

- Under force
- Are unconscious or asleep
- Under the influence of drugs or alcohol
- Under threat or intimidation
- Are in fear of bodily harm
- Have a mistaken belief that the offender was your sexual partner

(4 marks)

4) List 4 reasons why young people choose to postpone sexual intercourse

1 mark per correct reason.

Religious reasons, reputation, parent values, not at age of consent, prevent STI's, prevent pregnancy, not in love, not ready emotionally/financially, don't want to risk current relationship.

Any other acceptable answers.

(4 marks)

5) Describe two sources of financial stress that result from an unplanned pregnancy.

For each source:

1 mark = only listing areas of financial stress.

2 marks = describing reason behind the source being a stress.

Examples of sources include:

Medical: Cost of doctors, appointments, scans, vitamins medicines,

Cost of raising child: food, nappies, cot, pram, clothes, bills etc.

(4 marks)

6) What are the 4 choices that a girl or woman, in Australia, can make if she becomes pregnant:

1 mark = just listing the choice / or listing a correct choice but with an incorrect outline.

2 marks = correct choice and accurate outline.

Adoption – the baby will be adopted by another family to be raised

Abortion – terminating the pregnancy

Parenting – keeping the baby

Foster care – baby is temporarily placed with another family while the birth parent works towards resuming care

(8 marks)

7) Using the description, fill in the blank space with the correct name for the method of contraception.

1 mark per correct answer.

- a) A small rod is inserted into the women's arm: Implant
- b) Pulling the penis out before ejaculating: Withdrawal
- c) A rubber cup filled with spermicide and inserted into the vagina covering cervix: Diaphragm
- d) An operation in which the fallopian tubes are cut or clamped: tubal ligation
- e) Is inserted into the uterus and often shaped like a T: IUD
- f) A thin sheath or pouch inserted into a women's vagina: female condom
- g) A man wears it on his penis during sex; it prevents pregnancy and protects against STI's: condom

(7 marks)

8) TRUE / FALSE SECTION

Answer the following by circling True or False for each statement below:

1 mark per correct answer.

A) You must be 16yrs of age to legally give "consent" to intercourse	<u>True</u>	False
B) Once given, "consent" cannot be withdrawn	True	<u>False</u>
C) It is against the law to get a person drunk so they will have sex with you	<u>True</u>	False
D) Sexual assault could be a pinch on the bottom	<u>True</u>	False
E) You can buy the contraceptive pill over the counter	True	<u>False</u>
F) The contraceptive combined pill can cause weight gain in some.	<u>True</u>	False
G) A diaphragm can only be used once	True	<u>False</u>
H) A condom is still 100% reliable after the use-by date	True	<u>False</u>
I) A diaphragm will protect against S.T.I's	True	<u>False</u>
J) A diaphragm is a more effective contraceptive when used with spermicide	<u>True</u>	False
K) An I.U.D must be inserted by a doctor	<u>True</u>	False
L) Vomiting can affect the efficiency of the pill	<u>True</u>	False
M) Females can use a condom	<u>True</u>	False
N) 'Implanon' (hormonal implant) is inserted into the vagina	True	<u>False</u>

(14 marks)

EXTENDED ANSWER SECTION

9) You are a single person still living at home and recently left school. You are in a relationship and you, and your partner have decided to have sexual intercourse.

Answer the following:

A) What is the most **appropriate** form of contraception to use?

1 mark for appropriate method.

B) Explain fully **four benefits** of using this method of contraception in your situation.

8 marks: 2 marks per correct explanation of four different benefits.

Condom

- Cheap and can be bought when needed.
- Readily available from a pharmacy, convenience store, grocery store etc.
- No prescription needed.
- Latex and latex free versions available and comes in different shapes/sizes to suit everyone.
- A temporary method that doesn't need a procedure to be removed (vs. IUD, Rod)
- No side effects.
- Easily carried and simple to use.
- 94-98% effective if used correctly in preventing STI's and pregnancy

The Hormonal Pill (mini or combined)

- Easy to take as it is one pill taken daily/convenient.
- It is prescribed by doctor to suit the individual, with many types available.
- Female has control over her contraceptive choice.
- Can assist with other issues such as period pain, period irregularity, skin issues etc.
- Doesn't require preparation immediately before sex.
- 91-99% effective if used correctly in preventing pregnancy.

Depo-provera (hormonal) Injection

- It is effective for 3 months.
- Convenient as it only requires an appointment every 3 months (vs. taking a pill every day).
- Not too expensive.
- Doesn't require preparation immediately before sex.
- 95-99% effective if used correctly in preventing pregnancy.
- Can assist with menstrual issues.

Implanon/Rod Implant

- Can last for up to 3 years.
- Easy and convenient as it doesn't need to be remembered (vs. the pill, a condom).
- Doesn't require any preparation immediately before sex.
- 99% effective.
- Not many intense side-effects.
- Cost effective.

IUD (hormonal or copper)

- Prevents against pregnancy.
- Doesn't require preparation before sex.
- Can last 5-10 years.
- 99% effective in preventing pregnancy.
- Copper IUD can be used as an emergency contraceptive option.

(9 marks)