




YEAR 10 WILLETTON SHS
Health Education – Term 2,
2024

Contraception & STI's



TEACHER NAME: _____




Western Australia Curriculum descriptors:

1. The impact of societal and cultural influences on personal identity and health behaviour - differing cultural beliefs and practices surrounding transition to adulthood (ACPPS089)
2. Skills and strategies to manage situations where risk is encouraged by others (AC9HP10P08)
3. External influences on sexuality and sexual health behaviors, including the impact decisions and actions have on their own and others' health and wellbeing (ACPPS092)
4. Skills and strategies to promote respectful relationships, such as: appropriate emotional responses in a variety of situations (ACPPS093)
5. Critical health literacy skills and strategies: evaluating health services in the community (ACPPS095)
6. Strategies are examined, such as communicating choices, seeking, giving and denying consent, and expressing opinions and needs that can support the development of respectful relationships, including sexual relationships (AC9HP10P07)

Session:	Lesson Aim and Content:	Resources:	Assessments
One	Lesson Focus: • Review consent. • Introduction to contraception.	<u>PowerPoint Lesson 1</u> Consent scenario cards + teacher information sheet (available in Health Storeroom). Question Box (provided by individual teacher). Sticky notes.	
Two & Three	Lesson Focus: • List reasons why people choose to use/not to use contraception. • Consider reasons to postpone sexual intercourse. • Define the different types of contraception. • Be introduced to the different methods of contraception. • Revision for upcoming test.	<u>PowerPoint Lesson 2 + 3</u> Friends Video: https://www.youtube.com/watch?v=biZEstQVD24 What you need to know about condoms: https://www.youtube.com/watch?v=hNcDm37yj5Q Contraception Kit. Contraception Matching Activity. Topic Test revision.	
Four	Lesson Focus: • Complete Contraception & Consent Topic Test - Assessment Task 2.	<u>PowerPoint Lesson 4</u> Test Papers.	Contraception & Consent Topic Test.

2024 Year 10 Health Content Program

Five	Lesson Focus: - Define STI and the different types. - Practice STI prevention.	<u>PowerPoint Lesson 5</u> Kahoot! https://create.kahoot.it/share/duplicate-of-sti-s/c27f6ea9-2b50-418b-812a-25b134679b46 Handshake Activity (teacher to print own worksheets). STI House: https://www.youtube.com/watch?v=oRYnN33nlal Viral STI's: https://www.youtube.com/watch?v=e6MNzZn4W0w Condom Kit	
Six	Lesson Focus: - Consider own values regarding own sexual health. - Discuss barriers to getting tested. - Introduce STI Oral Presentation - Assessment Task 3.	<u>PowerPoint Lesson 6</u> Values Response Cards (available in Health Storeroom). Blutack. STI Oral Presentation Task Sheets. Teacher Group Checklist.	
Seven & Eight	Lesson Focus: - Class time to complete Task 3. **Week 8 = Exam Break**	<u>PowerPoint Lesson 7 + 8</u> STI Oral Presentation Task Sheets. Teacher Group Checklist.	
Nine	Lesson Focus: - STI Oral Presentation - Assessment Task 3 due. - Note down information regarding all the different types of STI's.	<u>PowerPoint Lesson 9</u> STI Oral Presentation Task Sheets. Teacher Group Checklist.	STI Oral Presentation.
Ten	Lesson Focus: - STI Oral Presentation - Assessment Task 3. - Note down information regarding all the different types of STI's.	<u>PowerPoint Lesson 10</u> STI Oral Presentation Task Sheets. Teacher Group Checklist.	STI Oral Presentation.
Eleven	Lesson Focus: - STI Oral Presentation - Assessment Task 3. - Note down information regarding all the different types of STI's. - Investigate online help seeking resources. - Review content learned throughout the term.	<u>PowerPoint Lesson 11</u> STI Oral Presentation Task Sheets. Teacher Group Checklist.	STI Oral Presentation.



WILLETTON SHS
YEAR 10 HEALTH
EDUCATION ASSESSMENT
TASK 2 (20%)

RELATIONSHIPS FOR LIFE

Contraception Test

Name: _____

FINAL MARK

/55

1) Describe **Barrier method of contraception** and **Hormonal method of contraception** and give **one** example of each:

(4 marks)

2) Define 'abstinence' in the context of sexual relationships:

(1 mark)

3) List the 4 aspects of the **Law of Consent** according to Australian law. Consent is not freely and voluntarily given if:
(4 aspects for 4 marks)

(4 marks)

4) List 4 reasons why young people choose to postpone sexual intercourse:

(4 marks)

5) Describe 2 sources of Financial stress that result for a teenager with an unplanned pregnancy:

(4 marks)

6) What are 4 choices that an Australian girl or woman can make if she becomes pregnant. Give a brief outline of each choice:

(8 marks)

7) Using the description, fill in the blank space with the correct name for the method of contraception:

- a) A small rod is inserted into the women's arm _____
- b) Pulling the penis out before ejaculating _____
- c) A rubber cup filled with spermicide and inserted into the vagina covering cervix _____
- d) An operation in which the fallopian tubes are cut or clamped _____
- e) Is inserted into the uterus and often shaped like a T _____
- f) A thin sheath or pouch inserted into a women's vagina _____
- g) A man wears it on his penis during sex; it prevents pregnancy and protects against STI's _____

(7 marks)

8) **TRUE / FALSE SECTION** - Answer the following by circling True or False for each statement below:

- | | | |
|--|------|-------|
| A) You must be 16yrs of age in WA to legally give 'consent' to intercourse | True | False |
| B) Once given, 'consent' cannot be withdrawn | True | False |
| C) It is against the law to get a person drunk so they will have sex with you | True | False |
| D) Sexual assault could be a pinch on the bottom | True | False |
| E) You can buy the contraceptive pill over the counter | True | False |
| F) The combined contraceptive pill can cause weight gain in some. | True | False |
| G) A diaphragm can only be used once | True | False |
| H) A condom is still 100% reliable after the use-by date | True | False |
| I) A diaphragm will protect against STI's | True | False |
| J) A diaphragm is a more effective contraceptive when used with spermicide | True | False |
| K) An I.U.D must be inserted by a doctor | True | False |
| L) Vomiting can affect the efficiency of the pill | True | False |
| M) Females can use a condom | True | False |
| N) 'Implanon' (hormonal implant) is inserted into the vagina | True | False |

(14 marks)

EXTENDED ANSWER SECTION

9) You are still living at home and have recently left school. You are in a relationship and you and your partner have decided to have sexual intercourse.

Answer the following:

A) What is the most appropriate form of contraception to use?

(1 mark)

B) Fully explain four (4) benefits of using this method of contraception in your situation.

(8 marks)

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(9 marks)



Name:

Due Date:

Willetton SHS
YEAR 10 HEALTH EDUCATION
ASSESSMENT TASK 3
(20%)

Sexually Transmitted Infections Presentation

In groups of **no more than 4** you are required to **research and present** information on a sexually transmitted infection. Your group needs to allocate jobs to each person to share the workload. **EVERY** group member will need to talk during the presentation.

This task will be broken up into 4 sections:

1. Research – you must submit your PowerPoint to your class teacher by the due date

Each person can be allocated a particular part of the research, and must include:

- Whether the infection is viral or bacterial
- Sign and symptoms of the infection (for both males and females)
- Dangers of acquiring this infection
- Methods of transmission
- Statistics or records on the prevalence of this STI
- Treatment and/or cure
- Ways to prevent infection

2. Brochure

A summary of the important information gathered from the research. Your brochure needs to be informative, easy to follow, and be engaging (presented in a way someone would want to read it). This needs to be given to the teacher at the end of the presentation.

3. Presentation

Must involve everyone in your group, outline all the information required and involve a visual aid (PowerPoint recommended). Your group will have a **maximum time limit of 10** minutes. This is the maximum; you do not need to reach that time limit. The **minimum time for the presentation is 2 minutes**. Points will be deducted for being under or over time.

4. Evaluation

Complete the evaluation sheet honestly and hand in at the end of the presentation.

Marking guide

Whole group marks

			2 marks	1 mark	Total
Viral or bacterial infection					
Signs and symptoms	Males	3 marks	2 marks	1 mark	
	Females				
Dangers of acquiring this infection	4 marks	3 marks	2 marks	1 mark	
Methods of transmission	4 marks	3 marks	2 marks	1 mark	
Statistics on prevalence	4 marks	3 marks	2 marks	1 mark	
Treatment and/or cure	4 marks	3 marks	2 marks	1 mark	
Ways to prevent getting STI	4 marks	3 marks	2 marks	1 mark	
Visual aid /presentation	6 marks	5 marks	4 marks	3 marks	2-1 marks
Evaluation sheet	5 marks Completed all questions		3 marks Completed some questions		0 marks Did not complete
Brochure	6 marks	5 marks	4 marks	3 marks	2-1 marks

Individual student marks

Oral presentation Name:	Student 1	Student 2	Student 3	Student 4
Delivered presentation in a confident, clean, and organized manner	Mark 1-5	Mark 1-5	Mark 1-5	Mark 1-5

Total / 50

Student 1: Name _____

Mark _____

Student 2: Name _____

Mark _____

Student 3: Name _____

Mark _____

Student 4: Name _____

Mark _____

Group Members Names: _____

This confidential reflection will be used as part of your assessment Task 3: STI Presentation.

1. Explain which group member prepared each part of the assessment, i.e. how did you split the workload?

2. How effectively did you and your group work together?

Very effectively

OK

Not very well

3. Explain why you gave the above ranking.

4. Were you comfortable working with your group? Yes No

5. Explain why or why not.

6. Do you think working in a group makes it easier or harder to complete assessments compared to working on your own?

Working in a group is

easier

harder

Give reasons for your answer

GLOSSARY



Sometimes in health we will use words that you do not understand. Each week, your aim is to write down two new words and their definitions.

You can write down new words that you hear and learn, or your teacher may ask you to add specific words.

Contraception	An intervention method used to prevent pregnancy from occurring.
Barrier Method	Puts a barrier between the penis and the vagina and stops the sperm from meeting the egg.
Hormonal Method	Regulates or stops ovulation and so preventing pregnancy.
Sexually Transmitted Infection	An infection most commonly spread through unprotected sexual contact. Can be viral, bacterial or parasitic.

Consent Review.

In the space below, brainstorm everything you can recall about CONSENT. Think...

- What is it?
- Examples of how to ask and give consent.
- When can consent NOT be given?
- Consent and the law.

FREEDOM to give consent:

When a person can make the choice to engage in sexual activity freely, free from threats, intimidation, or coercion etc.


CAPACITY to give consent:

People who DO NOT have the CAPACITY to GIVE consent include: anyone under 16 years of age, anyone who is unconscious, asleep, intoxicated, drugged, or otherwise unable to say yes, anyone who has a psychological or decision-making disability that impacts on their ability to understand what they are consenting to.

Brain dump + KWL – Contraception & STI's.

1. Brain Dump:

Dump everything you think you know about contraception & STI's into the circle. Absolutely anything – think about different types, examples, reasons why people do/don't use contraception, why people do/don't get tested, definitions etc.



2. KWL:

Complete the table below about your knowledge on contraception. Leave the last column blank as we will come back to this after a few weeks to see what you have learned.

What do you KNOW ?	What do you WANT to know?	What have you LEARNED ?

Contraception – what is it?

Contraception means...

Using an intervention when having sexual intercourse to avoid getting pregnant.
A.K.A birth control.


How does using contraception differ from safe sex?

Safe sex also includes protecting yourself and others from STI's.

Whose responsibility is it to think about contraception? Why?

Everyone – because both parties have to deal with the consequences of pregnancy (or STI's) so if that is something they do not want then they should take responsibility for their actions and take preventative precautions.

While watching the video, list all the methods of contraception in the space below:



Reasons to USE vs. NOT USE contraception.

There are many reasons that would impact a person's choice to use or not use contraception. Consider these in the table below:

<i>Reasons <u>TO USE</u> contraception:</i>	<i>Reasons <u>NOT TO USE</u> contraception:</i>
Don't want children. Some protect from STI's. Can regulate periods. Clear up acne. Make periods lighter. Reduce migraines. Reduce PMS.	Cost. Want children. Allergy. Religion. Convenience. Intoxicated. Lack of knowledge.



REFLECTION QUESTION:

What could you say or do when you want to say NO to sexual behaviours?

Be ASSERTIVE:

- State your answer/response → “No, I don’t want to have sex.”
- Use ‘I’ statements as this avoids placing the blame on someone else while still expressing how you feel → “I don’t feel comfortable”, “I don’t feel like this is the right time”, “I don’t want to.”
- Be understanding.

True or False?

Test your knowledge and read the questions below and answer True (T) or False (F) the next column.


****ANSWERS & EXPLANATIONS ARE INCLUDED IN LESSON 2/3 FOLDER****

1	A woman is safe from pregnancy if sexual intercourse occurs during menstruation.	F
2	From a health perspective, it is safer to take the pill than it is to be pregnant.	T
3	A female must have an orgasm to become pregnant.	T
4	When a woman forgets to take the pill, she should stop taking the rest of the pack and wait for her period.	F
5	Emergency contraception (the 'morning after pill')	F
6	If someone chooses to be sexually active, using the condom and the pill or using the condom and Depo-Provera is considered to be the most effective contraceptive method.	T
7	Depo-Provera, or 'the shot', is given every month to prevent pregnancy.	F
8	The IUD is a plastic device that prevents a fertilised egg from implanting itself in the wall of the uterus.	T
9	Withdrawal (removing the penis from the vagina before ejaculation) and douching are an effective method of contraception when used together.	F
10	The most effective contraceptive method for preventing the spread of a sexually transmitted infection is a condom with a spermicide.	F
11	After ejaculation, sperm may live longer than 48 hours.	T
12	A woman can become pregnant without having sexual intercourse.	T
13	Carrying condoms in the pockets of jeans can weaken the rubber in the condom.	T
14	Using two condoms is safer than using just one.	F

Reasons to HAVE vs. NOT HAVE sexual intercourse.

People have differing reasons for choosing to engage in sexual intercourse or choosing to postpone (wait) to engage in sexual behaviours. Consider these reasons in the table below:

<i>Reasons <u>TO HAVE</u> sex:</i>	<i>Reasons <u>NOT TO HAVE</u> sex:</i>
• Curious • To fit in • Peer Pressure • In love • Want children	• Don't want kids • Don't want an STI • Religious reasons • No one to have sex with • Don't want to get in trouble • Illegal (underage)



CONTRACEPTIVE METHODS

What are the different types of contraception and briefly define each one.

- Barrier – puts a barrier between the penis and the vagina and stops the sperm from meeting the egg.
- Hormonal – regulates or stops ovulation and so preventing pregnancy.
- Natural – doesn't involve any kind of barrier or chemical etc. Natural methods of birth control.
- Emergency – used immediately after sex to prevent fertilisation.
- Surgical – sterilization; surgical procedure to control pregnancy/birth control.

<i>NAME</i>	<i>TYPE</i>	<i>WHAT IS IT / HOW DOES IT WORK</i>	<i>EFFECTIVENESS P = Perfect use T = Typical use</i>	<i>ADVANTAGES x 2</i>	<i>DISADVANTAGES x 2</i>
Abstinence	Natural	Not having sex	100% P	▪ 100% protection against pregnancy ▪ Cheap	▪ Must be committed. ▪ Self-control
Male Condom	Barrier	Latex sheath placed over the penis during sex that blocks sperm	85% T 94-98% P	• Cheap • Convenient • Easily accessible • Easy to use • STI Prevention	• Not 100% reliable • Could break • Embarrassing to buy • Decreases sensation
Female Condom	Barrier	Latex sheath placed inside the vagina to prevent the sperm entering the female body	95% P	▪ STI Protection ▪ Convenient	▪ Awkward to use ▪ Not as widely available ▪ More expensive than male

Implanon (Implant)	Hormonal	A small rod inserted into the upper arm that secretes hormones to prevent ovulation	99%	▪ Lasts for 3 years ▪ Easy and convenient ▪ Minimal negative side-effects	▪ Invasive procedure ▪ Can be seen on some people ▪ Needs a doc ▪ No STI protection
Tubal Ligation	Surgical	Surgical procedure where the fallopian tubes are cut or tied	Failure rate approx. 1 in 200 or 1 in 500 depending on method	▪ No long-term side effects ▪ Permanent	▪ Irreversible ▪ No STI protection ▪ Costly ▪ Permanent ▪ Recovery time needed
Diaphragm / Cervical Cap	Barrier	A shallow dome with a silicone, firm, flexible rim placed over the cervix to prevent sperm entry	82% T 92%-96% P	▪ Cost effective ▪ Can be put in any time before sex	▪ Need to have the right size ▪ Must be left in for 6 hours post coitus ▪ No STI protection
Natural Family Planning/ Fertility Awareness	Natural	Tracking body to keep track of fertility, and not having sex on fertile days	75% T 95% P	▪ Free ▪ Non-invasive ▪ No doctors needed ▪ Apps available to help	▪ No STI protection ▪ Takes time to monitor and learn your body
Combined Pill / Mini Pill	Hormonal	A pill containing hormones to prevent ovulation, fertilisation, and sperm entry	91% T 99% P	▪ Non-invasive ▪ Easy to use ▪ Lots of types	▪ No STI protection ▪ Needs to be remembered every day ▪ Needs a script ▪ No STI protection
Copper IUD (Intrauterine Device)	Hormonal	T shaped device with copper wire that's inserted into the uterus to prevent fertilisation	99%	▪ Can last 5-10 years ▪ Emergency option ▪ Convenient ▪ LAR	▪ Invasive Procedure ▪ Can have severe side-effects ▪ No STI protection ▪ Needs a doc
Hormonal IUD (Intrauterine Device)	Hormonal	T shaped plastic device inserted into uterus and releases a hormone that thickens mucus and prevents fertilisation	99%	▪ LAR ▪ Lasts 5 years ▪ Convenient ▪ Highly effective	▪ Must be removed/inserted by a doctor ▪ No STI protection ▪ Has side-effects ▪ No STI protection

Emergency Contraceptive Pill	Hormonal	Pill taken after intercourse where pregnancy risk occurred	85+% depending on how soon after sex	▪ A good option if contraception fails ▪ Easily accessible ▪ Not too expensive	▪ No STI protection ▪ Stigma surrounding purchase ▪ May have side-effects ▪ Needs a timely response
Withdrawal	Natural	Withdrawing the penis from the vagina before ejaculation occurs	78% T 96% P	▪ Cheap ▪ Convenient ▪ Feels better	▪ No STI protection ▪ Requires self-control ▪ Pre-cum can still lead to pregnancy
Contraception Injection	Hormonal	Progesterone injection that affects ovulation and prevents pregnancy.	95% T 99% P	▪ Can stop a period ▪ Lasts 3 months ▪ Highly effective	▪ Must go to the doctor ▪ Can have bad side effects ▪ Can impact fertility ▪ No STI protection
Spermicide	Used with barrier methods	A cream/gel/foam that is toxic to sperm. Most effectively used with barrier methods.	70% T Should be combined	▪ Can be inexpensive ▪ Very little side effects ▪ Protection booster	▪ No STI protection ▪ Needs to be remembered ▪ Could be messy ▪ No STI protection
Vasectomy	Surgical	Surgical procedure where the vas deferens is cut	99+%	▪ Permanent ▪ Effective 3 months later ▪ No long-term side-effects	▪ No STI protection ▪ Permanent ▪ Costly ▪ Requires recovery time

Which is best and why?

Read the scenario below and answer the questions that follow for each one:

Scenario 1:

Pete and Jennifer have been going out for several months. They regularly use condoms to protect themselves against STI's and unplanned pregnancies. One evening the condom accidentally breaks.

Which contraceptive method/s is best in this scenario and why?

Copper IUD or Emergency Contraceptive Pill to prevent the potential of a pregnancy occurring.

Scenario 2:

Alex and Chris have been going out for quite a while and find themselves becoming closer and closer to having sex. Neither of them is comfortable talking about contraception.

What could each person do so that they are protected from STI's or unplanned pregnancy? What contraceptive method/s could be best and why?

Condoms – both can easily go out and buy them. Can be kept in case they are not used on a specific occasion and protects against STI's (important if they haven't discuss sexual history) (only option if they are two males).
The pill – something for 'in case' sex occurs then she knows she is prepared against pregnancy (if females are involved).

Scenario 3:

Mark tells you that he and his girlfriend Janet had sex for the first time. When you ask him if he had thought about protection against an unplanned pregnancy, he tells you that they chose to use the withdrawal method.

What information would you tell Mark about using the withdrawal method? Which contraceptive method/s could you recommend to Mark and Janet, and why?

Withdrawal is risky as it needs to occur outside and away from the vulva and vaginal opening. Pre-cum can also contain sperm which could lead to unwanted pregnancy. It also does not provide protection against STI's.

Condom – easy to buy, cheap, easy to use, protects against STI's.

STI's – the WHAT and HOW:

What does STI stand for?


Sexually Transmitted Infection

What is an STI?

Bacterial or viral infections that are most commonly passed through unprotected sexual contact with an infected partner.

What are the HIGH-RISK methods of transmission?

Unprotected vaginal, anal, and oral sex, blood-to-blood contact, blood infusion, sharing needles or other drug use equipment, tattoo or body piercing equipment, infected mother to baby.



STI's are dangerous because...

- They are common
- Can be serious if left untreated as they can cause major discomfort, disease, infertility and in some cases even death.
- Only two have preventative vaccines.
- Some are incurable.
- Many have no signs or symptoms, or they are hard to detect.
- Most are spread silently.

Types of STI's.

1. Bacterial:


An infection caused by a bacteria.
Treatable and curable with antibiotics.
If untreated can cause long term side-effects.
Chlamydia (most common), Gonorrhoea ('the clap'), Syphilis, Trichomoniasis.

2. Viral:

An infection caused by a virus.
Cannot be cured.
Medication to treat symptoms only.
Can pass onto others for the rest of your life.
Human Papillomavirus (HPV), HIV/AIDS, Herpes Simplex Virus (HSV), Hepatitis B.

3. Parasitic:

An infection caused by a parasite.
Can be cured/treated
Pubic lice, trichomoniasis, scabies



Follow along with the information on the different types of STI's.

Take notes on the following:

- Different types of STI's and what they are.
- Signs and symptoms.
- Treatment.
- Prevention.

Students follow along with the slides and write their own notes on each STI using the dot points above as a guide.

All information is included in the PowerPoint.

STI Prevention.

Sexually Transmitted Infections

Tips to lower your risk of developing a sexually transmitted infection are:



Abstinence or not having sex



Use a latex condom whenever you have any kind of sex.



Choose sex partners carefully.



Get checked for STI's regularly.



Avoid alcohol or drugs before having sex.



Learn the signs and symptoms of STI's.

Diagnosis & Treatment.

How can STI's be diagnosed?


Urine sample, blood test, swab test

How can STI's generally be treated?

Viral:	Cannot be cured but medication may be available to treat symptoms
Bacterial:	Can be cured/treated with antibiotics
Parasitic:	Through medication, creams, shampoos, lotions or ointments

A person should abstain from sexual behaviours if they believe they may have an STI, are currently being treated, or awaiting test results.

When should a person get tested?



- Yearly, once becoming sexually active.
- Have engaged in unprotected sexual intercourse or the condom broke.
- Partner has an STI.
- Partner is having sex with someone else.
- Have ever injected drugs.
- You or partner have any STI symptoms.
- Have been a victim of sexual assault (i.e., rape).

Barriers to getting tested for an STI.

Lack of knowledge of
signs/symptoms.

Costs time and money.

Don't know where to go for
help or testing.

Inconvenient.

Perception that it 'won't
happen to me'.

Fear of a positive result.

Associated stigma,
embarrassment or shame.

Where to go for help?

Investigate the websites and complete the table on the following pages.

<https://www.couldihaveit.com.au> also allows you to find your nearest sexual health clinic.

List of websites:

⇒ **WA Gov: Healthy Sexual** – <https://healthysexual.com.au/>



⇒ **Sexual Health Quarters** – <https://shq.org.au/helpline/>

**Sexual
Health
Quarters**

⇒ **Get The Facts** – <https://www.getthefacts.health.wa.gov.au/>

GET *the Facts*

⇒ **Could I Have It?** – <https://www.couldihaveit.com.au/home>

Could *i* have it?
STIs: What you need to know.

⇒ **Sexual Assault Resource Centre (SARC)** –
<https://www.kemh.health.wa.gov.au/Other-Services/SARC>



⇒ **Healthy WA STI Factsheets** –
https://www.healthywa.wa.gov.au/Articles/A_E/About-sexually-transmissible-infections-STIs



⇒ **Western Australian Aids Council (WAAC)** – <https://www.waac.com.au/>



Name <i>(Name of resource)</i>	Website	Location <i>(Physical address or online only?)</i>	Cost <i>(How much does it cost to use?)</i>	Services offered <i>(What is available? i.e., counselling, STI testing, information etc.)</i>	Advantages <i>(What are the PROS for this resource? i.e., free, easy to use website, available 24/7 etc.)</i>	Disadvantages <i>(What are the CONS for this resource? i.e., waiting list, costly, need a referral, hard to use the website etc.)</i>

While listening to the presentations, complete the table below with the relevant information for the different types of STI's:

Name of STI:	Bacterial or Viral or Parasite?	Curable? Y / N	Treatment:	How is it transmitted?	Signs/symptoms:	Prevention:
