

Name: _____

Date: _____

Interquartile Range

1. The _____ is a measure of variation.
2. The _____ between the _____ quartile and the _____ quartile is called the **interquartile range**.
3. The interquartile range can be abbreviated as _____.
4. The IQR represents the _____ of the middle half of the data.
5. A _____ interquartile range means that the data is close together.
6. A _____ interquartile range means that the data is spread out.
7. To find IQR, identify all three _____.
8. Then, subtract _____ from _____.
9. To find the interquartile range:

Step 1: Find the _____ of the entire data set. This is _____.

Step 2: Find the median of the _____ half of the data set.
This is _____.

Step 3: Find the median of the _____ half of the data set. This is _____.

Step 4: Subtract _____ from _____.

10. Identify Q_1 , Q_2 , and Q_3 of the data set below. Find the interquartile range.

10

12

12

15

16

19

20

Name: _____

Date: _____

Practice: Interquartile Range

If necessary, round to the nearest tenth.

#1 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

17, 16, 14, 20, 96, 90, 4

#2 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

50, 65, 70, 120, 130, 145, 70, 55, 45

#3 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

12.2, 13.4, 16, 2, 0.45, 15, 22.3, 5.6, 3.14, 2



#4 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

70, 76, 77, 76, 65, 78, 80, 45, 73, 72, 71

Name: _____

Date: _____

Interquartile Range Vocabulary



Name: _____

Date: _____

Interquartile Range Warm-Up

Find the mean, median and mode of the data set below:

16, 8, 4, 6, 10, 12, 14

Mean: _____ Median: _____ Mode: _____

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Warm-Up

Find the mean, median and mode of the data set below:

16, 8, 4, 6, 10, 12, 14

Mean: _____ Median: _____ Mode: _____

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Warm-Up

Identify Q_1 , Q_2 , and Q_3

50, 80, 20, 20, 10, 80, 90

1, 4, 5, 2, 5, 6, 7, 2, 10

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Warm-Up

Identify Q_1 , Q_2 , and Q_3

50, 80, 20, 20, 10, 80, 90

1, 4, 5, 2, 5, 6, 7, 2, 10

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Exit Slip

Identify Q_1 , Q_2 , and Q_3 , and IQR of the data set below:

75, 45, 25, 50

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Exit Slip

Identify Q_1 , Q_2 , and Q_3 , and IQR of the data set below:

75, 45, 25, 50

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Exit Slip

Create a data set with 7 numbers that has the following quartiles:

$$Q_1 = 2$$

$$Q_2 = 7$$

$$Q_3 = 8$$

Then, find the IQR.

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Exit Slip

Create a data set with 7 numbers that has the following quartiles:

$$Q_1 = 2$$

$$Q_2 = 7$$

$$Q_3 = 8$$

Then, find the IQR.

© To the Square Inch, 2017 www.tothesquareinch.com

Interquartile Range

1. The _____ is a measure of variation.
2. The _____ between the _____ quartile and the _____ quartile is called the **interquartile range**.
3. The interquartile range can be abbreviated as _____.
4. The IQR represents the _____ of the middle half of the data.
5. A _____ interquartile range means that the data is close together.
6. A _____ interquartile range means that the data is spread out.
7. To find IQR, identify all three _____.
8. Then, subtract _____ from _____.
9. To find the interquartile range: _____.

Step 1: Find the _____ of the entire data set. This is _____.

Step 2: Find the median of the _____ half of the data set. This is _____.

Step 3: Find the median of the _____ half of the data set. This is _____.

Step 4: Subtract _____ from _____.

10. Identify Q_1 , Q_2 , and Q_3 of the data set below. Find the interquartile range.

10 12 12 15 16 19 20

Practice: Interquartile Range

If necessary, round to the nearest tenth.

#1 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:
17, 16, 14, 20, 96, 90, 4

#2 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:
50, 65, 70, 120, 130, 145, 70, 55, 45

#3 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:
12.2, 13.4, 16, 2, 0.45, 15, 22.3, 5.6, 3.14, 2

#4 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:
70, 76, 77, 76, 65, 78, 80, 45, 73, 72, 71

Name: _____

Date: _____ **Answer Key**

Interquartile Range

1. The **Interquartile Range** is a measure of variation.
2. The **difference** between the **first** quartile and the **third** quartile is called the **interquartile range**.
3. The interquartile range can be abbreviated as **IQR**
4. The IQR represents the **range** of the middle half of the data.
5. A **small** interquartile range means that the data is close together.
6. A **large** interquartile range means that the data is spread out.
7. To find IQR, identify all three **quartiles**
8. Then, subtract Q_3 from Q_1
9. To find the interquartile range:

Step 1: Find the **median** of the entire data set. This is **Q_2**

Step 2: Find the median of the **lower** half of the data set. This is **Q_1**

Step 3: Find the median of the **upper** half of the data set. This is **Q_3**

Step 4: Subtract **Q_1** from **Q_3**

10. Identify Q_1 , Q_2 , and Q_3 of the data set below. Find the interquartile range.

10 12 12 15 16 19 20

$$Q_1 = 12$$

$$Q_2 = 15$$

$$Q_3 = 19$$

$$IQR = 7$$

Name: _____

Date: _____ **Answer Key**

Practice: Interquartile Range

If necessary, round to the nearest tenth.

#1 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

17, 16, 14, 20, 96, 90, 4

$$Q_1 = 14$$

$$Q_2 = 17$$

$$Q_3 = 90$$

$$IQR = 76$$

#2 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

50, 65, 70, 120, 130, 145, 70, 55, 45

$$Q_1 = 52.5$$

$$Q_2 = 70$$

$$Q_3 = 125$$

$$IQR = 72.5$$

#3 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

12.2, 13.4, 16, 2, 0.45, 15, 22.3, 5.6, 3.14, 2

$$Q_1 = 2$$

$$Q_2 = 8.9$$

$$Q_3 = 15$$

$$IQR = 13$$

#4 Identify Q_1 , Q_2 , and Q_3 , and the IQR of the data set below:

70, 76, 77, 76, 65, 78, 80, 45, 73, 72, 71

$$Q_1 = 70$$

$$Q_2 = 73$$

$$Q_3 = 77$$

$$IQR = 7$$

Name: _____

Date: _____ **Answer Key**

Interquartile Range Warm-Up

Find the mean, median and mode of the data set below:

16, 8, 4, 6, 10, 12, 14

Mean: 10 Median: 10 Mode: no mode

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Warm-Up

Identify Q_1 , Q_2 , and Q_3

50, 80, 20, 20, 10, 80, 90

$Q_1 = 20$

$Q_2 = 50$

$Q_3 = 80$

1, 4, 5, 2, 5, 6, 7, 2, 10

$Q_1 = 2$

$Q_2 = 5$

$Q_3 = 6.5$

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____ **Answer Key**

Interquartile Range Exit Slip

Identify Q_1 , Q_2 , and Q_3 , and IQR of the data set below:

75, 45, 25, 50

$Q_1 = 30$

$Q_2 = 47.5$

$Q_3 = 68.75$

$IQR = 38.75$

© To the Square Inch, 2017 www.tothesquareinch.com

Name: _____

Date: _____

Interquartile Range Exit Slip

Create a data set with 7 numbers that has the following quartiles:

$Q_1 = 2$

$Q_2 = 7$

$Q_3 = 8$

Then, find the IQR.

Answers will vary. Example:

1, 2, 3, 7, 8, 8, 10

IQR: 6

© To the Square Inch, 2017 www.tothesquareinch.com