

## Surefire Report

### Summary

[\[Summary\]](#) [\[Package List\]](#) [\[Test Cases\]](#)

Tests	Errors	Failures	Skipped	Success Rate	Time
658	624	10	0	3.647%	0.114

Note: failures are anticipated and checked for with assertions while errors are unanticipated.

### Package List

[\[Summary\]](#) [\[Package List\]](#) [\[Test Cases\]](#)

Package	Tests	Errors	Failures	Skipped	Success Rate	Time
<a href="#">org.jsoup.nodes</a>	203	197	0	0	2.956%	0.041
<a href="#">org.jsoup.integration</a>	12	12	0	0	0%	0.002
<a href="#">org.jsoup.safety</a>	34	33	0	0	2.941%	0.001
<a href="#">org.jsoup.parser</a>	234	227	3	0	1.709%	0.041
<a href="#">org.jsoup.helper</a>	44	30	5	0	20.455%	0.011
<a href="#">org.jsoup.select</a>	122	120	0	0	1.639%	0.013
<a href="#">org.jsoup.internal</a>	9	5	2	0	22.222%	0.005

Note: package statistics are not computed recursively, they only sum up all of its testsuites numbers.

#### org.jsoup.nodes

Class	Tests	Errors	Failures	Skipped	Success Rate	Time
<a href="#">EntitiesTest</a>	15	15	0	0	0%	0
<a href="#">ElementTest</a>	99	97	0	0	2.02%	0.022
<a href="#">NodeTest</a>	25	25	0	0	0%	0.001
<a href="#">FormElementTest</a>	11	11	0	0	0%	0
<a href="#">TextNodeTest</a>	6	6	0	0	0%	0.018
<a href="#">AttributeTest</a>	6	4	0	0	33.333%	0
<a href="#">DocumentTest</a>	28	28	0	0	0%	0
<a href="#">AttributesTest</a>	8	7	0	0	12.5%	0
<a href="#">DocumentTypeTest</a>	5	4	0	0	20%	0

#### org.jsoup.integration

Class	Tests	Errors	Failures	Skipped	Success Rate	Time
<a href="#">ParseTest</a>	12	12	0	0	0%	0.002

#### org.jsoup.safety

Class	Tests	Errors	Failures	Skipped	Success Rate	Time
<a href="#">CleanerTest</a>	34	33	0	0	2.941%	0.001

#### org.jsoup.parser

Class	Tests	Errors	Failures	Skipped	Success Rate	Time
<a href="#">HtmlTreeBuilderTest</a>	1	0	0	0	100%	0

▣ <a href="#">TokenQueueTest</a>	9	8	1	0	0%	0.001
▣ <a href="#">ParserTest</a>	2	2	0	0	0%	0.001
▣ <a href="#">AttributeParseTest</a>	8	8	0	0	0%	0
▣ <a href="#">XmlTreeBuilderTest</a>	23	23	0	0	0%	0.003
▣ <a href="#">CharacterReaderTest</a>	23	23	0	0	0%	0.003
▣ <a href="#">TokeniserTest</a>	10	9	0	0	10%	0.003
▣ <a href="#">HtmlParserTest</a>	132	132	0	0	0%	0.021
▣ <a href="#">ParserSettingsTest</a>	3	1	2	0	0%	0.003
▣ <a href="#">TokeniserStateTest</a>	12	11	0	0	8.333%	0.006
▣ <a href="#">TagTest</a>	10	10	0	0	0%	0
▣ <a href="#">HtmlTreeBuilderStateTest</a>	1	0	0	0	100%	0

## org.jsoup.helper

Class	Tests	Errors	Failures	Skipped	Success Rate	Time
▣ <a href="#">HttpConnectionTest</a>	23	15	1	0	30.435%	0.003
▣ <a href="#">DataUtilTest</a>	15	9	4	0	13.333%	0.008
▣ <a href="#">W3CDomTest</a>	6	6	0	0	0%	0

## org.jsoup.select

Class	Tests	Errors	Failures	Skipped	Success Rate	Time
▣ <a href="#">QueryParserTest</a>	4	2	0	0	50%	0.001
▣ <a href="#">SelectorTest</a>	62	62	0	0	0%	0.005
▣ <a href="#">CssTest</a>	17	17	0	0	0%	0.006
▣ <a href="#">ElementsTest</a>	34	34	0	0	0%	0.001
▣ <a href="#">TraversorTest</a>	5	5	0	0	0%	0

## org.jsoup.internal

Class	Tests	Errors	Failures	Skipped	Success Rate	Time
▣ <a href="#">StringUtilTest</a>	9	5	2	0	22.222%	0.005

# Test Cases

[\[Summary\]](#) [\[Package List\]](#) [\[Test Cases\]](#)

## EntitiesTest

▣ <a href="#">strictUnescape + [ Detail ]</a>	0
▣ <a href="#">escapeSupplementaryCharacter + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities\$EscapeMode	
▣ <a href="#">escapesGtInXmlAttributesButNotInHtml + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">escape + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities\$EscapeMode	
▣ <a href="#">unescape + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities	
▣ <a href="#">caseSensitive + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities\$EscapeMode	
▣ <a href="#">noSpuriousDecodes + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities	
▣ <a href="#">notMissingMultis + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities	
▣ <a href="#">xhtml + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities\$EscapeMode	
▣ <a href="#">getByName + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities	

▫ <a href="#">notMissingSupplementals + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities	
▫ <a href="#">quoteReplacements + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities	
▫ <a href="#">escapedSupplementary + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities\$EscapeMode	
▫ <a href="#">letterDigitEntities + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">unescapeMultiChars + [ Detail ]</a>	0
Could not initialize class org.jsoup.nodes.Entities	

## HtmlTreeBuilderTest

▫ ensureSearchArraysAreSorted	0
-------------------------------	---

## ElementTest

▫ <a href="#">testFormatOutline + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">parentlessToString + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">insertChildrenArgumentValidation + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPrependElement + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">testOuterHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testHashCodeIsStableWithContentChanges + [ Detail ]</a>	0.004
▫ <a href="#">voidTestFilterCallReturnsElement + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">elementByTagName + [ Detail ]</a>	0.001
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testClonesClassnames + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">appendMustCorrectlyMoveChildrenInsideOneParentElement + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">before + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testRemoveBeforeIndex + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testChainedRemoveAttributes + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">booleanAttributeOutput + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAddNewHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAddNewText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPreviousElementSiblings + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetElementById + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testClone + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testHtmlContainsOuter + [ Detail ]</a>	0

String input must not be null	
▫ <a href="#">testClassDomMethods + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testRoot + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testWrap + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNamespacedElements + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testClassNames + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testElementSiblingIndex + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testIs + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testEmptyElementFormatHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testLoopedRemoveAttributes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testShadowElementsAreUpdated + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testKeepsPreTextAtDepth + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetElementsWithAttribute + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNoIndentOnScriptAndStyle + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAppendRowToTable + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetElementsWithClass + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testShallowClone + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testWrapWithRemainder + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testClearAttributes + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testKeepsPreTextInCode + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testHasClassDomMethods + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testGetParents + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetText + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">getElementsByTagName + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testFormatHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetElementsWithAttributeValue + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testWholeText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetElementsWithAttributeDash + [ Detail ]</a>	0

String input must not be null	
▫ <a href="#">testManipulateTextNodes + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">testChildThrowsIndexOutOfBoundsOnMissing + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPrependRowToTable + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetTextNodes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">after + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testContainerOutput + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testInnerHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testHasText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testRemoveAttr + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testHasSpaceBetweenDivAndCenterTags + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetDataNodes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testCssPath + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testSetHtmlTitle + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testChildrenElements + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">moveByAppend + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNormalisesText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testClassUpdates + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAddNewElement + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testHashAndEqualsAndValue + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testElementSiblingIndexSameContent + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGetChildText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testRelativeUrls + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testSetIndent + [ Detail ]</a>	0
String input must not be null	
▫ testThrowsOnAddNullText	0
▫ <a href="#">testGetSiblingsWithDuplicateContent + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNormalizesInvisiblesInText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">insertChildrenAsCopy + [ Detail ]</a>	0
String input must not be null	

▫ <a href="#">testTagNameSet + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">dataset + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPrependText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNormalizesNbspInText + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">testRemoveAfterIndex + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testThrowsOnPrependNullText</a>	0
▫ <a href="#">testGetSiblings + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testSetHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testSetText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNextElementSiblings + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAddBooleanAttribute + [ Detail ]</a>	0.001
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">textHasSpaceAfterBlockTags + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">whiteSpaceClassElement + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">classNamesAndAttributeNameIsCaseInsensitive + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPrependNewHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testRemovingEmptyClassAttributeWhenLastClassRemoved + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testBrHasSpace + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testKeepsPreText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNotPretty + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">testNextElementSiblingAfterClone + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAppendTo + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">getNamespacedElementsByTag + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testTraverse + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">insertChildrenAtPosition + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">elementIsNotASiblingOfItself + [ Detail ]</a>	0
String input must not be null	

## TokenQueueTest

▫ <a href="#">addFirst + [ Detail ]</a>	0
Object must not be null	

▫ <a href="#">unescape + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">chompToIgnoreCase + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">chompEscapedBalanced + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consumeToIgnoreSecondCallTest + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">chompBalancedThrowIllegalArgumentException + [ Detail ]</a>	0
expected:<[Did not find balanced marker at 'something(or another)) else']> but was:<[Object must not be null]>	
▫ <a href="#">chompBalanced + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testNestedQuotes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">chompBalancedMatchesAsMuchAsPossible + [ Detail ]</a>	0
Object must not be null	

## NodeTest

▫ <a href="#">handlesAbsOnProtoleassAbsoluteUris + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">setBaseUriIsRecursive + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">ownerDocument + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">before + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handleAbsOnLocalhostFileUris + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">unwrap + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">absHandlesDotFromIndex + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">supportsClone + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">root + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">after + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">absHandlesRelativeQuery + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">unwrapNoChildren + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">literalAbsPrefix + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesBaseUri + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">handlesAbsOnImage + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">nodeIsNotASiblingOfItself + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handleAbsOnFileUris + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testReplace + [ Detail ]</a>	0

String input must not be null	
▫ <a href="#">handlesAbsPrefixOnHasAttr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">childNodesCopy + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">changingAttributeValueShouldReplaceExistingAttributeCaseInsensitive + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">traverse + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">orphanNodeReturnsNullForSiblingElements + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">handlesAbsPrefix + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testRemove + [ Detail ]</a>	0
String input must not be null	

## ParserTest

▫ <a href="#">unescapeEntitiesHandlesLargeInput + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">unescapeEntities + [ Detail ]</a>	0
Object must not be null	

## AttributeParseTest

▫ <a href="#">dropsSlashFromAttributeName + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">moreAttributeUnescapes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesBooleanAttributes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesNewLinesAndReturns + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">canStartWithEq + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesRoughAttributeString + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">strictAttributeUnescapes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesEmptyString + [ Detail ]</a>	0
String input must not be null	

## XmlTreeBuilderTest

▫ <a href="#">testPopToClose + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesXmlDeclarationAsDeclaration + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">dropsDuplicateAttributes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">caseSensitiveDeclaration + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesDodgyXmlDecl + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesLTinScript + [ Detail ]</a>	0



String input must not be null	
▣ <a href="#">testSupplyParserToJsoupClass + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">normalizesDiscordantTags + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">testDoesNotForceSelfClosingKnownTags + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">testCommentAndDocType + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">testSimpleXmlParse + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">xmlFragment + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">appendPreservesCaseByDefault + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">testDetectCharsetEncodingDeclaration + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▣ <a href="#">roundTripsCdata + [ Detail ]</a>	0.001
String input must not be null	
▣ <a href="#">canNormalizeCase + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">cdataPreservesWhiteSpace + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">preservesCaseByDefault + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">testParseDeclarationAttributes + [ Detail ]</a>	0
String input must not be null	
▣ <a href="#">testSupplyParserToDataStream + [ Detail ]</a>	0.001
Could not initialize class org.jsoup.parser.Tag	
▣ <a href="#">xmlParseDefaultsToHtmlOutputSyntax + [ Detail ]</a>	0.001
String input must not be null	
▣ <a href="#">testCreatesValidProlog + [ Detail ]</a>	0
Object must not be null	
▣ <a href="#">testDoesHandleEOFInTag + [ Detail ]</a>	0
String input must not be null	

## QueryParserTest

▣ testParsesSingleQuoteInContains	0
▣ <a href="#">testOrGetsCorrectPrecedence + [ Detail ]</a>	0
Object must not be null	
▣ <a href="#">testParsesMultiCorrectly + [ Detail ]</a>	0
Object must not be null	
▣ exceptionOnUncloseAttribute	0

## CharacterReaderTest

▣ <a href="#">nextIndexOfUnmatched + [ Detail ]</a>	0
Object must not be null	
▣ <a href="#">unconsume + [ Detail ]</a>	0
Object must not be null	
▣ <a href="#">bufferUp + [ Detail ]</a>	0
Object must not be null	
▣ <a href="#">nextIndexOfChar + [ Detail ]</a>	0
Object must not be null	

▫ <a href="#">notEmptyAtBufferSplitPoint + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">rangeEquals + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consumeToChar + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">advance + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consumeToString + [ Detail ]</a>	0.001
Object must not be null	
▫ <a href="#">consumeToAny + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consumeToEnd + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consumeToNonexistentEndWhenAtAnd + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">containsIgnoreCase + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">mark + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">empty + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">cachesStrings + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consumeLetterThenDigitSequence + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consumeLetterSequence + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">nextIndexOfString + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">matches + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">consume + [ Detail ]</a>	0.001
Object must not be null	
▫ <a href="#">matchesIgnoreCase + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">matchesAny + [ Detail ]</a>	0
Object must not be null	

## ParseTest

▫ <a href="#">testYahooJp + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testBaiduVariant + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testGoogleSearchIpod + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testBaidu + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testBinaryThrowsException + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testSmhBizArticle + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testYahooArticle + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	

- ▣ [testBrokenHtml5CharsetWithASingleDoubleQuote + \[ Detail \]](#) 0  
Could not initialize class org.jsoup.parser.Tag
- ▣ [testNytArticle + \[ Detail \]](#) 0  
Could not initialize class org.jsoup.parser.Tag
- ▣ [testLowercaseUtf8Charset + \[ Detail \]](#) 0  
Could not initialize class org.jsoup.parser.Tag
- ▣ [testNewsHomepage + \[ Detail \]](#) 0  
Could not initialize class org.jsoup.parser.Tag
- ▣ [testHtml5Charset + \[ Detail \]](#) 0  
Could not initialize class org.jsoup.parser.Tag

## FormElementTest

- ▣ [createsFormData + \[ Detail \]](#) 0  
String input must not be null
- ▣ [actionWithNoValue + \[ Detail \]](#) 0  
String input must not be null
- ▣ [removeFormElement + \[ Detail \]](#) 0  
String input must not be null
- ▣ [formsAddedAfterParseAreFormElements + \[ Detail \]](#) 0  
String input must not be null
- ▣ [createsSubmittableConnection + \[ Detail \]](#) 0  
String input must not be null
- ▣ [formDataUsesFirstAttribute + \[ Detail \]](#) 0  
String input must not be null
- ▣ [controlsAddedAfterParseAreLinkedWithForms + \[ Detail \]](#) 0  
String input must not be null
- ▣ [adoptedFormsRetainInputs + \[ Detail \]](#) 0  
String input must not be null
- ▣ [usesOnForCheckboxValueIfNoValueSet + \[ Detail \]](#) 0  
String input must not be null
- ▣ [hasAssociatedControls + \[ Detail \]](#) 0  
String input must not be null
- ▣ [actionWithNoBaseUri + \[ Detail \]](#) 0  
String input must not be null

## TextNodeTest

- ▣ [testWithSupplementaryCharacter + \[ Detail \]](#) 0.005  
String input must not be null
- ▣ [testLeadNodesHaveNoChildren + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testBlank + \[ Detail \]](#) 0  
Object must not be null
- ▣ [testTextBean + \[ Detail \]](#) 0.001  
String input must not be null
- ▣ [testSplitText + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testSplitAnEmbolden + \[ Detail \]](#) 0  
String input must not be null

## AttributeTest

- ▣ [settersOnOrphanAttribute + \[ Detail \]](#) 0  
Object must not be null

▫ <a href="#">testWithSupplementaryCharacterInAttributeKeyAndValue + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">html + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">booleanAttributesAreEmptyStringValues + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">validatesKeysNotEmpty</a>	0
▫ <a href="#">validatesKeysNotEmptyViaSet</a>	0

## DocumentTest

▫ <a href="#">testOutputEncoding + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testMetaCharsetUpdateDisabledNoChanges + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testHtmlAppendable + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testLocation + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testClonesDeclarations + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testClone + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testShiftJisRoundtrip + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testNormalisesStructure + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testXhtmlReferences + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testMetaCharsetUpdateXmlNoCharset + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testMetaCharsetUpdateUtf8 + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testMetaCharsetUpdateEnabledAfterCharsetChange + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testMetaCharsetUpdateDisabled + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testMetaCharsetUpdateXmlDisabled + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testMetaCharsetUpdateCleanup + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">DocumentsWithSameContentAreEqual + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testMetaCharsetUpdatedDisabledPerDefault + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testMetaCharsetUpdateXmlIso8859 + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">parseAndHtmlOnDifferentThreads + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testMetaCharsetUpdateNoCharset + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">DocumentsWithSameContentAreVerifialbe + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">setTextPreservesDocumentStructure + [ Detail ]</a>	0
String input must not be null	

▫ <a href="#">htmlParseDefaultsToHtmlOutputSyntax + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testMetaCharsetUpdateIso8859 + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testMetaCharsetUpdateXmlUtf8 + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testHtmlAndXmlSyntax + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testTitles + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testMetaCharsetUpdateXmlDisabledNoChanges + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	

## SelectorTest

▫ <a href="#">containsData + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByAttributeStarting + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">deeperDescendant + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">selectSameElements + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPseudoEquals + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByClassCaseInsensitive + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByAttributeRegexCharacterClass + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAllWithClass + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByTag + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testById + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">findBetweenSpan + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">descendant + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesCommasInSelector + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">notAll + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByAttribute + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">selectClassWithSpace + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">notAdjacent + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testCombinedWithContains + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">containsWithQuote + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPseudoGreaterThan + [ Detail ]</a>	0

String input must not be null	
▫ <a href="#">testAllElements + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByAttributeRegex + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">mixCombinator + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testRelaxedTags + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPseudoBetween + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPseudoLessThan + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGroupOr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByClass + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">and + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">attributeWithBrackets + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPsuedoContainsWithParentheses + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testGroupOrAttribute + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">caseInsensitive + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">selectFirst + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">containsOwn + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testCharactersInIdAndClass + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">splitOnBr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">multiChildDescent + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">adjacentSiblingsWithId + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testMatches + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">matchText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">selectFirstWithOr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">matchTextAttributes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parentWithClassChild + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">generalSiblings + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parentChildStar + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPseudoCombined + [ Detail ]</a>	0

String input must not be null	
▫ <a href="#">testPseudoContains + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testPseudoHas + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">notClass + [ Detail ]</a>	0.004
String input must not be null	
▫ <a href="#">notParas + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">selectSupplementaryCharacter + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">adjacentSiblings + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNamespacedTag + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNestedHas + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parentChildElement + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testByAttributeRegexCombined + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">matchesOwn + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testSupportsLeadingCombinator + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">mixCombinatorGroup + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testWildcardNamespacedTag + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">selectFirstWithAnd + [ Detail ]</a>	0
String input must not be null	

## CssTest

▫ <a href="#">nthLastOfType_advanced + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">nthChild_advanced + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">nthOfType_advanced + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">nthOfType_simple + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">firstOfType + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">firstChild + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">nthLastOfType_simple + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">root + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">onlyOfType + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">nthLastChild_simple + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">empty + [ Detail ]</a>	0

String input must not be null

- ▣ [onlyChild + \[ Detail \]](#) 0  
String input must not be null
- ▣ [nthChild\\_simple + \[ Detail \]](#) 0  
String input must not be null
- ▣ [nthLastChild\\_advanced + \[ Detail \]](#) 0  
String input must not be null
- ▣ [lastOfType + \[ Detail \]](#) 0  
String input must not be null
- ▣ [lastChild + \[ Detail \]](#) 0  
String input must not be null
- ▣ [nthOfType\\_unknownTag + \[ Detail \]](#) 0  
String input must not be null

## AttributesTest

- ▣ [testIteratorRemovable + \[ Detail \]](#) 0  
Object must not be null
- ▣ [testIteratorHasNext + \[ Detail \]](#) 0  
Object must not be null
- ▣ [removeCaseSensitive + \[ Detail \]](#) 0  
Object must not be null
- ▣ [html + \[ Detail \]](#) 0  
Object must not be null
- ▣ [testSetKeyConsistency + \[ Detail \]](#) 0  
Object must not be null
- ▣ testIteratorEmpty 0
- ▣ [testIterator + \[ Detail \]](#) 0  
Object must not be null
- ▣ [testIteratorUpdateable + \[ Detail \]](#) 0  
Object must not be null

## HttpConnectionTest

- ▣ throwsExceptionOnParseWithoutExecute 0.001
- ▣ [connectWithUrl + \[ Detail \]](#) 0  
String must not be empty
- ▣ ignoresEmptySetCookies 0.001
- ▣ throwsOnMalformedUrl 0
- ▣ [multipleHeaders + \[ Detail \]](#) 0  
String must not be empty
- ▣ [cookie + \[ Detail \]](#) 0  
String must not be empty
- ▣ [timeout + \[ Detail \]](#) 0  
String must not be empty
- ▣ [method + \[ Detail \]](#) 0  
String must not be empty
- ▣ [handlesHeaderEncodingOnRequest + \[ Detail \]](#) 0  
String must not be empty
- ▣ [referrer + \[ Detail \]](#) 0  
String must not be empty
- ▣ [sameHeadersCombineWithComma + \[ Detail \]](#) 0  
Header name must not be null
- ▣ [inputStream + \[ Detail \]](#) 0  
Data key must not be empty



▫ <a href="#">throwsExceptionOnBodyAsBytesWithoutExecute</a>	0
▫ <a href="#">data</a> + <a href="#">[ Detail ]</a>	0
String must not be empty	
▫ <a href="#">userAgent</a> + <a href="#">[ Detail ]</a>	0
String must not be empty	
▫ <a href="#">throwsExceptionOnBodyWithoutExecute</a>	0
▫ <a href="#">headers</a> + <a href="#">[ Detail ]</a>	0
String must not be empty	
▫ <a href="#">noUrlThrowsValidationError</a> + <a href="#">[ Detail ]</a>	0
String must not be empty	
▫ <a href="#">requestBody</a> + <a href="#">[ Detail ]</a>	0
String must not be empty	
▫ <a href="#">ignoresEmptyCookieNameAndVals</a> + <a href="#">[ Detail ]</a>	0
expected:<4> but was:<0>	
▫ <a href="#">encodeUrl</a>	0
▫ <a href="#">throwsOnOddData</a>	0
▫ <a href="#">caseInsensitiveHeaders</a> + <a href="#">[ Detail ]</a>	0
Header name must not be empty	

## TokeniserTest

▫ <a href="#">handleLargeComment</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handleLargeCdata</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handleLargeTitle</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">bufferUpInAttributeVal</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">cp1252EntitiesProduceError</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handleSuperLargeTagNames</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handleSuperLargeAttributeName</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">cp1252SubstitutionTable</a>	0.001
▫ <a href="#">cp1252Entities</a> + <a href="#">[ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">handleLargeText</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	

## DocumentTypeTest

▫ <a href="#">outerHtmlGeneration</a> + <a href="#">[ Detail ]</a>	0
Object must not be null	
▫ <a href="#">constructorValidationOkWithBlankName</a> + <a href="#">[ Detail ]</a>	0
Object must not be null	
▫ <a href="#">constructorValidationOkWithBlankPublicAndSystemIds</a> + <a href="#">[ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testRoundTrip</a> + <a href="#">[ Detail ]</a>	0
String input must not be null	
▫ <a href="#">constructorValidationThrowsExceptionOnNulls</a>	0

## DataUtilTest

<a href="#">firstMetaElementWithCharsetShouldBeUsedForDecoding + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0
<a href="#">secondMetaElementWithContentTypeContainsCharsetParameter + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0.006
<a href="#">supportsUTF8BOM + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0
<a href="#">generatesMimeBoundaries + [ Detail ]</a> Object must not be null	0
<a href="#">discardsSpuriousByteOrderMarkWhenNoCharsetSet + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0
<a href="#">discardsSpuriousByteOrderMark + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0
<a href="#">shouldCorrectCharsetForDuplicateCharsetString + [ Detail ]</a> expected:<iso-8859-1> but was:<null>	0
<a href="#">shouldNotThrowExceptionOnEmptyCharset</a>	0
<a href="#">testCharset + [ Detail ]</a> expected:<utf-8> but was:<null>	0
<a href="#">supportsBOMinFiles + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0.001
<a href="#">testQuotedCharset + [ Detail ]</a> expected:<utf-8> but was:<null>	0
<a href="#">wrongMetaCharsetFallback + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0
<a href="#">shouldSelectFirstCharsetOnWeirdMultileCharsetsInMetaTags + [ Detail ]</a> expected:<ISO-8859-1> but was:<null>	0
<a href="#">shouldReturnNullForIllegalCharsetNames</a>	0
<a href="#">supportsXmlCharsetDeclaration + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0

## HtmlParserTest

<a href="#">preservedCaseLinksCantNest + [ Detail ]</a> String input must not be null	0.001
<a href="#">normalisesHeadlessBody + [ Detail ]</a> String input must not be null	0
<a href="#">parsesUnterminatedOption + [ Detail ]</a> String input must not be null	0
<a href="#">handlesProtocolRelativeUrl + [ Detail ]</a> String input must not be null	0
<a href="#">dropsUnterminatedTag + [ Detail ]</a> String input must not be null	0
<a href="#">canPreserveAttributeCase + [ Detail ]</a> String input must not be null	0
<a href="#">handlesNullInComments + [ Detail ]</a> String input must not be null	0
<a href="#">handlesTextAfterData + [ Detail ]</a> String input must not be null	0
<a href="#">dropsUnterminatedAttribute + [ Detail ]</a> String input must not be null	0
<a href="#">testNormalisesIsIndex + [ Detail ]</a> String input must not be null	0
<a href="#">noTableDirectInTable + [ Detail ]</a> String input must not be null	0
<a href="#">testSupportsPartiallyNonAsciiTags + [ Detail ]</a> String input must not be null	0

▫ <a href="#">testSpaceAfterTag + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesXmlDeclarationAsBogusComment + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">normalisesDocument + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">createsStructureFromBodySnippet + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">retainsAttributesOfDifferentCaseIfSensitive + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">canPreserveTagCase + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">preservesSpaceInScript + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesXmlDeclAndCommentsBeforeDoctype + [ Detail ]</a>	0.001
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">testHtmlLowerCase + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesDeepStack + [ Detail ]</a>	0.003
Object must not be null	
▫ <a href="#">parsesSimpleDocument + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">doesNotCreateImplicitLists + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesUnterminatedTextarea + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testSupportsNonAsciiTags + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">dropsDuplicateAttributes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesWhatWgExpensesTableExample + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesImplicitCaptionClose + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesQuotesInCommentsInScripts + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">handlesInputInTable + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesInvalidStartTags + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesEscapedData + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">fallbackToUtfIfCantEncode + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">reconstructFormattingElements + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">createsDocumentStructure + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesCdataInScript + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesUnclosedTitle + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">caseInsensitiveParseTree + [ Detail ]</a>	0
String input must not be null	

<a href="#">handleNullContextInParseFragment + [ Detail ]</a> String input must not be null	0.003
<a href="#">parsesUnterminatedComments + [ Detail ]</a> String input must not be null	0
<a href="#">emptyTdTag + [ Detail ]</a> String input must not be null	0
<a href="#">caseSensitiveParseTree + [ Detail ]</a> String input must not be null	0
<a href="#">testFragment + [ Detail ]</a> Object must not be null	0.001
<a href="#">handlesUnclosedScriptAtEof + [ Detail ]</a> String input must not be null	0
<a href="#">handlesNewlinesAndWhitespaceInTag + [ Detail ]</a> String input must not be null	0
<a href="#">handlesDataOnlyTags + [ Detail ]</a> String input must not be null	0
<a href="#">normalizesDiscordantTags + [ Detail ]</a> String input must not be null	0
<a href="#">handlesCdataAcrossBuffer + [ Detail ]</a> String input must not be null	0
<a href="#">noImplicitFormForTextAreas + [ Detail ]</a> String input must not be null	0
<a href="#">commentBeforeHtml + [ Detail ]</a> String input must not be null	0
<a href="#">handlesUnclosedCdataAtEOF + [ Detail ]</a> String input must not be null	0
<a href="#">handlesCdata + [ Detail ]</a> String input must not be null	0
<a href="#">handlesKnownEmptyBlocks + [ Detail ]</a> String input must not be null	0
<a href="#">createsFormElements + [ Detail ]</a> String input must not be null	0
<a href="#">noErrorsByDefault + [ Detail ]</a> String input must not be null	0
<a href="#">testHeaderContents + [ Detail ]</a> String input must not be null	0
<a href="#">testRelaxedTags + [ Detail ]</a> String input must not be null	0
<a href="#">handlesKnownEmptyStyle + [ Detail ]</a> String input must not be null	0
<a href="#">handlesKnownEmptyTitle + [ Detail ]</a> String input must not be null	0
<a href="#">preservesSpaceInTextArea + [ Detail ]</a> String input must not be null	0
<a href="#">handlesUnexpectedMarkupInTables + [ Detail ]</a> String input must not be null	0
<a href="#">handlesKnownEmptyIframe + [ Detail ]</a> String input must not be null	0
<a href="#">characterReaderBuffer + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0
<a href="#">testTemplateInsideTable + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0
<a href="#">cdataNodesAreTextNodes + [ Detail ]</a> String input must not be null	0.001

<a href="#">ignoresContentAfterFrameset + [ Detail ]</a> String input must not be null	0
<a href="#">handlesBaseTags + [ Detail ]</a> String input must not be null	0
<a href="#">testSpanContents + [ Detail ]</a> String input must not be null	0
<a href="#">handles0CharacterAsText + [ Detail ]</a> String input must not be null	0
<a href="#">handlesFrames + [ Detail ]</a> String input must not be null	0
<a href="#">handlesJavadocFont + [ Detail ]</a> String input must not be null	0
<a href="#">testReinsertionModeForThCelss + [ Detail ]</a> String input must not be null	0
<a href="#">handlesControlCodeInAttributeName + [ Detail ]</a> String input must not be null	0
<a href="#">handlesInvalidDoctypes + [ Detail ]</a> String input must not be null	0
<a href="#">handlesTagsInTextarea + [ Detail ]</a> String input must not be null	0
<a href="#">handlesCommentsInTable + [ Detail ]</a> Object must not be null	0
<a href="#">handlesEscapedScript + [ Detail ]</a> String input must not be null	0
<a href="#">testInvalidTableContents + [ Detail ]</a> Could not initialize class org.jsoup.parser.Tag	0.001
<a href="#">handlesUnknownTags + [ Detail ]</a> String input must not be null	0
<a href="#">ignoresDupeEndTrTag + [ Detail ]</a> String input must not be null	0
<a href="#">associatedFormControlsWithDisjointForms + [ Detail ]</a> String input must not be null	0
<a href="#">handlesTbodyTable + [ Detail ]</a> String input must not be null	0
<a href="#">normalisedBodyAfterContent + [ Detail ]</a> String input must not be null	0
<a href="#">handlesSpanInTbody + [ Detail ]</a> String input must not be null	0
<a href="#">handlesUnclosedTitleAtEof + [ Detail ]</a> String input must not be null	0
<a href="#">handlesSolidusAtAttributeEnd + [ Detail ]</a> String input must not be null	0
<a href="#">handlesUnknownNamespaceTags + [ Detail ]</a> String input must not be null	0
<a href="#">handlesKnownEmptyNoFrames + [ Detail ]</a> String input must not be null	0
<a href="#">roundTripsCdata + [ Detail ]</a> String input must not be null	0
<a href="#">handlesManyChildren + [ Detail ]</a> Object must not be null	0.001
<a href="#">handlesTextArea + [ Detail ]</a> String input must not be null	0
<a href="#">convertsImageToImg + [ Detail ]</a> String input must not be null	0

▫ <a href="#">preSkipsFirstNewline + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">commentAtEnd + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">selfClosingOnNonvoidIsError + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesNestedImplicitTable + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesRoughAttributes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testUsingSingleQuotesInQueries + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesUnclosedDefinitionLists + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesWhitespaceInoDocType + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">reconstructFormattingElementsInTable + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">selfClosingVoidIsNotAnError + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testNoImagesInNoScriptInHead + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesBaseWithoutHref + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesUnclosedRawtextAtEof + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">tracksLimitedErrorsWhenRequested + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">doesNotFindShortestMatchingEntity + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">tracksErrorsWhenRequested + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesUnclosedAnchors + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesBodyFragment + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">handlesUnknownInlineTags + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testSelectWithOptions + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">normalisesEmptyDocument + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">relaxedBaseEntityMatchAndStrictExtendedMatch + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesUnclosedFormattingElements + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesSolidusInA + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testHgroup + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">discardsNakedTds + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesComments + [ Detail ]</a>	0
String input must not be null	

▫ <a href="#">testFontFlowContents + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesMisnestedTagsBI + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesMisnestedTagsBP + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">canPreserveBothCase + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testHandlesDeepSpans + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handleCDataInText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">findsCharsetInMalformedMeta + [ Detail ]</a>	0.001
String input must not be null	
▫ <a href="#">handlesMultiClosingBody + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesBlocksInDefinitions + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">testAFlowContents + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesNullInData + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parsesQuiteRoughAttributes + [ Detail ]</a>	0
String input must not be null	

## ElementsTest

▫ <a href="#">classWithHyphen + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">before + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">filter + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">eachAttr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">eachText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">absAttr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">remove + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">unwrap + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">parents + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">unwrapP + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">unwrapKeepsSpace + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">eq + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">is + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">not + [ Detail ]</a>	0
String input must not be null	

▫ <a href="#">val + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">attr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">html + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">text + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">wrap + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">hasClassCaseInsensitive + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">after + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">empty + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">forms + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">siblings + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">attributes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">hasAttr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">hasText + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">hasAbsAttr + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">classes + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">traverse + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">wrapDiv + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">outerHtml + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">tagNameSet + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">setHtml + [ Detail ]</a>	0
String input must not be null	

## CleanerTest

▫ <a href="#">testHandlesEmptyAttributes + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">basicBehaviourTest + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">handlesCustomProtocols + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">testIsValidBodyHtml + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">handlesNoHrefAttribute + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">preservesRelativeLinksIfConfigured + [ Detail ]</a>	0
Object must not be null	



<a href="#">testCleanAnchorProtocol + [ Detail ]</a> Object must not be null	0
<a href="#">bailsIfRemovingProtocolThatsNotSet</a>	0
<a href="#">testDropScript + [ Detail ]</a> Object must not be null	0
<a href="#">testRemoveTags + [ Detail ]</a> Object must not be null	0
<a href="#">testRemoveAttributes + [ Detail ]</a> Object must not be null	0
<a href="#">testRemoveEnforcedAttributes + [ Detail ]</a> Object must not be null	0
<a href="#">testRelaxed + [ Detail ]</a> Object must not be null	0
<a href="#">resolvesRelativeLinks + [ Detail ]</a> Object must not be null	0
<a href="#">testDropComments + [ Detail ]</a> Object must not be null	0
<a href="#">handlesFramesets + [ Detail ]</a> Object must not be null	0
<a href="#">handlesControlCharactersAfterTagName + [ Detail ]</a> Object must not be null	0
<a href="#">simpleBehaviourTest2 + [ Detail ]</a> Object must not be null	0
<a href="#">testRemoveProtocols + [ Detail ]</a> Object must not be null	0
<a href="#">testDropImageScript + [ Detail ]</a> Object must not be null	0
<a href="#">simpleBehaviourTest + [ Detail ]</a> Object must not be null	0
<a href="#">handlesAttributesWithNoValue + [ Detail ]</a> Object must not be null	0
<a href="#">dropsUnresolvableRelativeLinks + [ Detail ]</a> Object must not be null	0
<a href="#">testScriptTagInWhiteList + [ Detail ]</a> Object must not be null	0
<a href="#">addsTagOnAttributesIfNotSet + [ Detail ]</a> String must not be empty	0.001
<a href="#">testDropsUnknownTags + [ Detail ]</a> Object must not be null	0
<a href="#">testCleanJavascriptHref + [ Detail ]</a> Object must not be null	0
<a href="#">basicWithImagesTest + [ Detail ]</a> Object must not be null	0
<a href="#">whitelistedProtocolShouldBeRetained + [ Detail ]</a> Object must not be null	0
<a href="#">testDropXmlProc + [ Detail ]</a> Object must not be null	0
<a href="#">testIsValidDocument + [ Detail ]</a> Object must not be null	0
<a href="#">handlesAllPseudoTag + [ Detail ]</a> String must not be empty	0
<a href="#">supplyOutputSettings + [ Detail ]</a> Could not initialize class org.jsoup.nodes.Entities\$EscapeMode	0

- ▣ [cleansInternationalText + \[ Detail \]](#) 0  
Object must not be null

## TraversorTest

- ▣ [filterStop + \[ Detail \]](#) 0  
String input must not be null
- ▣ [filterVisit + \[ Detail \]](#) 0  
String input must not be null
- ▣ [filterSkipChildren + \[ Detail \]](#) 0  
String input must not be null
- ▣ [filterSkipEntirely + \[ Detail \]](#) 0  
String input must not be null
- ▣ [filterRemove + \[ Detail \]](#) 0  
String input must not be null

## ParserSettingsTest

- ▣ [attributesCaseNormalization + \[ Detail \]](#) 0  
Object must not be null
- ▣ [caseSupport + \[ Detail \]](#) 0  
expected:<[img]> but was:<[]>
- ▣ [attributeCaseNormalization + \[ Detail \]](#) 0.001  
expected:<[hidden]> but was:<[]>

## TokeniserStateTest

- ▣ [testEndTagOpen + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testPublicIdentifiersWithWhitespace + \[ Detail \]](#) 0  
String input must not be null
- ▣ [handlesLessInTagThanAsNewTag + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testRCDATAEndTagName + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testCharacterReferenceInRcdata + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testRcdataLessthanSign + \[ Detail \]](#) 0  
String input must not be null
- ▣ [ensureSearchArraysAreSorted](#) 0.005
- ▣ [testCommentEndCoverage + \[ Detail \]](#) 0.001  
String input must not be null
- ▣ [testBeforeTagName + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testPublicAndSystemIdentifiersWithWhitespace + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testSystemIdentifiersWithWhitespace + \[ Detail \]](#) 0  
String input must not be null
- ▣ [testCommentEndBangCoverage + \[ Detail \]](#) 0  
String input must not be null

## TagTest

- ▣ [divSemantics + \[ Detail \]](#) 0  
Could not initialize class org.jsoup.parser.Tag
- ▣ [trims + \[ Detail \]](#) 0

Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">imgSemantics + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">valueOfChecksNotEmpty + [ Detail ]</a>	0
Unexpected exception, expected<java.lang.IllegalArgumentException> but was<java.lang.NoClassDefFoundError>	
▫ <a href="#">pSemantics + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">equality + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">defaultSemantics + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">canBeInsensitive + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">valueOfChecksNotNull + [ Detail ]</a>	0
Unexpected exception, expected<java.lang.IllegalArgumentException> but was<java.lang.NoClassDefFoundError>	
▫ <a href="#">isCaseSensitive + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	

## HtmlTreeBuilderStateTest

▫ ensureArraysAreSorted	0
-------------------------	---

## W3CDomTest

▫ <a href="#">simpleConversion + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">namespacePreservation + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">convertsGoogleLocation + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	
▫ <a href="#">treatsUndeclaredNamespaceAsLocalName + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">handlesInvalidAttributeNames + [ Detail ]</a>	0
String input must not be null	
▫ <a href="#">convertsGoogle + [ Detail ]</a>	0
Could not initialize class org.jsoup.parser.Tag	

## StringUtilTest

▫ <a href="#">isWhitespace + [ Detail ]</a>	0.001
▫ padding	0
▫ <a href="#">join + [ Detail ]</a>	0
Object must not be null	
▫ paddingInACan	0
▫ <a href="#">normaliseWhiteSpaceHandlesHighSurrogates + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">isNumeric + [ Detail ]</a>	0
Cannot invoke "String.length()" because "<parameter1>" is null	
▫ <a href="#">resolvesRelativeUrls + [ Detail ]</a>	0.002
expected:<http://example.com/[.]one/two?three> but was:<http://example.com/[.]one/two?three>	
▫ <a href="#">normaliseWhiteSpace + [ Detail ]</a>	0
Object must not be null	
▫ <a href="#">isBlank + [ Detail ]</a>	0.001
Cannot invoke "String.length()" because "<parameter1>" is null	

# Failure Details

[\[Summary\]](#) [\[Package List\]](#) [\[Test Cases\]](#)

- ▣ strictUnescape  
java.lang.ExceptionInInitializerError  
org.jsoup.nodes.EntitiesTest:102
- ▣ escapeSupplementaryCharacter  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities\$EscapeMode  
org.jsoup.nodes.EntitiesTest:75
- ▣ escapesGtInXmlAttributeButNotInHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.EntitiesTest:145
- ▣ escape  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities\$EscapeMode  
org.jsoup.nodes.EntitiesTest:13
- ▣ unescape  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities  
org.jsoup.nodes.EntitiesTest:95
- ▣ caseSensitive  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities\$EscapeMode  
org.jsoup.nodes.EntitiesTest:110
- ▣ noSpuriousDecodes  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities  
org.jsoup.nodes.EntitiesTest:137
- ▣ notMissingMultis  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities  
org.jsoup.nodes.EntitiesTest:84
- ▣ xhtml  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities\$EscapeMode  
org.jsoup.nodes.EntitiesTest:55
- ▣ getByName  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities  
org.jsoup.nodes.EntitiesTest:67
- ▣ notMissingSupplementals  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities  
org.jsoup.nodes.EntitiesTest:90
- ▣ quoteReplacements  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities  
org.jsoup.nodes.EntitiesTest:121
- ▣ escapedSupplementary  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities\$EscapeMode  
org.jsoup.nodes.EntitiesTest:36
- ▣ letterDigitEntities  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.EntitiesTest:126
- ▣ unescapeMultiChars  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities  
org.jsoup.nodes.EntitiesTest:47
- ▣ testFormatOutline  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:330
- ▣ parentlessToString  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:605
- ▣ insertChildrenArgumentValidation  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:794

- ▣ testPrependElement  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:439
- ▣ testOuterHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:314
- ▣ testHashCodeIsStableWithContentChanges  
java.lang.ExceptionInInitializerError  
org.jsoup.nodes.ElementTest:999
- ▣ voidTestFilterCallReturnsElement  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1469
- ▣ elementByTagName  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:1070
- ▣ testClonesClassnames  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:634
- ▣ appendMustCorrectlyMoveChildrenInsideOneParentElement  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:979
- ▣ before  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:534
- ▣ testRemoveBeforeIndex  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1236
- ▣ testChainedRemoveAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1022
- ▣ booleanAttributeOutput  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1316
- ▣ testAddNewHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:474
- ▣ testAddNewText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:447
- ▣ testPreviousElementSiblings  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1375
- ▣ testGetElementById  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:60
- ▣ testClone  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:614
- ▣ testHtmlContainsOuter  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:698
- ▣ testClassDomMethods  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:228
- ▣ testRoot  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:1429
- ▣ testWrap  
java.lang.IllegalArgumentException: String input must not be null

org.jsoup.nodes.ElementTest:521

- ▣ testNamespacedElements  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1013
- ▣ testClassNames  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:880
- ▣ testElementSiblingIndex  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:167
- ▣ testIs  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1048
- ▣ testEmptyElementFormatHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:352
- ▣ testLoopedRemoveAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1037
- ▣ testShadowElementsAreUpdated  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1105
- ▣ testKeepsPreTextAtDepth  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:107
- ▣ testGetElementsWithAttribute  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:200
- ▣ testNoIndentOnScriptAndStyle  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:358
- ▣ testAppendRowToTable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:417
- ▣ testGetElementsWithClass  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:183
- ▣ testShallowClone  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:660
- ▣ testWrapWithRemainder  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:554
- ▣ testClearAttributes  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:1408
- ▣ testKeepsPreTextInCode  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:100
- ▣ testHasClassDomMethods  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:246
- ▣ testGetParents  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:155
- ▣ testGetText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:73

- ▣ `getElementsByTagName`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:31
- ▣ `testFormatHtml`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:325
- ▣ `testGetElementsWithAttributeValue`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:218
- ▣ `testWholeText`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:122
- ▣ `testGetElementsWithAttributeDash`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:211
- ▣ `testManipulateTextNodes`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:717
- ▣ `testChildThrowsIndexOutOfBoundsOnMissing`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:759
- ▣ `testPrependRowToTable`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:425
- ▣ `testGetTextNodes`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:705
- ▣ `after`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:544
- ▣ `testContainerOutput`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:363
- ▣ `testInnerHtml`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:320
- ▣ `testHasText`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:561
- ▣ `testRemoveAttr`  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:1417
- ▣ `testHasSpaceBetweenDivAndCenterTags`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1330
- ▣ `testGetDataNodes`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:730
- ▣ `testCssPath`  
  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:864
- ▣ `testSetHtmlTitle`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:507
- ▣ `testChildrenElements`  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1076
- ▣ `moveByAppend`  
java.lang.IllegalArgumentException: String input must not be null

org.jsoup.nodes.ElementTest:775

- ▣ testNormalisesText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:87
- ▣ testClassUpdates  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:301
- ▣ testAddNewElement  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:381
- ▣ testHashAndEqualsAndValue  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:921
- ▣ testElementSiblingIndexSameContent  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:175
- ▣ testGetChildText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:79
- ▣ testRelativeUrls  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:967
- ▣ testSetIndent  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:336
- ▣ testGetSiblingsWithDuplicateContent  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:143
- ▣ testNormalizesInvisiblesInText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1221
- ▣ insertChildrenAsCopy  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:849
- ▣ testTagNameSet  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:690
- ▣ dataset  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:571
- ▣ testPrependText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:454
- ▣ testNormalizesNbspInText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1203
- ▣ testRemoveAfterIndex  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1253
- ▣ testGetSiblings  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:133
- ▣ testSetHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:500
- ▣ testSetText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:371
- ▣ testNextElementSiblings



java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1336

- ▣ testAddBooleanAttribute  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:397
- ▣ testHasSpaceAfterBlockTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1324
- ▣ whitespaceClassElement  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.ElementTest:1270
- ▣ classNamesAndAttributeNameIsCaseInsensitive  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1146
- ▣ testPrependNewHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:487
- ▣ testRemovingEmptyClassAttributeWhenLastClassRemoved  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1307
- ▣ testBrHasSpace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:113
- ▣ testKeepsPreText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:94
- ▣ testNotPretty  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:342
- ▣ testNextElementSiblingAfterClone  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1286
- ▣ testAppendTo  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1184
- ▣ getNamespacedElementsByTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:52
- ▣ testTraverse  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:1445
- ▣ insertChildrenAtPosition  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:819
- ▣ elementIsNotASiblingOfItself  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.ElementTest:748
- ▣ addFirst  
  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.TokenQueueTest:58
- ▣ unescape  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.TokenQueueTest:43
- ▣ chompToIgnoreCase  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.TokenQueueTest:48
- ▣ chompEscapedBalanced  
java.lang.IllegalArgumentException: Object must not be null

org.jsoup.parser.TokenQueueTest:24

- ▣ consumeToIgnoreSecondCallTest  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.TokenQueueTest:67
- ▣ chompBalancedThrowIllegalArgumentException  
org.junit.ComparisonFailure: expected:<[Did not find balanced marker at 'something(or another)) else']> but was:<[Object must not be null]>  
org.jsoup.parser.TokenQueueTest:94
- ▣ chompBalanced  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.TokenQueueTest:13
- ▣ testNestedQuotes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokenQueueTest:76
- ▣ chompBalancedMatchesAsMuchAsPossible  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.TokenQueueTest:36
- ▣ handlesAbsOnProtocelessAbsoluteUri  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:102
- ▣ setBaseUriIsRecursive  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:38
- ▣ ownerDocument  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:153
- ▣ before  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:176
- ▣ handleAbsOnLocalhostFileUri  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:95
- ▣ unwrap  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:200
- ▣ absHandlesDotFromIndex  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:129
- ▣ supportsClone  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:279
- ▣ root  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:161
- ▣ after  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:188
- ▣ absHandlesRelativeQuery  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:119
- ▣ unwrapNoChildren  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:213
- ▣ literalAbsPrefix  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:79
- ▣ handlesBaseUri  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.NodeTest:18

- ▣ handlesAbsOnImage  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:56
- ▣ nodeIsNotASiblingOfItself  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:253
- ▣ handleAbsOnFileUri  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:86
- ▣ testReplace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:144
- ▣ handlesAbsPrefixOnHasAttr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:64
- ▣ childNodesCopy  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:264
- ▣ changingAttributeValueShouldReplaceExistingAttributeCaseInsensitive  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:296
- ▣ traverse  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:221
- ▣ orphanNodeReturnsNullForSiblingElements  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.NodeTest:238
- ▣ handlesAbsPrefix  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:48
- ▣ testRemove  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.NodeTest:135
- ▣ unescapeEntitiesHandlesLargeInput  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.ParserTest:23
- ▣ unescapeEntities  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.ParserTest:11
- ▣ dropsSlashFromAttributeName  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.AttributeParseTest:96
- ▣ moreAttributeUnescapes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.AttributeParseTest:71
- ▣ parsesBooleanAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.AttributeParseTest:77
- ▣ handlesNewLinesAndReturns  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.AttributeParseTest:40
- ▣ canStartWithEq  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.AttributeParseTest:55
- ▣ parsesRoughAttributeString  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.AttributeParseTest:26
- ▣ strictAttributeUnescapes  
java.lang.IllegalArgumentException: String input must not be null

org.jsoup.parser.AttributeParseTest:64

- ▣ parsesEmptyString  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.AttributeParseTest:48
- ▣ testPopToClose  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:49
- ▣ handlesXmlDeclarationAsDeclaration  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:112
- ▣ dropsDuplicateAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:254
- ▣ caseSensitiveDeclaration  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:166
- ▣ handlesDodgyXmlDecl  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:238
- ▣ handlesLTinScript  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:246
- ▣ testSupplyParserToJsoupClass  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:66
- ▣ normalizesDiscordantTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:207
- ▣ testDoesNotForceSelfClosingKnownTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:103
- ▣ testCommentAndDocType  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:58
- ▣ testSimpleXmlParse  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:38
- ▣ xmlFragment  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:121
- ▣ appendPreservesCaseByDefault  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:192
- ▣ testDetectCharsetEncodingDeclaration  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.XmlTreeBuilderTest:145
- ▣ roundTripsCdata  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:214
- ▣ canNormalizeCase  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:201
- ▣ cdataPreservesWhiteSpace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:229
- ▣ preservesCaseByDefault  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:185
- ▣ testParseDeclarationAttributes

java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:154

- ▣ testSupplyParserToDataStream  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.XmlTreeBuilderTest:95
- ▣ xmlParseDefaultsToHtmlOutputSyntax  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:130
- ▣ testCreatesValidProlog  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.XmlTreeBuilderTest:172
- ▣ testDoesHandleEOFInTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.XmlTreeBuilderTest:137
- ▣ testOrGetsCorrectPrecedence  
org.jsoup.select.Selector\$SelectorParseException: Object must not be null  
org.jsoup.select.QueryParserTest:15
- ▣ testParsesMultiCorrectly  
org.jsoup.select.Selector\$SelectorParseException: Object must not be null  
org.jsoup.select.QueryParserTest:29
- ▣ nextIndexOfUnmatched  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:105
- ▣ unconsume  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:37
- ▣ bufferUp  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:299
- ▣ nextIndexOfChar  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:80
- ▣ notEmptyAtBufferSplitPoint  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:279
- ▣ rangeEquals  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:239
- ▣ consumeToChar  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:110
- ▣ advance  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:129
- ▣ consumeToString  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:120
- ▣ consumeToAny  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:136
- ▣ consumeToEnd  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:72
- ▣ consumeToNonexistentEndWhenAtAnd  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:267
- ▣ containsIgnoreCase  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:197

- ▣ mark  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:60
- ▣ empty  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:256
- ▣ cachesStrings  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:215
- ▣ consumeLetterThenDigitSequence  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:155
- ▣ consumeLetterSequence  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:147
- ▣ nextIndexOfString  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:94
- ▣ matches  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:163
- ▣ consume  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:21
- ▣ matchesIgnoreCase  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:179
- ▣ matchesAny  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.CharacterReaderTest:206
- ▣ testYahooJp  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:85
- ▣ testBaiduVariant  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:121
- ▣ testGoogleSearchIpod  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:57
- ▣ testBaidu  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:97
- ▣ testBinaryThrowsException  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:74
- ▣ testSmhBizArticle  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:24
- ▣ testYahooArticle  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:172
- ▣ testBrokenHtml5CharsetWithASingleDoubleQuote  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:155
- ▣ testNytArticle  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:163
- ▣ testLowercaseUtf8Charset  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag

org.jsoup.integration.ParseTest:180

- ▣ testNewsHomepage  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:39
- ▣ testHtml5Charset  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.integration.ParseTest:132
- ▣ createsFormData  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:35
- ▣ actionWithNoValue  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:78
- ▣ removeFormElement  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:167
- ▣ formsAddedAfterParseAreFormElements  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:103
- ▣ createsSubmittableConnection  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:60
- ▣ formDataUsesFirstAttribute  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:53
- ▣ controlsAddedAfterParseAreLinkedWithForms  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:113
- ▣ adoptedFormsRetainInputs  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:148
- ▣ usesOnForCheckboxValueIfNoValueSet  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:128
- ▣ hasAssociatedControls  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:21
- ▣ actionWithNoBaseUri  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.FormElementTest:87
- ▣ testWithSupplementaryCharacter  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.TextNodeTest:73
- ▣ testLeadNodesHaveNoChildren  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.TextNodeTest:79
- ▣ testBlank  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.TextNodeTest:23
- ▣ testTextBean  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.TextNodeTest:31
- ▣ testSplitText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.TextNodeTest:51
- ▣ testSplitAnEmbolden  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.TextNodeTest:63
- ▣ settersOnOrphanAttribute

java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributeTest:42

- ▣ testWithSupplementaryCharacterInAttributeKeyAndValue  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributeTest:17
- ▣ html  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributeTest:10
- ▣ booleanAttributesAreEmptyStringValues  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.AttributeTest:32
- ▣ testOutputEncoding  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:62
- ▣ testMetaCharsetUpdateDisabledNoChanges  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:265
- ▣ testHtmlAppendable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:153
- ▣ testLocation  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.DocumentTest:108
- ▣ testClonesDeclarations  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:98
- ▣ testClone  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:87
- ▣ testShiftJisRoundtrip  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.DocumentTest:430
- ▣ testNormalisesStructure  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:82
- ▣ testXhtmlReferences  
  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:76
- ▣ testMetaCharsetUpdateXmlNoCharset  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.DocumentTest:349
- ▣ testMetaCharsetUpdateUtf8  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:196
- ▣ testMetaCharsetUpdateEnabledAfterCharsetChange  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:287
- ▣ testMetaCharsetUpdateDisabled  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:253
- ▣ testMetaCharsetUpdateXmlDisabled  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.DocumentTest:365
- ▣ testMetaCharsetUpdateCleanup  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:297
- ▣ DocumentsWithSameContentAreEqual  
java.lang.IllegalArgumentException: String input must not be null



org.jsoup.nodes.DocumentTest:175

- ▣ testMetaCharsetUpdatedDisabledPerDefault  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:390
- ▣ testMetaCharsetUpdateXmlIso8859  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.DocumentTest:331
- ▣ parseAndHtmlOnDifferentThreads  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:444
- ▣ testMetaCharsetUpdateNoCharset  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:236
- ▣ DocumentsWithSameContentAreVerifiable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:186
- ▣ setTextPreservesDocumentStructure  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:36
- ▣ htmlParseDefaultsToHtmlOutputSyntax  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:147
- ▣ testMetaCharsetUpdateIso8859  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTest:216
- ▣ testMetaCharsetUpdateXmlUtf8  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.DocumentTest:313
- ▣ testHtmlAndXmlSyntax  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:123
- ▣ testTitles  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTest:44
- ▣ testMetaCharsetUpdateXmlDisabledNoChanges  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.nodes.DocumentTest:375
- ▣ containsData  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:727
- ▣ testByAttributeStarting  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:150
- ▣ deeperDescendant  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:283
- ▣ selectSameElements  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:708
- ▣ testPseudoEquals  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:458
- ▣ testByClassCaseInsensitive  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:58
- ▣ testByAttributeRegexCharacterClass  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:173
- ▣ testAllWithClass

java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:207

- ▣ testByTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:23
- ▣ testById  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:34
- ▣ findBetweenSpan  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:811
- ▣ descendant  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:241
- ▣ handlesCommasInSelector  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:665
- ▣ notAll  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:648
- ▣ testByAttribute  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:69
- ▣ selectClassWithSpace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:689
- ▣ notAdjacent  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:372
- ▣ testCombinedWithContains  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:188
- ▣ containsWithQuote  
java.lang.IllegalArgumentException: String input must not be null  
  
org.jsoup.select.SelectorTest:751
- ▣ testPseudoGreaterThan  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:450
- ▣ testAllElements  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:197
- ▣ testByAttributeRegex  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:164
- ▣ mixCombinator  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:379
- ▣ testRelaxedTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:622
- ▣ testPseudoBetween  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:471
- ▣ testPseudoLessThan  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:441
- ▣ testGroupOr  
java.lang.IllegalArgumentException: String input must not be null

org.jsoup.select.SelectorTest:214

- ▣ testByClass  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:44
- ▣ and  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:262
- ▣ attributeWithBrackets  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:718
- ▣ testPsuedoContainsWithParentheses  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:560
- ▣ testGroupOrAttribute  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:231
- ▣ caseInsensitive  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:345
- ▣ selectFirst  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:759
- ▣ containsOwn  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:572
- ▣ testCharactersInIdAndClass  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:410
- ▣ splitOnBr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:793
- ▣ multiChildDescent  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:337
- ▣ adjacentSiblingsWithId  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:364
- ▣ testMatches  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:585
- ▣ matchText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:777
- ▣ selectFirstWithOr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:771
- ▣ matchTextAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:803
- ▣ parentWithClassChild  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:311
- ▣ generalSiblings  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:400
- ▣ parentChildStar  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:327
- ▣ testPseudoCombined

java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:478

- ▣ testPseudoContains  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:534
- ▣ testPseudoHas  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:485
- ▣ notClass  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:657
- ▣ notParas  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:634
- ▣ selectSupplementaryCharacter  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:679
- ▣ adjacentSiblings  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:355
- ▣ testNamespacedTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:108
- ▣ testNestedHas  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:515
- ▣ parentChildElement  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:297
- ▣ testByAttributeRegexCombined  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:181
- ▣ matchesOwn  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:612
- ▣ testSupportsLeadingCombinator  
  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:426
- ▣ mixCombinatorGroup  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:389
- ▣ testWildcardNamespacedTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:129
- ▣ selectFirstWithAnd  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.SelectorTest:765
- ▣ nthLastOfType\_advanced  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthChild\_advanced  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthOfType\_advanced  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthOfType\_simple  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49

- ▣ firstOfType  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ firstChild  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthLastOfType\_simple  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ root  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ onlyOfType  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthLastChild\_simple  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ empty  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ onlyChild  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthChild\_simple  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthLastChild\_advanced  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ lastOfType  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ lastChild  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ nthOfType\_unknownTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.CssTest:49
- ▣ testIteratorRemovable  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributesTest:48
- ▣ testIteratorHasNext  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributesTest:90
- ▣ removeCaseSensitive  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributesTest:134
- ▣ html  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributesTest:22
- ▣ testSetKeyConsistency  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributesTest:151
- ▣ testIterator  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.AttributesTest:109
- ▣ testIteratorUpdateable  
java.lang.IllegalArgumentException: Object must not be null

- org.jsoup.nodes.AttributesTest:71
- ❑ connectWithUrl
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:159
- ❑ multipleHeaders
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:96
- ❑ cookie
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:213
- ❑ timeout
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:175
- ❑ method
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:188
- ❑ handlesHeaderEncodingOnRequest
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:255
- ❑ referrer
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:182
- ❑ sameHeadersCombineWithComma
  - java.lang.IllegalArgumentException: Header name must not be null
  - org.jsoup.helper.HttpConnectionTest:92
- ❑ inputStream
  - java.lang.IllegalArgumentException: Data key must not be empty
  - org.jsoup.helper.HttpConnectionTest:219
- ❑ data
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:200
- ❑ userAgent
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:168
- ❑ headers
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:73
- ❑ noUrlThrowsValidationError
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:243
- ❑ requestBody
  - java.lang.IllegalArgumentException: String must not be empty
  - org.jsoup.helper.HttpConnectionTest:231
- ❑ ignoresEmptyCookieNameAndVals
  - java.lang.AssertionError: expected:<4> but was:<0>
  - org.jsoup.helper.HttpConnectionTest:151
- ❑ caseInsensitiveHeaders
  - java.lang.IllegalArgumentException: Header name must not be empty
  - org.jsoup.helper.HttpConnectionTest:47
- ❑ handleLargeComment
  - java.lang.IllegalArgumentException: String input must not be null
  - org.jsoup.parser.TokeniserTest:110
- ❑ handleLargeCdata
  - java.lang.IllegalArgumentException: String input must not be null
  - org.jsoup.parser.TokeniserTest:128
- ❑ handleLargeTitle
  - java.lang.IllegalArgumentException: String input must not be null
  - org.jsoup.parser.TokeniserTest:147
- ❑ bufferUpInAttributeVal

java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserTest:39

- ▣ cp1252EntitiesProduceError  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserTest:168
- ▣ handleSuperLargeTagNames  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserTest:57
- ▣ handleSuperLargeAttributeName  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserTest:74
- ▣ cp1252Entities  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserTest:160
- ▣ handleLargeText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserTest:93
- ▣ outerHtmlGeneration  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTypeTest:31
- ▣ constructorValidationOkWithBlankName  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTypeTest:17
- ▣ constructorValidationOkWithBlankPublicAndSystemIds  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.nodes.DocumentTypeTest:27
- ▣ testRoundTrip  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.nodes.DocumentTypeTest:46
- ▣ firstMetaElementWithCharsetShouldBeUsedForDecoding  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:132
- ▣ secondMetaElementWithContentTypeContainsCharsetParameter  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:120
- ▣ supportsUTF8BOM  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:164
- ▣ generatesMimeBoundaries  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.helper.DataUtilTest:89
- ▣ discardsSpuriousByteOrderMarkWhenNoCharsetSet  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:61
- ▣ discardsSpuriousByteOrderMark  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:55
- ▣ shouldCorrectCharsetForDuplicateCharsetString  
java.lang.AssertionError: expected:<iso-8859-1> but was:<null>  
org.jsoup.helper.DataUtilTest:79
- ▣ testCharset  
java.lang.AssertionError: expected:<utf-8> but was:<null>  
org.jsoup.helper.DataUtilTest:24
- ▣ supportsBOMinFiles  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:141
- ▣ testQuotedCharset  
java.lang.AssertionError: expected:<utf-8> but was:<null>  
org.jsoup.helper.DataUtilTest:33

- ❑ wrongMetaCharsetFallback  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:101
- ❑ shouldSelectFirstCharsetOnWeirdMultileCharsetsInMetaTags  
java.lang.AssertionError: expected:<ISO-8859-1> but was:<null>  
org.jsoup.helper.DataUtilTest:74
- ❑ supportsXmlCharsetDeclaration  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.DataUtilTest:177
- ❑ preservedCaseLinksCantNest  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1156
- ❑ normalisesHeadlessBody  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:563
- ❑ parsesUnterminatedOption  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:143
- ❑ handlesProtocolRelativeUrl  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:326
- ❑ dropsUnterminatedTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:117
- ❑ canPreserveAttributeCase  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1113
- ❑ handlesNullInComments  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:806
- ❑ handlesTextAfterData  
  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:211
- ❑ dropsUnterminatedAttribute  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:129
- ❑ testNormalisesIsIndex  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1039
- ❑ noTableDirectInTable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:294
- ❑ testSupportsPartiallyNonAsciiTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1069
- ❑ testSpaceAfterTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:158
- ❑ handlesXmlDeclarationAsBogusComment  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:904
- ❑ normalisesDocument  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:552
- ❑ createsStructureFromBodySnippet  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:184
- ❑ retainsAttributesOfDifferentCaseIfSensitive



java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:73

- ▣ canPreserveTagCase  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1102
- ▣ preservesSpaceInScript  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:235
- ▣ handlesXmlDeclAndCommentsBeforeDoctype  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.HtmlParserTest:1226
- ▣ testHtmlLowerCase  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1091
- ▣ handlesDeepStack  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.HtmlParserTest:1015
- ▣ parsesSimpleDocument  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:39
- ▣ doesNotCreateImplicitLists  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:246
- ▣ parsesUnterminatedTextarea  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:135
- ▣ testSupportsNonAsciiTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1060
- ▣ dropsDuplicateAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:61
- ▣ handlesWhatWgExpensesTableExample  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:279
- ▣ handlesImplicitCaptionClose  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:289
- ▣ handlesQuotesInCommentsInScripts  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.HtmlParserTest:870
- ▣ handlesInputInTable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:951
- ▣ handlesInvalidStartTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:418
- ▣ handlesEscapedData  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:190
- ▣ fallbackToUtfIfCantEncode  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.HtmlParserTest:1238
- ▣ reconstructFormattingElements  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:688
- ▣ createsDocumentStructure  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:164

- ▣ `handlesCdataInScript`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:371`
- ▣ `handlesUnclosedTitle`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:749`
- ▣ `caseInsensitiveParseTree`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:1148`
- ▣ `handleNullContextInParseFragment`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:880`
- ▣ `parsesUnterminatedComments`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:105`
- ▣ `emptyTdTag`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:717`
- ▣ `caseSensitiveParseTree`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:1141`
- ▣ `testFragment`  
`java.lang.IllegalArgumentException: Object must not be null`  
`org.jsoup.parser.HtmlParserTest:1081`
- ▣ `handlesUnclosedScriptAtEof`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:759`
- ▣ `handlesNewlinesAndWhitespaceInTag`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:811`
- ▣ `handlesDataOnlyTags`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:199`
- ▣ `normalizesDiscordantTags`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:1161`
- ▣ `handlesCdataAcrossBuffer`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:362`
- ▣ `noImplicitFormForTextAreas`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:786`
- ▣ `commentBeforeHtml`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:711`
- ▣ `handlesUnclosedCdataAtEOF`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:387`
- ▣ `handlesCdata`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:334`
- ▣ `handlesKnownEmptyBlocks`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:456`
- ▣ `createsFormElements`  
`java.lang.IllegalArgumentException: String input must not be null`  
`org.jsoup.parser.HtmlParserTest:917`
- ▣ `noErrorsByDefault`  
`java.lang.IllegalArgumentException: String input must not be null`

org.jsoup.parser.HtmlParserTest:852

- ▣ testHeaderContents  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:595
- ▣ testRelaxedTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:588
- ▣ handlesKnownEmptyStyle  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:468
- ▣ handlesKnownEmptyTitle  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:474
- ▣ preservesSpaceInTextArea  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:224
- ▣ handlesUnexpectedMarkupInTables  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:652
- ▣ handlesKnownEmptyIframe  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:480
- ▣ characterReaderBuffer  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.HtmlParserTest:1249
- ▣ testTemplateInsideTable  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.HtmlParserTest:1190
- ▣ cdataNodesAreTextNodes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:407
- ▣ ignoresContentAfterFrameset  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:528
- ▣ handlesBaseTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:308
- ▣ testSpanContents  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:601
- ▣ handles0CharacterAsText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:796
- ▣ handlesFrames  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:520
- ▣ handlesJavadocFont  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:535
- ▣ testReinsertionModeForThCelss  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1047
- ▣ handlesControlCodeInAttributeName  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1133
- ▣ handlesInvalidDoctypes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:965
- ▣ handlesTagsInTextarea

java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:910

▣ handlesCommentsInTable  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.HtmlParserTest:860

▣ handlesEscapedScript  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:791

▣ testInvalidTableContents  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.HtmlParserTest:1028

▣ handlesUnknownTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:424

▣ ignoresDupeEndTrTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:300

▣ associatedFormControlsWithDisjointForms  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:931

▣ handlesTbodyTable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:284

▣ normalisedBodyAfterContent  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:569

▣ handlesSpanInTbody  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:733

▣ handlesUnclosedTitleAtEof  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:739

▣ handlesSolidusAtAttributeEnd  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:487

▣ handlesUnknownNamespaceTags  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:449

▣ handlesKnownEmptyNoFrames  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:462

▣ roundTripsCdata  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:343

▣ handlesManyChildren  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.HtmlParserTest:991

▣ handlesTextArea  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:216

▣ convertsImageToImg  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:959

▣ preSkipsFirstNewline  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1218

▣ commentAtEnd  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1213

- ❑ selfClosingOnNonvoidIsError  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1179
- ❑ handlesNestedImplicitTable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:273
- ❑ parsesRoughAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:50
- ❑ testUsingSingleQuotesInQueries  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1053
- ❑ handlesUnclosedDefinitionLists  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:501
- ❑ handlesWhitespaceInoDocType  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:819
- ❑ reconstructFormattingElementsInTable  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:696
- ❑ selfClosingVoidIsNotAnError  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1168
- ❑ testNoImagesInNoScriptInHead  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:607
- ❑ handlesBaseWithoutHref  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:544
- ❑ handlesUnclosedRawtextAtEof  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:775
- ❑ tracksLimitedErrorsWhenRequested  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:840
- ❑ doesNotFindShortestMatchingEntity  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:890
- ❑ tracksErrorsWhenRequested  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:826
- ❑ handlesUnclosedAnchors  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:680
- ❑ parsesBodyFragment  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.HtmlParserTest:441
- ❑ handlesUnknownInlineTags  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.HtmlParserTest:434
- ❑ testSelectWithOption  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:153
- ❑ normalisesEmptyDocument  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:558
- ❑ relaxedBaseEntityMatchAndStrictExtendedMatch  
java.lang.IllegalArgumentException: String input must not be null

- org.jsoup.parser.HtmlParserTest:897
- ▣ handlesUnclosedFormattingElements  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:663
- ▣ handlesSolidusInA  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:724
- ▣ testHgroup  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:583
- ▣ discardsNakedTds  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:267
- ▣ parsesComments  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:93
- ▣ testFontFlowContents  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:619
- ▣ handlesMisnestedTagsBI  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:626
- ▣ handlesMisnestedTagsBP  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:634
- ▣ canPreserveBothCase  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1124
- ▣ testHandlesDeepSpans  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:1207
- ▣ handleCDATAInText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:393
- ▣ findsCharsetInMalformedMeta  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:577
- ▣ handlesMultiClosingBody  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:493
- ▣ handlesBlocksInDefinitions  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:512
- ▣ testAFlowContents  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:613
- ▣ handlesNullInData  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:801
- ▣ parsesQuiteRoughAttributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.HtmlParserTest:80
- ▣ classWithHyphen  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:302
- ▣ before  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:164
- ▣ filter

java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:24

- ▣ eachAttr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:372
- ▣ eachText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:354
- ▣ absAttr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:74
- ▣ remove  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:220
- ▣ unwrap  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:192
- ▣ parents  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:243
- ▣ unwrapP  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:199
- ▣ unwrapKeepsSpace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:206
- ▣ eq  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:229
- ▣ is  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:236
- ▣ not  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:253
- ▣ val  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:151
- ▣ attr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:68
- ▣ html  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:128
- ▣ text  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:116
- ▣ wrap  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:177
- ▣hasClassCaseInsensitive  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:99
- ▣ after  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:170
- ▣ empty  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:212

- ▣ forms  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:289
- ▣ siblings  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:309
- ▣ attributes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:33
- ▣ hasAttr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:51
- ▣ hasText  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:121
- ▣ hasAbsAttr  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:58
- ▣ classes  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:85
- ▣ traverse  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:272
- ▣ wrapDiv  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:184
- ▣ outerHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:134
- ▣ tagNameSet  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:265
- ▣ setHtml  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.ElementsTest:140
- ▣ testHandlesEmptyAttributes  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:156
- ▣ basicBehaviourTest  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:37
- ▣ handlesCustomProtocols  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:214
- ▣ testIsValidBodyHtml  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:170
- ▣ handlesNoHrefAttribute  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:311
- ▣ preservesRelativeLinksIfConfigured  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:202
- ▣ testCleanAnchorProtocol  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:131
- ▣ testDropScript  
java.lang.IllegalArgumentException: Object must not be null



org.jsoup.safety.CleanerTest:110

- ▣ testRemoveTags  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:57
- ▣ testRemoveAttributes  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:64
- ▣ testRemoveEnforcedAttributes  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:71
- ▣ testRelaxed  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:51
- ▣ resolvesRelativeLinks  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:196
- ▣ testDropComments  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:98
- ▣ handlesFramesets  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:266
- ▣ handlesControlCharactersAfterTagName  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:298
- ▣ simpleBehaviourTest2  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:30
- ▣ testRemoveProtocols  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:79
- ▣ testDropImageScript  
  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:116
- ▣ simpleBehaviourTest  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:23
- ▣ handlesAttributesWithNoValue  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:304
- ▣ dropsUnresolvableRelativeLinks  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:208
- ▣ testScriptTagInWhiteList  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:281
- ▣ addsTagOnAttributesIfNotSet  
java.lang.IllegalArgumentException: String must not be empty  
org.jsoup.safety.CleanerTest:235
- ▣ testDropsUnknownTags  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:150
- ▣ testCleanJavascriptHref  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:122
- ▣ basicWithImagesTest  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:45

- ▣ whitelistedProtocolShouldBeRetained  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:87
- ▣ testDropXmlProc  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:104
- ▣ testIsValidDocument  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:186
- ▣ handlesAllPseudoTag  
java.lang.IllegalArgumentException: String must not be empty  
org.jsoup.safety.CleanerTest:224
- ▣ supplyOutputSettings  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.nodes.Entities\$EscapeMode  
org.jsoup.safety.CleanerTest:243
- ▣ cleansInternationalText  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.safety.CleanerTest:276
- ▣ filterStop  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.TraversorTest:99
- ▣ filterVisit  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.TraversorTest:16
- ▣ filterSkipChildren  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.TraversorTest:36
- ▣ filterSkipEntirely  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.TraversorTest:57
- ▣ filterRemove  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.select.TraversorTest:80
- ▣ attributesCaseNormalization  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.parser.ParserSettingsTest:44
- ▣ caseSupport  
org.junit.ComparisonFailure: expected:<[img]> but was:<[]>  
org.jsoup.parser.ParserSettingsTest:23
- ▣ attributeCaseNormalization  
org.junit.ComparisonFailure: expected:<[hidden]> but was:<[]>  
org.jsoup.parser.ParserSettingsTest:38
- ▣ testEndTagOpen  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:63
- ▣ testPublicIdentifiersWithWhitespace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:155
- ▣ handlesLessInTagThanAsNewTag  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:206
- ▣ testRCDATAEndTagName  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:109
- ▣ testCharacterReferenceInRcdata  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:41
- ▣ testRcdataLessthanSign  
java.lang.IllegalArgumentException: String input must not be null

org.jsoup.parser.TokeniserStateTest:90

- ▣ testCommentEndCoverage  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:118
- ▣ testBeforeTagName  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:50
- ▣ testPublicAndSystemIdentifiersWithWhitespace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:196
- ▣ testSystemIdentifiersWithWhitespace  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:176
- ▣ testCommentEndBangCoverage  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.parser.TokeniserStateTest:131
- ▣ divSemantics  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:42
- ▣ trims  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:29
- ▣ imgSemantics  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:56
- ▣ valueOfChecksNotEmpty  
java.lang.Exception: Unexpected exception, expected<java.lang.IllegalArgumentException> but was<java.lang.NoClassDefFoundError>  
org.jsoup.parser.TagTest:76
- ▣ pSemantics  
  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:49
- ▣ equality  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:35
- ▣ defaultSemantics  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:63
- ▣ canBeInsensitive  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:23
- ▣ valueOfChecksNotNull  
java.lang.Exception: Unexpected exception, expected<java.lang.IllegalArgumentException> but was<java.lang.NoClassDefFoundError>  
org.jsoup.parser.TagTest:72
- ▣ isCaseSensitive  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.parser.TagTest:17
- ▣ simpleConversion  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.helper.W3CDomTest:22
- ▣ namespacePreservation  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.W3CDomTest:70
- ▣ convertsGoogleLocation  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.W3CDomTest:55
- ▣ treatsUndeclaredNamespaceAsLocalName  
java.lang.IllegalArgumentException: String input must not be null

org.jsoup.helper.W3CDomTest:142

- ❑ handlesInvalidAttributeNames  
java.lang.IllegalArgumentException: String input must not be null  
org.jsoup.helper.W3CDomTest:132
- ❑ convertsGoogle  
java.lang.NoClassDefFoundError: Could not initialize class org.jsoup.parser.Tag  
org.jsoup.helper.W3CDomTest:38
- ❑ isWhitespace  
java.lang.AssertionError  
org.jsoup.internal.StringUtilTest:66
- ❑ join  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.internal.StringUtilTest:19
- ❑ normaliseWhiteSpaceHandlesHighSurrogates  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.internal.StringUtilTest:82
- ❑ isNumeric  
java.lang.NullPointerException: Cannot invoke "String.length()" because "<parameter1>" is null  
org.jsoup.internal.StringUtilTest:49
- ❑ resolvesRelativeUrls  
org.junit.ComparisonFailure: expected:<http://example.com/[]one/two?three> but was:<http://example.com/[.]one/two?three>  
org.jsoup.internal.StringUtilTest:88
- ❑ normaliseWhiteSpace  
java.lang.IllegalArgumentException: Object must not be null  
org.jsoup.internal.StringUtilTest:72
- ❑ isBlank  
java.lang.NullPointerException: Cannot invoke "String.length()" because "<parameter1>" is null  
org.jsoup.internal.StringUtilTest:39