GE23131-Programming Using C-2024

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Monday, 28 October 2024, 11:04 PM
Duration	55 days 18 hours

Question **1**

Correct

Marked out of 3.00

Flag question

Write a program to read two integer values and print true if both the numbers end with the same digit, otherwise print false. Example: If 698 and 768 are given, program should print true as they both end with 8. Sample Input 1 25 53 Sample Output 1 false Sample Input 2 27 77 Sample Output 2 true

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
    int a,b;int n;int n1;int count=0;
    scanf("%d\n%d",&a,&b);
    while((a!=0)&&(b!=0)){
        n=a%10;
        n1=b%10;
        a=a/10;
        b=b/10;
        if (n==n1){
            count=1;
        }

    }
    if(count==1){
        printf("true");

    }
    else{
```

```
    return 0;

}
```

	Input	Expected	Got	
✓	25 53	false	false	✓
✓	27 77	true	true	✓

Passed all tests! ✓

Question **2**

Correct

Marked out of 5.00

Flag question

Objective

In this challenge, we're getting started with conditional statements.

Task

Given an integer, ***n***, perform the following conditional actions:

- If ***n*** is odd, print Weird
- If ***n*** is even and in the inclusive range of ***2*** to ***5***, print ***Not Weird***
- If ***n*** is even and in the inclusive range of ***6*** to ***20***, print ***Weird***
- If ***n*** is even and greater than ***20***, print ***Not Weird***

Input Format

A single line containing a positive integer, ***n***.

Constraints

- $1 \leq n \leq 100$

Output Format

Print Weird if the number is weird; otherwise, print Not Weird.

Sample Input 0

3

Sample Output 0

Weird

Sample Input 1

24

Not Weird

Explanation

Sample Case 0: ***n = 3***

n is odd and odd numbers are weird, so we print ***Weird***.

Sample Case 1: ***n = 24***

n > 20 and ***n*** is even, so it isn't weird. Thus, we print ***Not Weird***.

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
    int n;
    scanf("%d",&n);
    if(n%2!=0){
        printf("Weird");

    }
    else{
        if((n>=2)&&(n<=5)){
            printf("Not Weird");
        }
        else if((n>=6)&&(n<=20)){
            printf("Weird");
        }
        else if(n>20){
            printf("Not Weird");
        }

    }
    return 0;
}
```

	Input	Expected	Got	
✓	3	Weird	Weird	✓
✓	24	Not Weird	Not Weird	✓

Passed all tests! ✓

Question **3**

Correct

Marked out of 7.00

Flag question

Three numbers form a Pythagorean triple if the sum of squares of two numbers is equal to the square of the third. For example, 3, 5 and 4 form a Pythagorean triple, since 3*3 + 4*4 = 25 = 5*5 You are given three integers, a, b, and c. They need not be given in increasing order. If they form a Pythagorean triple, then print "yes", otherwise, print "no". Please note that the output message is in small letters. Sample Input 1 3 5 4 Sample Output 1 yes Sample Input 2 5 8 2 Sample Output 2 no

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
    int a,b,c;
    int n;

    scanf("%d\n%d\n%d\n",&a,&b,&c);

    if((a>b)&&(a>c)){
        n=(b*b)+(c*c);
        if((a*a)==n){
            printf("yes");
        }
        else{
            printf("no");
        }

    }
```

```
        if((b*b)==n){
            printf("yes");
        }
        else{
            printf("no");
        }
    }

    else if ((c>a)&&(c>b)){
        n=(a*a)+(b*b);
        if((c*c)==n){
            printf("yes");
        }
        else{
            printf("no");
        }

    }
    return 0;
}
```

	Input	Expected	Got	
✓	3 5 4	yes	yes	✓
✓	5 8 2	no	no	✓

Passed all tests! ✓