Statistical Inference Course Project ToothGrowth

Vidhya K Nov 13, 2015

```
library(dplyr)
```

```
##
## Attaching package: 'dplyr'
##
## The following object is masked from 'package:stats':
##
## filter
##
## The following objects are masked from 'package:base':
##
## intersect, setdiff, setequal, union

library(ggplot2)
```

1. Load the ToothGrowth data and perform some basic exploratory data analyses

Load dataset ToothGrowth. Some basic exploratory data analyses. Number of Rows and Columns.

```
library(datasets)
data(ToothGrowth)
str(ToothGrowth)
```

Sample Size n / Mean group by dose and by OJ & VC / Standard Deviation group by dose and by OJ & VC

```
length(ToothGrowth$len)
```

aggregate(ToothGrowth\$len,list(ToothGrowth\$supp,ToothGrowth\$dose),mean)

```
## Group.1 Group.2 x
## 1 OJ 0.5 13.23
## 2 VC 0.5 7.98
```


[1] 60

```
## 3 OJ 1.0 22.70
## 4 VC 1.0 16.77
## 5 OJ 2.0 26.06
## 6 VC 2.0 26.14
```

aggregate(ToothGrowth\$len,list(ToothGrowth\$supp,ToothGrowth\$dose),sd)

##		Group.1	Group.2	х
##	1	OJ	0.5	4.459709
##	2	VC	0.5	2.746634
##	3	OJ	1.0	3.910953
##	4	VC	1.0	2.515309
##	5	OJ	2.0	2.655058
##	6	VC	2.0	4.797731

Boxplot graph of the tooth length vs the does



2. Provide a basic summary of the data and Table view of data.

```
summary(ToothGrowth)

## len supp dose
## Min. : 4.20 OJ:30 Min. :0.500
```

```
1st Qu.:13.07
                    VC:30
                             1st Qu.:0.500
##
   Median :19.25
                            Median :1.000
##
   Mean
           :18.81
                             Mean
                                  :1.167
##
   3rd Qu.:25.27
                             3rd Qu.:2.000
    Max.
           :33.90
                             Max.
                                    :2.000
```

3. Use confidence intervals and/or hypothesis tests to compare tooth growth by supp and dose.

From the box plot, OJ looks to be doing better with dose 0.5 and 1 effect on teeth growth than VC. To test this hypothesis by hold a the mean of OJ and VC does not cross zero.

Dose 0.5

We are 95% confident that the limits of 1.719057 and 8.780943 actually do contain the difference between the two population means. Because those limits do not contain zero, this confodence interval suggests that it is very possible that the two population means are not equal. See appendix at the bottom.

Dose 1

We are 95% confident that the limits of 2.802148 and 9.057852 actually do contain the difference between the two population means. Because those limts do not contain zero, this confodence interval suggests that it is very possible that the two population means are not equal. See appendix at the bottom.

Dose 2

We are 95% confident that the limits of -3.79807 and 3.63807 actually do contain the difference between the two population means. However, because those limts do contain zero, this confodence interval suggests that it is very possible that the two population means are equal. See appendix at the bottom.

4. State your conclusions and the assumptions needed for your conclusions.

We are 95% confident that dose 0.5 and dose 1 of OJ result in longer tooth length than dose 0.5 and dose 1 of VC. However, at the highest dose of 2, there is no statistically significant difference between the effects of OJ and VC.

Appendix

head(ToothGrowth)


```
##
     len supp dose
              0.5
## 1 4.2
           VC
## 2 11.5
           VC
              0.5
## 3
     7.3
           VC 0.5
     5.8
           VC 0.5
## 5 6.4
           VC 0.5
## 6 10.0
           VC 0.5
            dim(ToothGrowth)
## [1] 60 3
```

```
table(ToothGrowth$supp,ToothGrowth$dose)
```

```
##
##
       0.5 1 2
    OJ 10 10 10
##
    VC 10 10 10
```

Figure 1 Code

```
ggplot(ToothGrowth, aes(x = factor(dose), y = len, fill = factor(dose)))+
               geom_boxplot()+
               facet_grid(.~supp)+
               labs(title = "Tooth Length vs. Dose by for OJ & VC",
                x = "Doses", y = "Tooth Length")
```



Dose 0.5

```
ojdose0.5 <- ToothGrowth %>% filter(supp=="OJ" & dose=="0.5")
vcdose0.5 <- ToothGrowth %>% filter(supp=="VC" & dose=="0.5")
t.test(ojdose0.5$len,vcdose0.5$len)
```

```
##
## Welch Two Sample t-test
##
## data: ojdose0.5$len and vcdose0.5$len
## t = 3.1697, df = 14.969, p-value = 0.006359
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
## 1.719057 8.780943
## sample estimates:
## mean of x mean of y
## 13.23 7.98
```

Dose 1

```
ojdose1 <- ToothGrowth %>% filter(supp=="0J" & dose=="1")
vcdose1 <- ToothGrowth %>% filter(supp=="VC" & dose=="1")
t.test(ojdose1$len,vcdose1$len)
```

```
##
## Welch Two Sample t-test
##
## data: ojdose1$len and vcdose1$len
## t = 4.0328, df = 15.358, p-value = 0.001038
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
## 2.802148 9.057852
## sample estimates:
## mean of x mean of y
## 22.70 16.77
```

Dose 2

```
ojdose2 <- ToothGrowth %>% filter(supp=="0J" & dose=="2")
vcdose2 <- ToothGrowth %>% filter(supp=="VC" & dose=="2")
t.test(ojdose2$len,vcdose2$len)
```

```
##
## Welch Two Sample t-test
##
## data: ojdose2$len and vcdose2$len
## t = -0.0461, df = 14.04, p-value = 0.9639
```

```
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
## -3.79807 3.63807
## sample estimates:
## mean of x mean of y
## 26.06 26.14
```