

UltraEditAutomation

Execution time
12/05/2024 02:10:42 PM
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
CELSYSBLR000301
Screen dimension
1920x1080
Username
vidhyashree.c

Language
en-US
Duration
6m



■ 2 x Success
■ 1 x Failed

Total warnings
6

Total errors
2

Table of Contents

| | |
|---|---|
| ■ [SETUP]..... | 2 |
| ■ KillRunningProcesses..... | 2 |
| ■ FileHandling..... | 2 |
| ■ SaveState..... | 2 |
| ■ Save_state_prompt_when_closing_modified_local_file_with_unsaved_changes_..... | 2 |
| ■ [SETUP]..... | 2 |
| ■ RestoreDefaultSettings..... | 2 |
| ■ StartAUT..... | 2 |
| ■ OpenFile..... | 3 |
| ■ MakeChangesToLocalFile..... | 3 |
| ■ CloseAUT..... | 3 |
| ■ VerifySaveStateDialog..... | 4 |
| ■ StartAUT..... | 4 |
| ■ VerifyModifiedFile..... | 4 |
| ■ [TEARDOWN]..... | 4 |
| ■ CloseAUT..... | 5 |
| ■ Discard_unsaved_"Edit"_files_with_no_prompt_on_application_close..... | 5 |
| ■ [SETUP]..... | 5 |
| ■ RestoreDefaultSettings..... | 5 |
| ■ StartAUT..... | 5 |
| ■ SelectDiscardUnsavedEditFiles..... | 6 |
| ■ CreateNewEditFile..... | 6 |
| ■ [TEARDOWN]..... | 6 |
| ■ CloseAUT..... | 6 |
| ■ VerifyPromptForSaveState..... | 6 |
| ■ Reload_modified_files_when_opening_a_file_from_the_command_prompt..... | 7 |
| ■ [SETUP]..... | 7 |
| ■ RestoreDefaultSettings..... | 7 |
| ■ StartAUT..... | 7 |
| ■ OpenFile..... | 7 |
| ■ [TEARDOWN]..... | 8 |
| ■ CloseWindow..... | 8 |
| ■ CloseCommandPrompt..... | 8 |

! Warnings occurred. For additional information see the report of the individual modules, please.

Global Parameters:

AppProcessID:

SETUP

158ms ⚡

KillRunningProcesses

129ms ⚡

| Time | Level | Category | Message |
|-----------|-------|----------|-----------------------------|
| 00:00.091 | Info | User | Process: uedit64 was killed |

FileHandling

6m ⚡



SaveState

6m ⚡



Save_state_prompt_when_cl using_modified_local_file_wit h_unsaved_changes_

Save_state_prompt_when_closing_modified_local_file_with_unsaved_changes_

1.8m ⚡

SETUP

37.01s ⚡

RestoreDefaultSettings



3.26s ⚡

| Time | Level | Category | Message |
|-----------|-------|----------|------------------------------|
| 00:00.824 | Info | User | Folder deleted successfully! |
| 00:02.410 | Info | User | Folder copied successfully! |

StartAUT

33.72s ⚡

| Time | Level | Category | Message |
|-----------|-------|----------|--|
| 00:03.490 | Info | Data | Current variable values: \$StartAutProcessIDVar = " |

| | | | |
|--|------|---------------|---|
| 00:03.520 | Info | Application | Run application 'C:\Program Files\IDM Computer Solutions\UltraEdit\uedit64.exe' in normal mode. Return value bound to \$StartAutProcessIDVar. |
| 00:04.085 | Info | Invoke action | (Optional Action) Invoking Close() on item 'TrialPeriodExpiring'. |
| 00:16.016  | Warn | WinForms | The control was recognized as a WinForms .NET 1.1 control. If this application targets the .NET Framework v1.1, then please ignore this message. Otherwise, the object recognition is not correct, most probably due to an installation issue. Please, uninstall and reinstall Ranorex and try again. Process: 'DDM' (pid 30200) (This message is only shown once per report.) |
| 00:34.628  | Warn | Module | (Optional Action) Failed to find item 'UltraEditAutomationRepository.TrialPeriodExpiring.Self'. |
| 00:34.668 | Info | Invoke action | Invoking Maximize() on item 'UltraEdit64Bit'. |
| 00:35.141 | Info | Delay | Waiting for 2s. |

OpenFile

12.17s 

| Time | Level | Category | Message |
|-----------|-------|----------|---|
| 00:37.212 | Info | Data | Current variable values: \$Filepath = 'C:\UltraEditFiles\file.txt' |
| 00:37.253 | Info | Mouse | Mouse Left Click item 'UltraEdit64Bit.ToolBar.ApplicationMenu' at 40;11. |
| 00:38.881 | Info | Mouse | Mouse Left Click item 'Uedit64.Open' at 55;15. |
| 00:42.314 | Info | Mouse | Mouse Left Click item 'Open.Text1148' at 60;10. |
| 00:45.279 | Info | Keyboard | Key sequence from variable '\$Filepath' with focus on 'Open.Text1148'. |
| 00:46.844 | Info | Mouse | Mouse Left Click item 'Open.ButtonOpen' at 42;10. |
| 00:47.330 | Info | Delay | Waiting for 2s. |

MakeChangesToLocalFile

1.82s 

| Time | Level | Category | Message |
|-----------|-------|----------|--|
| 00:49.381 | Info | Data | Current variable values: \$Text = '12345678' |
| 00:49.418 | Info | Keyboard | Key sequence from variable '\$Text' with focus on 'UltraEdit64Bit.editorScreen'. |
| 00:51.162 | Info | User | 12345678 |

CloseAUT

10.57s 

| Time | Level | Category | Message |
|------|-------|----------|---------|
|------|-------|----------|---------|

| | | | |
|-----------|------|-------------|---|
| 00:51.205 | Info | Data | Current variable values: \$CloseAutProcessIDVar = '28300' |
| 00:51.234 | Info | Application | Closing application with Process ID bound to variable \$CloseAutProcessIDVar. |
| 00:51.726 | Info | Delay | Waiting for 10s. |

VerifySaveStateDialog

2.17s 

| Time | Level | Category | Message |
|-----------|---------|------------|---|
| 01:02.328 | Info | User | |
| 01:02.331 | Info | Validation | Validating AttributeEqual (Checked='True') on item 'Uedit64.DontShowThisWindowAgain'. |
| 01:02.877 | Success | Validation | Attribute 'Checked' of element for item 'UltraEditAutomationRepository.Uedit64.DontShowThisWindowAgain' does match the specified value. |
| 01:03.022 | Info | Mouse | Mouse Left Click item 'Uedit64.ButtonOK' at 35;10. |

StartAUT

33.29s 

| Time | Level | Category | Message |
|-----------|-------|---------------|---|
| 01:03.951 | Info | Data | Current variable values: \$StartAutProcessIDVar = '28300' |
| 01:03.994 | Info | Application | Run application 'C:\Program Files\IDM Computer Solutions\UltraEdit\uedit64.exe' in normal mode. Return value bound to \$StartAutProcessIDVar. |
| 01:04.180 | Info | Invoke action | (Optional Action) Invoking Close() on item 'TrialPeriodExpiring'. |
| 01:34.688 | Warn | Module | (Optional Action) Failed to find item 'UltraEditAutomationRepository.TrialPeriodExpiring.Self'. |
| 01:34.735 | Info | Invoke action | Invoking Maximize() on item 'UltraEdit64Bit'. |
| 01:35.196 | Info | Delay | Waiting for 2s. |

VerifyModifiedFile

1.83s 

| Time | Level | Category | Message |
|-----------|---------|------------|--|
| 01:37.247 | Info | Validation | Validating AttributeEqual (Title='file.txt*') on item 'UltraEdit64Bit.TabPage'. |
| 01:38.091 | Success | Validation | Attribute 'Title' of element for item 'UltraEditAutomationRepository.UltraEdit64Bit.TabPage' does match the specified value. |
| 01:39.077 | Info | User | File is modified |

TEARDOWN

10.51s

CloseAUT

10.51s

| Time | Level | Category | Message |
|-----------|-------|-------------|---|
| 01:39.081 | Info | Data | Current variable values: \$CloseAutProcessIDVar = '20232' |
| 01:39.117 | Info | Application | Closing application with Process ID bound to variable \$CloseAutProcessIDVar. |
| 01:39.542 | Info | Delay | Waiting for 10s. |

Discard_unsaved_"Edit"_files_with_no_prompt_on_applica tion_close

Discard_unsaved_"Edit"_files_with_no_prompt_on_application_close

2m

SETUP

35.73s

RestoreDefaultSettings

2.55s

| Time | Level | Category | Message |
|-----------|-------|----------|------------------------------|
| 01:49.694 | Info | User | Folder deleted successfully! |
| 01:51.102 | Info | User | Folder copied successfully! |

StartAUT

33.17s

| Time | Level | Category | Message |
|-----------|-------|---------------|---|
| 01:52.145 | Info | Data | Current variable values: \$StartAutProcessIDVar = '20232' |
| 01:52.182 | Info | Application | Run application 'C:\Program Files\IDM Computer Solutions\UltraEdit\uedit64.exe' in normal mode. Return value bound to \$StartAutProcessIDVar. |
| 01:52.289 | Info | Invoke action | (Optional Action) Invoking Close() on item 'TrialPeriodExpiring'. |
| 02:22.739 | Warn | Module | (Optional Action) Failed to find item 'UltraEditAutomationRepository.TrialPeriodExpiring.Self'. |
| 02:22.781 | Info | Invoke action | Invoking Maximize() on item 'UltraEdit64Bit'. |
| 02:23.267 | Info | Delay | Waiting for 2s. |

SelectDiscardUnsavedEditFiles

8.36s

| Time | Level | Category | Message |
|-----------|---------|---------------|---|
| 02:25.320 | Info | Invoke action | Invoking Select() on item 'UltraEdit64Bit.Advanced'. |
| 02:26.742 | Info | Mouse | Mouse Left Click item 'UltraEdit64Bit.Settings' at 8;51. |
| 02:28.660 | Info | Mouse | Mouse Left Click item 'Configuration.FileHandling' at 59;3. |
| 02:29.853 | Info | Mouse | Mouse Left Click item 'Configuration.SessionOptions' at 57;10. |
| 02:30.530 | Info | Mouse | Mouse Left Click item 'Configuration.ToUnsavedEditFiles' at Center. |
| 02:31.644 | Info | Mouse | Mouse Left Click item 'Configuration.DiscardUnsavedEditFilesWithNoPrompt' at Center. |
| 02:32.846 | Info | Validation | Validating AttributeEqual (Checked='True') on item 'Configuration.DiscardUnsavedEditFilesWithNoPrompt'. |
| 02:33.616 | Success | Validation | Attribute 'Checked' of element for item 'UltraEditAutomationRepository.Configuration.DiscardUnsavedEditFilesWithNoPrompt' does match the specified value. |
| 02:33.648 | Info | Invoke action | Invoking Close() on item 'Configuration'. |

CreateNewEditFile

5.09s

| Time | Level | Category | Message |
|-----------|-------|----------|--|
| 02:33.685 | Info | Data | Current variable values: \$Text = 'german keywords' |
| 02:33.731 | Info | Mouse | Mouse Left Click item 'Uedit64.ButtonNew' at 8;10. |
| 02:35.995 | Info | Keyboard | Key sequence from variable '\$Text' with focus on 'UltraEdit64Bit.editorScreen'. |

TEARDOWN

1.2m

CloseAUT

10.62s

| Time | Level | Category | Message |
|-----------|-------|-------------|---|
| 02:38.775 | Info | Data | Current variable values: \$CloseAutProcessIDVar = '21152' |
| 02:38.815 | Info | Application | Closing application with Process ID bound to variable \$CloseAutProcessIDVar. |
| 02:39.343 | Info | Delay | Waiting for 10s. |

VerifyPromptForSaveState

1m

| Time | Level | Category | Message |
|------|-------|----------|---------|
|------|-------|----------|---------|

| | | | |
|-----------|---------|------------|---|
| 02:49.396 | Info | Validation | Validating NotExists on item 'Uedit64.SaveStatelsEnabled'. |
| 03:49.623 | Info | User | Item 'SaveStatelsEnabled' was found using Robust path. |
| 03:50.003 | Success | Validation | Element for item 'UltraEditAutomationRepository.Uedit64.SaveStatelsEnabled' does not exist (Failed to find item 'UltraEditAutomationRepository.Uedit64.SaveStatelsEnabled'. No element found for path '/form[@processname='uedit64']/form[@name='Save state is enabled']' at step 'form[@name='Save state is enabled']' after 144 attempts within 1m.). |

Reload_modified_files_when_opening_a_file_from_the_command_prompt

Reload_modified_files_when_opening_a_file_from_the_command_prompt

2.2m

⌵

!

SETUP

36.47s

⌵

RestoreDefaultSettings

2.65s



| Time | Level | Category | Message |
|-----------|-------|----------|------------------------------|
| 03:50.186 | Info | User | Folder deleted successfully! |
| 03:51.656 | Info | User | Folder copied successfully! |

StartAUT

33.81s





| Time | Level | Category | Message |
|-----------|-------|---------------|---|
| 03:52.707 | Info | Data | Current variable values: \$StartAutProcessIDVar = '21152' |
| 03:52.745 | Info | Application | Run application 'C:\Program Files\IDM Computer Solutions\UltraEdit\uedit64.exe' in normal mode. Return value bound to \$StartAutProcessIDVar. |
| 03:52.862 | Info | Invoke action | (Optional Action) Invoking Close() on item 'TrialPeriodExpiring'. |
| 04:23.755 | Warn | Module | (Optional Action) Failed to find item 'UltraEditAutomationRepository.TrialPeriodExpiring.Self'. |
| 04:23.798 | Info | Invoke action | Invoking Maximize() on item 'UltraEdit64Bit'. |
| 04:24.455 | Info | Delay | Waiting for 2s. |

OpenFile

1.1m



| Time | Level | Category | Message |
|--|-------|----------|---|
| 04:26.519 | Info | Data | Current variable values: \$Filepath = 'C:\UltraEditFiles\file.txt' |
| 04:26.546 | Info | Mouse | Mouse Left Click item 'UltraEdit64Bit.ToolBar.ApplicationMenu' at 40;11. |
| 04:27.739 | Info | Mouse | Mouse Left Click item 'Uedit64.Open' at 55;15. |
| 05:27.134  | Warn | CEF | Your CEF AUT couldn't be instrumented correctly. Object recognition is limited. Process: 'ms-teams' (pid 24924) (This message is only shown once per report.) |
| 05:27.856 | Info | User | Item 'Open' was found using Robust path. |
| 05:29.802  | Error | Module | Failed to find item 'UltraEditAutomationRepository.Uedit64.Open'. No element found for path '/form[@processname='uedit64']/?/?/toolbar[@accessiblename="]/menuitem[@accessiblename='Open']' at step 'toolbar[@accessiblename="]' after 20 attempts within 1m. |

TEARDOWN

32.55s 


CloseWindow

1.78s 

| Time | Level | Category | Message |
|-----------|-------|-------------|--|
| 05:29.960 | Info | Application | Closing application containing item 'Uedit64.ToolBar'. |

CloseCommandPrompt

30.77s 

| Time | Level | Category | Message |
|--|-------|---------------|---|
| 05:31.742 | Info | Invoke action | Invoking Close() on item 'AdministratorCmd'. |
| 06:02.397  | Error | Module | Failed to find item 'UltraEditAutomationRepository.AdministratorCmd.Self'. No element found for path '/form[@title>'Administrator: C:\Windows']' at step 'form[@title>'Administrator: C:\Windows']' after 60 attempts within 30s. |