

WEEK 5

PRACTICE SESSION 1

Week-05-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=120801&cmid=122

REC-CIS

Question 1
Correct
Marked out of 3.00
Flag question

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2
3
5

Output:

WBW
BWB
WBW
WBWBW

Week-05-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=120801&cmid=122

REC-CIS

```
1 #include<stdio.h>
2 int main()
3 {
4     int T,d,i=0,i1,i2,o;
5     char c;
6     scanf("%d",&T);
7     while(i<T)
8     {
9         scanf("%d",&d);
10        i1=0;
11        while(i1<d)
12        {
13            o=1;
14            i2=0;
15            if(i1%2==0)
16            {
17                o=0;
18            }while(i2<d){
19                c="B";
20                if(i2%2==0){
21                    c="W";
22                }printf("%c",c);
23                i2++;
24            }i1+=1;
25            printf("\n");
26            i=i+1;
27        }
28    }
```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	

Week-05-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=120801&cmid=122

REC-CIS

Correct
Marked out of 5.00
Flag question

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases
Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

```
2
2 W
3 B
```

Output:

```
WB
BW
BWB
```

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

Week-05-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=120801&cmid=122

REC-CIS

Answer: (perany regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int t,d,i,i1,i2,o,z;
5     char c,s;
6     scanf("%d",&t);
7     for(i=0;i<t;i++){
8         scanf("%d %c",&d,&s);
9         for(i1=0;i1<d;i1++){
10             z=(s=='W') ? 0:1;
11             o=(i1%2==z) ? 0:1;
12             for(i2=0;i2<d;i2++){
13                 c=(i2%2==o)?'W':'B';
14                 printf("%c",c);
15             }printf("\n");
16         }
17     }
18 }
19 }
```

	Input	Expected	Got
✓	2	WB	WB
	2 W	BW	BW
	3 B	BWB	BWB
		BWB	BWB
		BWB	BWB

Passed all tests! ✓

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

Week-05-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=120801&cmid=122

REC-CIS

Question 3
Incorrect
Marked out of 7.00
Flag question

Decode the logic and print the Pattern that corresponds to given input.

If N= 3

then pattern will be :

```
10203010011012
**4050809
****607
```

If N= 4, then pattern will be:

```
1020304017018019020
**50607014015016
***809012013
****10011
```

Constraints

$2 \leq N \leq 100$

Input Format

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

Week-05-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=120801&cmid=122

REC-CIS

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,v,p3,c,in,i,i1,i2,t,ti;
5     scanf("%d",&t);
6     for(ti=0;ti<t;ti++){
7         v=0;
8         scanf("%d",&n);
9         printf("Case %d\n",ti+1);
10        for(i=0;i<n;i++){
11            c=0;
12            if(i>0){
13                for(i1=0;i1<i;i1++) printf("****");
14            }
15            for(i1=i;i<n;i1++){
16                if(i>0) c++;
17                printf("%d",++v);
18            }
19            if(i==0){
20                p3=v+(v*(v-1))+1;
21                in=p3;
22            }
23            in=in*c;
24            p3=in;
25            for(i2=i;i2<n;i2++){
26                printf("%d",p3++);
27                if(i2!=n-1) printf("0");
28            }printf("\n");
29        }
30    }
31 }
32
33
34
35
36
37
```

Week-05-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=120801&cmid=122

REC-CIS

37

	Input	Expected	Got	
X	3	Case #1	Case #1	X
	3	10203010011012	*****	
	4	***4050809	Case #2	
	5	****607	*****	
		Case #2	Case #3	
		1020304017018019020	*****	
		**50607014015016		
		****809012013		
		*****10011		
		Case #3		
		102030405026027028029030		
		**6070809022023024025		
		****10011012019020021		
		*****13014017018		
		*****15016		

Some hidden test cases failed, too.
Your code must pass all tests to earn any marks. Try again.

Show differences

Finish review

Windows Search

Taskbar icons: File Explorer, Microsoft Edge, Google Chrome, Telegram, WhatsApp, VLC media player, etc.

System tray: ENG IN, Wi-Fi, Signal, Date/Time: 21:51 12-01-2025

PRACTICE SESSION 2

Week-05-02-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=125316&cmid=123

REC-CIS

Question 1
Correct
Marked out of 3.00
Flag question

The k-digit number N is an Armstrong number if and only if the k-th power of each digit sums to N.

Given a positive integer N, return true if and only if it is an Armstrong number.

Example 1:

Input:

153

Output:

true

Explanation:

153 is a 3-digit number, and $153 = 1^3 + 5^3 + 3^3$.

Example 2:

Input:

123

Week-05-02-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=125316&cmid=123

REC-CIS

```
1 #include <stdio.h>
2 #include <math.h>
3 int main()
4 {
5     int n;
6     scanf("%d", &n);
7     int x=0, n2=n;
8     while(n2!=0)
9     {
10         x++;
11         n2=n2/10;
12     }
13     int sum=0;
14     int n3=n, n4;
15     while(n3!=0)
16     {
17         n4=n3%10;
18         sum=sum+pow(n4,x);
19         n3=n3/10;
20     }
21     if(n==sum)
22     {
23         printf("true");
24     }
25     else
26     {
27         printf("false");
28     }
29 }
30
31
```

	Input	Expected	Got	
✓	153	true	true	✓

Week-05-02-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=125316&cmid=123

REC-CIS

```
10      x++;
11      n2=n2/10;
12
13  }
14  int sum=0;
15  int n3=n,n4;
16  while(n3!=0)
17  {
18      n4=n3%10;
19      sum=sum*pow(n4,x);
20      n3=n3/10;
21  }
22  if(n==sum)
23  {
24      printf("true");
25  }
26  else
27  {
28      printf("false");
29  }
30  }
```

	Input	Expected	Got	
✓	153	true	true	✓
✓	123	false	false	✓

Passed all tests! ✓

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

Search

ENG IN 21:51 12-01-2025

Week-05-02-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=125316&cmid=123

REC-CIS

Question 2
Correct
Marked out of 5.00
Flag question

Take a number, reverse it and add it to the original number until the obtained number is a palindrome. Constraints $1 \leq \text{num} \leq 99999999$
Sample Input 1 32 Sample Output 1 55 Sample Input 2 789 Sample Output 2 66066

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int rn,n,nt=0,i=0;
5     scanf("%d",&n);
6     do {
7         nt=n;rn=0;
8         while(n!=0)
9         {
10             rn=rn*10+n%10;
11             n=n/10;
12         }
13         n=nt+rn;
14         i++;
15     }
16     while(rn!=nt||i==1);
17     printf("%d",rn);
18 }
19
20
```

Input	Expected	Got
32	55	
789	66066	

Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share

00:34
13-01-2025

Week-05-02-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=125316&cmid=123

REC-CIS

Correct
Marked out of 5.00
Flag question

Sample Input 1 32 Sample Output 1 55 Sample Input 2 789 Sample Output 2 66066

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int rn,n,nt=0,i=0;
5     scanf("%d",&n);
6     do {
7         nt=n;rn=0;
8         while(n!=0)
9         {
10             rn=rn*10+n%10;
11             n=n/10;
12         }
13         n=nt+rn;
14         i++;
15     }
16     while(rn!=nt||i==1);
17     printf("%d",rn);
18 }
19
20
```

	Input	Expected	Got	
✓	32	55	55	✓
✓	789	66066	66066	✓

Passed all tests! ✓

Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share

21:52
12-01-2025

Week-05-02-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=125316&cmid=123

REC-CIS

Correct
Marked out of 7.00
Flag question

A number is considered lucky if it contains either 3 or 4 or 3 and 4 both in it. Write a program to print the nth lucky number. Example, 1st lucky number is 3, and 2nd lucky number is 4 and 3rd lucky number is 33 and 4th lucky number is 34 and so on. Note that 13, 40 etc., are not lucky as they have other numbers in it.

The program should accept a number 'n' as input and display the nth lucky number as output.

Sample Input 1:

3

Sample Output 1:

33

Explanation:

Here the lucky numbers are 3, 4, 33, 34, and the 3rd lucky number is 33.

Sample Input 2:

34

Sample Output 2:

33

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

Week-05-02-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=125316&cmid=123

REC-CIS

```
1 #include<stdio.h>
2 int main()
3 {
4     int n=1,i=0,nt,w=0,e;
5     scanf("%d",&e);
6     while(i<e)
7     {
8         nt=n;
9         while(nt!=0)
10         {
11             w=0;
12             if(nt%10!=3 && nt%10!=4)
13             {
14                 w=1;
15                 break;
16             }
17             nt=nt/10;
18         }
19         if(w==0)
20         {
21             i++;
22         }
23         n++;
24     }
25     printf("%d",--n);
26 }
27
```

	Input	Expected	Got	
✓	34	33344	33344	✓

Passed all tests! ✓

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share