DAY 11 / 11 · WEB DEV IN 11 DAYS · GUIDED

Make it yours and publish

Personalise, download, put online, demo

ShowShelf after today: **your own website, online, at an address you can send to anyone**

TODAY

The last morning

Minutes	Topic
10	Recap
12	What you can do now
12	Your website is seven files
14	Features from your own file
13	How hosting works
14	Demos and what's next
15	This afternoon in the Lab

RECAP · DAY 10

Five quick questions

1. A React component: what are its two rules?
2. Why className and not class? What do { } do in JSX?
3. const [count, setCount] = React.useState(0): what are they?
4. Which method to get the list, add a show, remove a show?
5. 201, 400, 404: what do they mean? Who has a 4xx problem?

WHAT YOU CAN DO NOW

Eleven days ago: no code at all

Days 1–3
HTML, CSS, layouts that work on a phone

Days 4–7
JavaScript, the page, clicks, state

Days 8–9
Real data with fetch, a whole app

Day 10
A taste of React and Express

Day 11
Your own site, online

`TVmaze — fetch ⟶ toShow ⟶ state ⟶ render() ⟶ the page`

SEVEN FILES

Loaded in order, top to bottom

```
<script src="helpers.js"></script>
<script src="site.js"></script>
<script src="app.js"></script>
<script src="extra.js"></script>
```

A file can use what the files **above it** made. extra.js comes last, so it can use everything.

```
// site.js: your settings, apart from the code
const SITE = {
  name: "Sofa Cinema",
  tagline: "One show a night, chosen together.",
  owner: "Your name",
};
```

'Vidol's Sofa' ends at the apostrophe. Use double quotes: "Vidol's Sofa".

MY-THEME.CSS

The later rule wins

my-theme.css loads **after** style.css. When two rules disagree, the later one wins: the **cascade**.

```
:root {
  --color-accent: #0a7d5a;
  --color-bg: #f1f7f4;
}
```

CONTRAST

Hard to read

Dark text on a dark page.

Easy to read

Plenty of difference in lightness.

Dark page? Then **--color-text** must be light, too.

EXTRA.JS

Your feature, the app's pattern

1. Create the element, append it
2. Listen for clicks
3. Change the state
4. Call render()

“grid has already been declared”: app.js uses that name. Pick a new one.

```
const comedyButton =
  document.createElement("button");
comedyButton.className = "chip";
comedyButton.textContent = "Comedy tonight";
document.querySelector(".toolbar")
  .append(comedyButton);

comedyButton.addEventListener("click", () => {
  state.genre = "Comedy";
  render();
});
```

A HOOK

The app calls your afterRender()

A **hook** is a place where someone else's code calls code you write.

At the end of every render(), app.js looks for a function called **afterRender**, and runs it.

Spell it exactly afterRender, or the app never calls it.

In app.js, at the end of render():

```
if (typeof afterRender === "function") {
  afterRender();
}
```

In your extra.js:

```
function afterRender() {
  console.log("render() just ran");
}
```

HOSTING

Your files on a computer that's always on

Web server: always on, always connected, sends your files to whoever asks.

Hosting: space on one. Free for HTML, CSS and JavaScript.

Deploying: putting your files there.

Netlify Drop

Your index.html in a folder.

Drag the folder onto app.netlify.com/drop.

Address: …netlify.app

GitHub Pages

A public repository, upload index.html.

Settings › Pages › Deploy from a branch.

Address: USERNAME.github.io/REPO/

YOUR DEMO

2 minutes each

1

What it does

One sentence.

2

Show it working

A search, a show page, My List.

3

Your proudest part

And why.

4

What's next

What you'd add with another week.

Your site open, online, before your turn. Backup: the downloaded file.

WHAT TO LEARN NEXT

A little every week

Where	What it gives you
freeCodeCamp	free, step-by-step courses
MDN Web Docs	every HTML element, CSS property and JavaScript method, explained
A new project	ShowShelf again from scratch, with a free API for music or books
React and Express	the next step, when that feels easy: yesterday’s taste, properly

THE BEST WAY TO LEARN

Build something you want to use. You know every piece you need to start.

THIS AFTERNOON IN THE LAB

Ten steps, then demos

Steps 1–4

Your settings

1 Tour your app

2 A tagline and your name

3 Your colours

4 Corners and a font

Steps 5–7

Your features

5 A “Surprise me” button

6 Top rated first

7 A personal touch

Steps 8–9

Online

8 Download your website

9 Put it online

Step 10

Your demo

10 Prepare your demo

Milestone: your site at its own address, on a phone. Finish step 9 with 30 minutes to spare.

STUCK?

In this order

1

Read the message

The “Not yet” box says what to fix.

2

Console

A red line names the problem and the line number.

3

Hint

Two per step. The second is nearly the answer.

4

Answer

Compare it with yours. Find the difference.

5

Ask

Your teacher, or the person next to you.

Online, a blank page or no shows? Open the browser's Console, and check the internet.

END OF THE DAY

Before you go

1. Why do my-theme.css colours win over style.css?
2. Hosting and deploying: what's the difference?
3. Why can extra.js use state and openShow?

DEMO TIME

2 minutes each

What it does, show it working, your proudest part, what's next. A clap for everyone.

AFTER THE COURSE

Keep building

freeCodeCamp, MDN Web Docs, and a project you want to use yourself.