

Synthesis of the SSoT Solution — PC2 to PC5

Master document with all the work carried out on critical points PC1–PC5. The **user journeys (PC4)** and the **data tree (PC3)** are taken to the **maximum level of detail**. Basis for building the proposal and for the session with the supplier. Sources: RFP 03-rfp-telefonica and the RFI approach 02-nuestra-respuesta-rfi.

0. Context

Telefónica is seeking a **Single Source of Truth (SSoT)**: an agentic marketing platform + single knowledge repository for Communication and Brand (extensible to the Cabinet), built on its **corporate Azure**, multi-LLM, multi-language (ES/EN/DE/PT), with governance, citation and access control. Following the RFI (custom-build ~€1M), we pivoted to a **pre-built platform** to fit within the envelope of timeline/price (macro ~€300K, 80% by Dec-2026). This document sets out the solution definition.

PC2 · Access Rights and Taxonomy / Tagging

Access rights (access control)

Access = intersection of two axes, **applied at the index/retrieval (early-binding), never by the agent**:

1. **User axis** → area/profile (Communication/Brand/Cabinet + subgroups), from **Entra ID groups**.
2. **Document axis** → confidentiality level (public/private/confidential) + group, from **Microsoft sensitivity labels (Purview/MIP)** inherited from the source.

Confirmed in the RFP (permissions by profile + “confidentiality comes from Microsoft”). The agent/LLM never decides or filters: even if retrieval finds a chunk, if the user doesn’t have permission it doesn’t enter the context.

Requires the taxonomy/tagging exercise (to confirm what exists today).

Taxonomy / tagging (as configuration, not as code)

Taxonomy in **2 layers**: deterministic (what the document ***is***: market/brand/owner/confidentiality/validity) + derived (what it ***says***: Plan axes, topics, entities — the layer that changes with strategy).

- **Tags don’t live in the code**: they are metadata **versioned as configuration**, applied **after embedding**. Embeddings are **agnostic to the taxonomy** (calculated once) → re-tagging **does not require re-embedding**.
- From a **governance panel**, the strategy is edited → this triggers a **back-end re-tagging** of existing data (4 steps: editing → mapping table → assisted zero-shot re-classification → human validation), **without re-ingestion, without re-embedding, without redeployment, without IT**.
- Anchor: ***“changing the strategy = a governance operation, not a technical project”*** (RFI Decisions 02 and 04; addresses RFP K2).

Detail in pc2-access-rights-y-taxonomia.

PC3 · SSoT Data Tree (Detail)

Data universe extracted from the RFP. It is used so that suppliers can **size connectors and parsers** and **generate representative synthetic data** by category (we do not expose real Telefónica data in the proposal — closed circuit).

SSoT — Data universe

- |
- | — A · INTERNAL DATA (corporate sources)
 - | — Calendar and milestones (Asana, Office docs)
 - | — Results (corporate / financial / activity)
 - | — People / HR data
 - | — Customer data
 - | — Research and positioning
 - | — New USP (new company positioning)
 - | — Communication talking points (key messages)
 - | — Brand guidelines and templates (guidelines, tone, resources, templates → Brand Room)
- |
- | — B · EXTERNAL DATA (market sources)
 - | — Social media / Social listening (mentions; filter relevant +/-)
 - | — SIC* (*confirm acronym with Telefónica)
 - | — Key media / press
 - | — Competitor studies
 - | — Sector data / reports
 - | — Legislation / regulations
- |
- | — C · FORMATS AND MEDIA (how the data arrives — cross-cutting)
 - | — Structured Word (title, body, notes for agent, version/status, sources, date)
 - | — Excel / numerical data (tables · ranges · sheets · cells; structured extraction + version)
 - | — PDF (sector reports, legislation, news)
 - | — Self-explanatory PPT (notes for agent, last validated version, sources/owner)
 - | — API connections (Asana, social media, social listening, SIC...)
 - | — Manual news ingestion (PDF / URL)
 - | — Initial dump of current SharePoint SSoT (no maximum number of documents)
- |
- | — D · MANDATORY METADATA (deterministic layer → PC2)
 - | — Country / market
 - | — Brand
 - | — Legal entity
 - | — Year / quarter
 - | — Document type (deck · note · Q&A · report...)
 - | — Confidentiality level (public · private · confidential)
 - | — Owner
 - | — Validity / expiry (+ status / version)
- |
- | — E · DATA GENERATED AND MANAGED BY THE SSoT (versioned outputs)
 - | — Talking points · press releases · Q&A · dossiers · reports (Word/PPT/charts, on-brand)
 - | — KPIs / objective tracking
 - | — Calendars / planning (incl. 10-day forecasts)
- |
- CROSS-CUTTING

└— Languages: ES · EN · DE · PT-Brazil

└— Confidentiality: public / private / confidential (+ off-the-record)

Detail — A · Internal data

Data type	Typical format	Source / connector	Frequency	Typical confid.
Calendar and milestones	structured	Asana (API) · Office/Excel	continuous/scheduled	private
Results	Excel · PPT · PDF	SharePoint / closings	after closing (quarterly)	confidential
People / HR data	Excel · structured	internal systems	periodic	confidential
Customer data	Excel · structured	CRM / internal	periodic	confidential
Research and positioning	Word · PPT · PDF	SharePoint	ad hoc	private
New USP	Word · PPT	SharePoint	ad hoc	private/confidential
Communication talking points	Word · PPT	SharePoint	key messages ~48h	private
Brand guidelines and templates	PPT · Word · PDF · assets	Brand Room / SharePoint	ad hoc	private

Detail — B · External data

Data type	Typical format	Source / connector	Frequency	Typical confid.
Social media / Social listening	API / stream	social listening (Talkwalker?) · social media	near-real-time	public
SIC*	feed / doc	SIC (to confirm)	continuous	public
Key media / press	feed · PDF · URL	news APIs · manual ingestion	continuous/ad hoc	public
Competitor studies	PDF · PPT	manual / external ingestion	ad hoc	public/private
Sector data / reports	PDF	manual / external ingestion	ad hoc	public
Legislation / regulations	PDF	manual ingestion / sources	ad hoc	public

RFP rule for external sources (social media): **filter only what is relevant BEFORE ingesting**

(keywords/competitors/executives/topics; flag mentions +/-), not dump everything.

Synthetic data: suppliers generate representative synthetic datasets by category, **multi-language (ES/EN/DE/PT)** and **multi-format** (Word/Excel/PPT/PDF), respecting the metadata schema (D) and the confidentiality levels. Reuse the RFI PoC outputs as a template (marketing report, compliance check). Optional: Telefónica provides anonymised samples.

To be confirmed with Telefónica: what **SIC** is; licences/connectors for external sources (Asana, CRM, social listening); approximate volume of the current corpus in SharePoint. Detail in pc3-arbol-de-datos.

PC4 · The 5 User Journeys (Maximum Detail)

SSoT navigation model (HOME) — cross-cutting

The **HOME** highlights **4 apps** (the use cases):

3. **Conversational chat with all the data** (+ generate a custom report) — the cross-cutting Q&A agent.

4. **Document generation** (Block 1) → types: **Talking points** · **Press releases/Q&A** · **Multi-format document**.
5. **KPIs** (Block 2).
6. **Planning** (Block 3).

All share the same core (knowledge, permissions, taxonomy, citation) and the same **Canvas-style editing experience** + **multi-format export** (.docx/.pptx/.pdf with Telefónica corporate templates) + **versioned saving with tags**.

Conversational capability at two levels: (1) the **cross-cutting chat** on the HOME (app 1) talks to **ALL the data** in the SSoT; (2) each module (KPIs, Planning...) incorporates an **embedded conversational window** scoped to **that module's data** and to the user's permissions.

Case 1 · Talking points (internal / external)

Two **audiences** that share the same engine but change tone and confidentiality: **internal communication** (senior management/committee/internal spokesperson) and **external communication** (public talk or Telefónica event).

① User flow

7. On the **HOME**, the user selects the **"Document generation" app (Block 1) → type 1: Talking points**.
8. Selects **audience: internal or external communication**.
9. Fills in (via **chat** or **predefined UX form**) the parameters: **topic** · **Plan axis(es)** · **audience** · **language** · **destination confidentiality**. *(The "topic" absorbs product/campaign/etc.)*
10. The **agent retrieves** evidence from the SSoT (hybrid RAG) filtered by **user permissions** and by **destination confidentiality** (external: only public/approved; never off-the-record or confidential).
11. **Composes** a high-quality draft: key messages by axis, each claim **cited to a source** (document-version-date-owner), tone according to audience, **on-brand** (Brand Room), automatic disclaimers.
12. **Canvas-style editing**: the draft appears in an **on-screen editor** with (a) **conversational chat** to request specific changes and (b) direct **inline editing** over the text.
13. **Exports in multiple formats** (.docx · .pptx · .pdf) with **Telefónica corporate templates already implemented**.
14. **Saves the version in the SSoT with all associated tags** (deterministic + derived metadata) → managed, versioned, traceable. *(Editorial/documentalist review before publishing sensitive outputs.)*

② **Platform functionalities**: HOME with 4 apps + Block 1 navigation → Talking-points type → internal/external · parameter capture via chat or form · **hybrid RAG with mandatory citation** + **dual filter** (permissions + destination confidentiality) · on-brand multi-language generation (Brand Room templates + tone) · 🌟 **Canvas-style editing** (editor + chat + inline) · guardrails (only approved claims, disclaimers, no fabrication, blocking of confidential content in external outputs) · multi-format export with Telefónica templates · versioned saving with tags.

③ **Data IN**: Internal: Results, Communication talking points, New USP, Research and positioning, KPIs, Brand guidelines/templates (internal use may use private/confidential according to permissions; external only public/approved). External (context according to topic): media, competition, sector. Metadata: axis, confidentiality, validity, owner.

④ **Output:** internal = talking points/executive deck with key messages by axis, **cited figures** (source/version/date) and notes for the spokesperson; external = **on-brand** talking-points script, approved claims, disclaimers, public tone, public information only. Formats: .docx/.pptx/.pdf with Telefónica templates. Versioned + tags.

Case 2 · Press releases and Q&A

Two subtypes sharing the same engine: **press release** (external) and **Q&A** (spokesperson support).

Scope: the RFP requests **generating* the release/Q&A; **distribution is NOT in scope** (the “media” only appears as an external source to monitor). The SSoT generates the document; sending it remains with Telefónica’s PR tool.*

① User flow

15. On the **HOME** → “Document generation” app → **type 2: Press releases and Q&A**.
16. Selects **subtype (press release / Q&A)** and **audience**.
17. Fills in (chat or UX form): **newsworthy fact/topic · Plan axis(es) · angle/key message · spokesperson for the quote · date · language · confidentiality**.
18. The **agent retrieves** from the SSoT: approved facts and figures, key messages, corporate boilerplate, brand guidelines — filtered by permissions and confidentiality.
19. **Composes** using the subtype’s structure:
 - ***Press release*:** headline · standfirst · body with **cited figures** · executive quote · **boilerplate** · press contact.
 - ***Q&A*:** anticipated questions + approved answers, **each answer with its citation/traceability** (document·version·date·owner) to give the spokesperson confidence and anchor the SSoT’s grounding. **UX option: the user can add “internal notes”** (flagged, not exportable to the public).
20. **Canvas-style editing:** editor + conversational chat for changes + inline editing.
21. **Multi-format export** (release: .docx/.pdf on-brand; Q&A: .docx) with **Telefónica corporate templates**.
22. **Saves the version in the SSoT with tags** (versioned and traceable). **(Mandatory editorial review before publishing/delivering the release.)**

② **Platform functionalities:** HOME navigation → type 2 → subtype + audience · parameter capture incl. spokesperson/date · **RAG with citation** + permissions/confidentiality filter · **library of boilerplate** and approved quotes · on-brand multi-language release/Q&A templates · **Q&A with per-answer citation + internal notes option** (flagged, non-exportable) · Canvas-style editing · multi-format export · versioned saving with tags · guardrails.

③ **Data IN:** Internal: newsworthy fact/topic, Results, Approved talking points/messages, New USP, corporate boilerplate, Brand guidelines/templates. External (context): media/press, competition, sector. Metadata: axis, confidentiality, validity, owner, date.

④ **Output:** on-brand press release (.docx/.pdf) with cited figures, executive quote, boilerplate and contact **(no distribution — out of scope)**; spokesperson support Q&A (.docx) with approved questions/answers, **each answer traced to its source**, and **optional internal notes** flagged by confidentiality. Versioned + tags.

Case 3 · Generic multi-format document (engine + scheduled)

Generic generation engine (Cases 1 and 2 are specific applications). Two modes: **on-demand** and **scheduled** (recurring reports requested by the RFP: calendar forecasts, weekly summaries, half-yearly results).

① User flow — ON-DEMAND mode

23. The user enters the **HOME** and clicks **“Document generation” (Block 1)**.
24. The app shows the 3 types; selects **“Multi-format document”**.
25. The UI offers two starting options: (a) **choose a corporate template** from the Brand Room library (with a *preview*), or (b) **describe the document** in natural language and let the system **suggest the most suitable template**.
26. Completes (guided chat or form) the parameters: **topic/content · axis(es) · audience · language · destination confidentiality · output format(s) (.docx/.pptx/.pdf)**. Can attach inputs (brief, data, link to source).
27. The system **resolves the user’s permissions** (area + confidentiality) and **narrows the universe of data** that can be retrieved before searching.
28. The **agent retrieves** what the template needs: text passages, figures and Excel tables, and **data series for charts** — via hybrid RAG, each element with its **source**.
29. The system **generates charts from the retrieved data** (not just inserting existing charts): it chooses the chart type according to the series, renders it **on-brand** and **cites** its source.
30. The agent **composes the document** by filling in the template’s structure: cover page, sections, texts with **cited** claims, tables and **generated charts**, with the tone and style of the Brand Room.
31. The **draft appears in the Canvas-style editor**: (a) changes via **conversational chat** (“refocus section 2”, “use the Q1 figure instead of Q4”) and (b) **inline editing** on text and tables.
32. When satisfied, **selects format(s)** and **exports** (.docx/.pptx/.pdf) with the **Telefónica corporate template**.
33. The system **saves the version in the SSoT with all the tags**, traceable and versioned.

① User flow — SCHEDULED mode

34. An **Admin** (backend/Administration) creates a **“scheduled document”**: chooses a template, defines the **sources/queries** feeding it, **frequency** (weekly on Monday 8:00, after quarterly closing...), **language**, **requesting user/area** (owner) and the target **review folder**.
35. When the temporal **trigger** is met, the system automatically generates: retrieves updated data, **generates charts**, composes on-brand with citations.
36. **The draft is NOT published**: it is placed in the **review folder of the requesting user/area** and the **owner is notified** (Teams/email).
37. The requesting user opens the draft in the **Canvas editor**, adjusts it (chat + inline) and **approves** it.
38. Only after approval is it **exported/published** and the **version saved with tags**.

② **Platform functionalities:** library of corporate templates (Brand Room) with preview + **template suggestion** via NL description · permission resolution before retrieval · hybrid RAG with data-level citation · ★ **chart generation from data** (chart type, on-brand rendering, cited) · template-driven composition (cover page/sections/tables/charts) · Canvas-style editing · **scheduler for scheduled documents** (template·sources·frequency·language·owner·review folder) · **per-user/area review folder** + notification (nothing recurring is published without approval) · multi-format export with Telefónica templates · versioned saving with tags · guardrails + human review.

③ **Data IN:** any SSOT data according to the template (internal + external), incl. **numeric series for charts** · Brand Room templates · metadata: axis, confidentiality, validity, owner (+ for scheduled: frequency, requesting owner, review folder).

④ **Output:** any corporate document in .docx/.pptx/.pdf on-brand, with figures, tables and **generated charts**, all cited; on-demand or **automated recurring**, which **goes through the review folder** before being published. Versioned + tags.

Case 4 · KPI tracking with filters

Dashboard for tracking the main Brand and Communication KPIs, combining internal data with external signals, with rich filters and traceability to the source data. This is not document generation: it is **monitoring + querying**.

***Scope:** the RFP **does not define specific KPIs** — it requests a “tracking panel for **previously stated objectives**”.*

*Therefore, **defining the KPIs is out of scope**: the platform must **support configurable KPIs** against the objectives set by Telefónica (not hardcoded). *(Query/discovery item.)**

① User flow

39. The user enters the **HOME** and clicks the “**KPIs**” app (**Block 2**).
40. The system **resolves permissions** (area + confidentiality) and loads the **KPI panel** with the indicators **configured by Telefónica** (previously stated objectives), scoped to what is visible.
41. The panel shows each KPI on a **card**: current value · **target/objective** · % progress · **trend** (sparkline) · variation vs previous period · **status** (on target / off track / critical) · **source and validity**.
42. The user applies **combinable filters**: topic · period/date (week, month, quarter, range) · market/country · brand · Plan axis · channel/source · initiative type. The panel **recalculates instantly**.
43. **Drill-down** on a KPI: full **time series**, **breakdown by dimension** (country, channel, brand) and **list of sources** that make it up, with a **link to the source data** (citation).
44. The system **combines internal + external signals** for composite KPIs (Share of Voice, sentiment, coverage, reach): internal objectives + social listening + media + news.
45. The user opens the **conversational window embedded in the panel** (a “talk to your data” for KPIs, scoped to the module and its permissions) and asks in natural language (“why is sentiment falling in Brazil this week?”) → **cited insights + drill-down + possible causes**. *(Different from the HOME’s cross-cutting chat.)*
46. **Forecast / projection to target**: if there is **sufficient history**, projects the trend to the end of the period/target and flags risk of deviation (“at this rate you will close the quarter at X vs target Y”).
47. **Alerts** by threshold/deviation → notifies the owner (Teams/email).

48. **Export the view** or **“generate KPI report”** → links to **Case 3** (report template) → Canvas → export → save with tags.
49. ***(Config)*** An **Admin** defines/edits KPIs, objectives and sources from the backend (versioned).

② **Platform functionalities:** configurable panel with **KPIs and objectives defined by Telefónica** (not hardcoded) · calculation engine combining internal + external data · multiple combinable filters with live recalculation · cards with status/trend/variation/**traceability to source** · **forecast/projection to target** (with history) · drill-down with citation to the data · **embedded conversational window** (scoped to the module) · deviation alerts · export/generate report (integrates Case 3) · KPI configuration from the backend · permissions by area/confidentiality.

③ **Data IN:** Internal: objectives/targets (Telefónica), results, Brand/Communication activity (People/customers according to KPI), **history** (for forecast). External: social media/social listening (mentions, sentiment), media (coverage, SoV), news. Config: definition of KPIs+objectives+sources. Metadata: axis, market, brand, period, confidentiality.

④ **Output:** interactive dashboard with filters and drill-down · **forecast/projection to target** · deviation alerts · **cited conversational insights** (embedded window) · exportable KPI report (.pdf/.pptx) via Case 3, versioned + tags.

Case 5 · Integrated calendar with predictive capability

A single view of the Communication + Brand calendar, unifying heterogeneous sources (Asana, Excel...), with **predictive capability** and a **10-day forecast** (integrates Case 3). Explicit challenge from the RFP: integrating calendars that today live in different formats/platforms per area.

Synchronisation (design position):** in the ideal scenario it is **bidirectional** — if the user changes something in the SSoT, it is **synchronised back** with the source (Asana/Excel). ***(Query for Telefónica; if not, read-only from the source.)*

① User flow

50. The user enters the **HOME** and clicks the **“Planning” app (Block 3)**.
51. The system **resolves permissions** and loads the **integrated calendar** of Communication + Brand, **unifying the heterogeneous sources into a single view** (Asana, planning Excel, others), in day/week/month views.
52. Each **event/milestone** shows: date · area · **type** (campaign, milestone, event, publication) · owner · status · **source of origin** (traceability) · Plan axis · market/brand.
53. The user applies **combinable filters**: area · market/country · brand · axis · type of action · period. The view is recomposed.
54. The system **detects and highlights conflicts/overlaps** (two launches on the same day in the same market) and activity **gaps**.
55. **Predictive capability:** based on history, the system (a) **anticipates workload** by period/area, (b) **suggests optimal dates** for new actions avoiding conflicts, (c) **predicts future conflicts**, (d) **cross-references external signals** (market events, competitor calendar, sector dates) to warn of **timing risks/opportunities**, and (e) **predicts delays and timing changes** and **simulates the cascading effect** of changing an action on the rest of the plan (which other actions are affected).

56. **10-day forecast:** the user requests (or receives on a schedule) the “**forecast for the next 10 days**” → this is generated via **Case 3** with a **specific content/format template** → Canvas editor → export → save with tags. *(If scheduled, it goes through the requesting party’s review folder.)*
57. The user opens the module’s **embedded conversational window** (“what do we have next week in Germany?”, “is there a conflict if I launch on Tuesday?”) → cited response + actions.
58. The user **creates/edits/moves events** (according to permissions); the change is reflected in the integrated calendar and **synced back with the source of origin** (Asana/Excel) — **bidirectional (ideal scenario)**, to be confirmed with Telefónica.
59. **Alerts/reminders:** notices of upcoming milestones, detected conflicts and plan deviations.

- ② **Platform functionalities:** integration of heterogeneous calendars (Asana, Excel, others) into a unified view · day/week/month view with filters by area/market/brand/axis/type · detection of conflicts/overlaps and gaps ·  **predictive capability** (workload anticipation, optimal date suggestions, conflict prediction, cross-referencing with external signals, and **delay prediction + cascading effect simulation**) · **10-day forecast** (integrates Case 3) · embedded conversational window · **event editing + bidirectional synchronisation with the source** (ideal scenario; to be confirmed) · alerts/reminders · permissions by area/confidentiality · traceability of each event to its source.
- ③ **Data IN:** Internal: **Asana** calendars and milestones, planning **Excel** by area, campaigns, results/activity, **history** (for prediction). External: market events, competitor calendar/movements, relevant sector dates. Metadata: area, market, brand, axis, type, date, owner, confidentiality.
- ④ **Output:** interactive integrated calendar (unified view) with filters and traceability · conflict detection + predictive suggestions (optimal dates, timing risks) and **simulation of the cascading effect** of a change on the rest of the plan · **10-day forecast** (document via Case 3) · alerts/reminders · conversational insights.

Live detail in pc4-user-journeys.

PC5 · Cost Model

Structure in **3 blocks**; the two recurring ones **scaled by seats (50/100/150/200)**:

60. **Implementation (set-up)** — one-time (infrastructure + team: Azure deployment, initial data dump, taxonomy/tagging, use-case configuration, training). Independent of seats.
61. **Platform cost (licence)** — recurring, by seat bracket.
62. **Usage cost (token consumption)** — variable, by seat bracket.

LLM models = those available in Telefónica’s Azure (Azure OpenAI + approved in their Foundry) → consumption runs within their perimeter; determines whether Telefónica assumes block C (query). Packaging option (Borja): **run-only** amortising the set-up over the annual fee across X years. € figures pending the Lyzr breakdown + business case. Detail in pc5-modelo-de-coste.

Seats	Implementation (one-time)	Platform (annual)	Usage/consumption (annual)
50 / 100 / 150 / 200	(fixed)	TBD	TBD

Cross-Cutting Solution Patterns

- **HOME with 4 apps** + conversational capability at 2 levels (cross-cutting + module-embedded).

- **Canvas-style editing** (chat + inline) as the common experience for all output.
- **Multi-format export** (.docx/.pptx/.pdf) with Telefónica templates + **versioned saving with tags**.
- **Citation/traceability** in documents, Q&A and KPIs → anchors the SSoT's grounding.
- **Chart generation from data, scheduler + review folder, forecast, cascading effect** — differential functionalities to be validated with the supplier.
- **Structural access control** (Entra ID + labels, at the index, not by the LLM) and **taxonomy as configuration** (re-tagging without re-embeddings).