

Noise evaluation and reduction

Hoang Duc Viet

ICT Lab

September 27, 2017

Introduction

- ▶ Problem
- ▶ Solution
- ▶ Evaluation
- ▶ Results and Discussion
- ▶ Conclusion

Problem

- ▶ Noise:

An unwanted component of the image which can be additive or multiplicative.

- ▶ Denoise:

Popular solution for photography or remove noise in images processing.

Type of noise

- ▶ Salt and Pepper Noise
- ▶ Gaussian Noise
- ▶ Quantization Noise
- ▶ Speckle Noise

Original Image



Original Image

Noise




(a) Salt and Pepper



(b) Gaussian



(c) Quantization



(d) Speckle

Solution

Spatial Filtering :

- ▶ Median Filter
- ▶ Average Filter
- ▶ Gaussian Filter

Frequency Domain Filtering :

- ▶ Wiener Filter

Median Filter

A nonlinear digital filtering technique, often used to remove noise from an image or signal.

234	147	225	214	134
231	123	121	223	189
124	223	156	178	196
219	125	211	178	124
210	185	221	189	134

		178		

Example of median computation

Average Filter

Simply to replace each pixel value in an image with the average value of its neighbors, including itself.

$$k(u, v) = \frac{1}{M} \sum_{(p,q) \in N} i(p, q)$$

Filter 3×3

$\frac{1}{9}$	1	1	1
	1	1	1
	1	1	1

Average Filter(1)

Filter 5×5

$$\frac{1}{25}$$

1	1	1	1	1
1	1	1	1	1
1	1	1	1	1
1	1	1	1	1
1	1	1	1	1

Filter 7×7

$$\frac{1}{49}$$

1	1	1	1	1	1	1
1	1	1	1	1	1	1
1	1	1	1	1	1	1
1	1	1	1	1	1	1
1	1	1	1	1	1	1
1	1	1	1	1	1	1
1	1	1	1	1	1	1

Example of Average Filter

Gaussian Filter

2-D convolution operator that is used to 'blur' images and remove detail and noise.

The Gaussian kernel in dimension 2:

$$G(x, y) = \frac{1}{2\pi\sigma^2} e^{-\frac{x^2 + y^2}{2\sigma^2}}$$

Where σ is the standard deviation of the distribution.

Define the Gaussian mask($\sigma=2$):

Filter 3×3

$\frac{1}{16}$	1	2	1
	2	4	2
	1	2	1

Gaussian Filter(1)

Filter 5×5

$\frac{1}{273}$	1	4	7	4	1
	4	16	26	16	4
	7	26	41	26	7
	4	16	26	16	4
	1	4	7	4	1

Filter 7×7

$\frac{1}{1003}$	0	0	1	2	1	0	0
	0	3	13	22	13	3	0
	1	13	59	97	59	13	1
	2	22	97	159	97	22	2
	1	13	59	97	59	13	1
	0	3	13	22	13	3	0
	0	0	1	2	1	0	0

Wiener Filter

Weiner filter is a frequency-domain method for image denosing.

- ▶ Assumption
- ▶ Requirement
- ▶ Performance criterion

Evaluation


Mean Squared Error :

$$MSE = \frac{1}{mn} \sum_{i=1}^m \sum_{j=1}^n (f'_{ij} - f_{ij})^2$$

Peak Signal To Noise Ratio :

$$PSNR = 10 \log_{10} \frac{R^2}{MSE}$$

Results and Discussion



SWARMS project dataset

Construction Sites



Figure: Evaluated construction site photos. From left to right: construction1, construction2, construction3, construction4, construction5

Evaluated metrics for construction site photos

Photo	Type	Metric	Median	Average	Gaussian	Wiener
construction1	Noise	MSE	0.0125	0.0251	0.012	0.0084
		PSNR	67.1535	64.1264	67.3409	68.8738
	Denoise	MSE	0.0097	0.022	0.0095	0.007
		PSNR	68.269	64.7115	68.3762	69.6511
construction2	Noise	MSE	0.0096	0.0219	0.0096	0.0075
		PSNR	68.298	64.7271	68.2967	69.3898
	Denoise	MSE	0.0055	0.0166	0.0056	0.0044
		PSNR	70.7071	65.9348	70.6237	71.654
construction3	Noise	MSE	0.0078	0.0178	0.0077	0.0061
		PSNR	69.2093	65.638	69.2572	70.2559
	Denoise	MSE	0.0034	0.0122	0.0035	0.0028
		PSNR	72.761	67.2713	72.6781	73.6324
construction4	Noise	MSE	0.0065	0.0183	0.0067	0.0054
		PSNR	69.9904	65.5003	69.8929	70.8107
	Denoise	MSE	0.0026	0.0144	0.0031	0.0022
		PSNR	73.9221	66.5571	73.1714	74.65
construction5	Noise	MSE	0.0125	0.0351	0.0131	0.0098
		PSNR	67.1789	62.6729	66.9615	68.2047
	Denoise	MSE	0.0048	0.0243	0.0056	0.0046
		PSNR	71.3083	64.2764	70.6356	71.5275

Rubbish



Figure: Evaluated rubbish photos. From left to right: rubbish1, rubbish2, rubbish3, rubbish4, rubbish5

Evaluated metrics for rubbish photos

Photo	Type	Metric	Median	Average	Gaussian	Wiener
rubbish1	Noise	MSE	0.007	0.0198	0.007	0.0053
		PSNR	69.6741	65.1589	69.6536	70.8804
	Denoise	MSE	0.0032	0.0156	0.0036	0.0025
		PSNR	73.1106	66.1969	72.5825	74.1694
rubbish2	Noise	MSE	0.0078	0.0173	0.0076	0.0061
		PSNR	69.2119	65.7582	69.3064	70.2561
	Denoise	MSE	0.0036	0.00126	0.0038	0.0029
		PSNR	72.5146	67.1263	72.3851	73.4524
rubbish3	Noise	MSE	0.0158	0.0336	0.015	0.0115
		PSNR	66.1394	62.8625	66.3823	67.5195
	Denoise	MSE	0.0083	0.0246	0.0081	0.0063
		PSNR	68.9656	64.2139	69.0718	70.1636
rubbish4	Noise	MSE	0.0313	0.0567	0.0287	0.0235
		PSNR	63.1696	60.5959	63.5549	64.4181
	Denoise	MSE	0.0207	0.0424	0.0185	0.0161
		PSNR	64.9661	61.8601	65.4527	66.0756
rubbish5	Noise	MSE	0.0096	0.0176	0.0092	0.007
		PSNR	68.3119	65.677	68.4872	69.698
	Denoise	MSE	0.0055	0.0123	0.0053	0.004
		PSNR	70.7050	67.2474	70.9133	72.0813

Pagoda



Figure: Evaluated pagoda photos. From left to right: pagoda1, pagoda2, pagoda3, pagoda4, pagoda5

Evaluated metrics for pagoda photos

Photo	Type	Metric	Median	Average	Gaussian	Wiener
pagoda1	Noise	MSE	0.013	0.0168	0.0115	0.0068
		PSNR	66.9999	65.8739	67.5091	69.7993
	Denoise	MSE	0.0098	0.0141	0.0093	0.0055
		PSNR	68.2117	66.6490	68.4598	70.7544
pagoda2	Noise	MSE	0.0138	0.0189	0.0122	0.0076
		PSNR	66.7404	65.3739	67.2818	69.3011
	Denoise	MSE	0.0098	0.0145	0.0088	0.0053
		PSNR	68.2338	66.5220	68.6970	70.9009
pagoda3	Noise	MSE	0.0150	0.0215	0.0131	0.0081
		PSNR	66.3743	64.8131	66.9631	69.0515
	Denoise	MSE	0.0114	0.0177	0.0102	0.0065
		PSNR	67.5543	65.6549	68.0291	70.0034
pagoda4	Noise	MSE	0.0116	0.0229	0.0106	0.0069
		PSNR	67.4972	64.5418	67.8751	69.7300
	Denoise	MSE	0.0080	0.0188	0.0072	0.0047
		PSNR	69.1060	65.3952	69.5399	71.4029
pagoda5	Noise	MSE	0.0141	0.0230	0.0125	0.0086
		PSNR	66.6335	64.5060	67.1643	68.8033
	Denoise	MSE	0.0104	0.0179	0.0087	0.0062
		PSNR	67.9741	65.6092	68.7310	70.2064

Pond



Figure: Evaluated pond photos. From left to right: pond1, pond2, pond3, pond4, pond5

Evaluated metrics for pond photos

Photo	Type	Metric	Median	Average	Gaussian	Wiener
pond1	Noise	MSE	0.0151	0.0374	0.0148	0.0116
		PSNR	66.3488	62.4067	66.4381	69.5
	Denoise	MSE	0.0071	0.0267	0.0071	0.0057
		PSNR	69.6156	63.8625	69.6193	70.5647
pond2	Noise	MSE	0.009	0.0161	0.087	0.0066
		PSNR	68.5651	66.0539	68.7473	69.9595
	Denoise	MSE	0.0049	0.0118	0.0049	0.0037
		PSNR	71.1950	67.4075	71.1985	72.4594
pond3	Noise	MSE	0.0103	0.0181	0.0095	0.0071
		PSNR	68.0057	65.5457	68.3309	69.5910
	Denoise	MSE	0.0063	0.0136	0.0059	0.0045
		PSNR	70.1294	66.7905	70.4278	71.5971
pond4	Noise	MSE	0.0085	0.0148	0.0082	0.0062
		PSNR	68.8176	66.4207	68.9979	70.1919
	Denoise	MSE	0.0044	0.0103	0.0045	0.0034
		PSNR	71.7345	67.9993	71.5601	72.7996
pond5	Noise	MSE	0.0111	0.0191	0.0098	0.0068
		PSNR	67.6856	65.3228	68.2256	69.7923
	Denoise	MSE	0.0076	0.0149	0.0065	0.0044
		PSNR	69.3244	66.4011	70.0243	71.7026

Discussion

Photo	Median	Average	Gaussian	Weiner
construction1	9.762	3.038	2.161	15.524
rubbish1	9.145	3.187	2.158	11.795
pagoda1	8.909	2.998	2.170	12.372
pond1	7.543	2.68	1.826	7.329

Method runtimes (in milliseconds)

Conclusion

- ▶ The best of results
Wiener filter with MSE is minimum mean square error and it is maximum PSNR.
- ▶ Disadvantage
At all method, this method has runtimes which is the longest .
- ▶ Future development
Improvement of the proposed method over the existing approaches in terms of visual quality.

THANK YOU !!!