

MIMS Integrated Guide


(Active Medication Logic and Filter Alerts by Severity & Drug)

1. MIMS Active Medication Logic

Recommended Logic:

If End Date > Current Date = Active Drug

If End Date < Current Date = Stopped Drug



2. Filter Alerts by Severity & Drug

Using FT Web Services below parameters

a. "alertfilterbyseverity"

b. "alertfilterbydrug"

SI No	Module	Color	Severity Name	"alertfilterbyseverity" Parameter	Choose Preferred Severities (Example)
1	Drug Interaction Alert (D2D)	Red	Severe	<WARNINGID>D2D:Severe</WARNINGID>	Yes
		Orange	Moderate	<WARNINGID>D2D:Moderate</WARNINGID>	Yes
		Yellow	Minor	<WARNINGID>D2D:Minor</WARNINGID>	No
		Green	Caution	<WARNINGID>D2D:Caution</WARNINGID>	No
2	Drug Health Issue Alert (D2H)	Red	Contraindicated	<WARNINGID>D2H:Contraindicated</WARNINGID>	Yes
		Yellow	Extreme Caution	<WARNINGID>D2H:Extreme Caution</WARNINGID>	No
3	Duplicate Ingredient Alert (DI)	Red	Same Molecule = 1	<WARNINGID>DI:1</WARNINGID>	Yes
		Yellow	Same Parent Molecule = 2	<WARNINGID>DI:2</WARNINGID>	No
		Green	Same Grandparent Molecule = 3	<WARNINGID>DI:3</WARNINGID>	No
4	Duplicate Therapy Alert (DT)	Red	Same ingredient = 1	<WARNINGID>DT:1</WARNINGID>	Yes
		Yellow	Same ATC chemical subgroup = 2	<WARNINGID>DT:2</WARNINGID>	No
		Green	Same ATC pharmacological subgroup = 3	<WARNINGID>DT:3</WARNINGID>	No
5	Drug Pregnancy Alert (D2P)	Red	Pregnancy Category = X	<WARNINGID>DP:X</WARNINGID>	Yes
		Orange	Pregnancy Category = D	<WARNINGID>DP:D</WARNINGID>	Yes
		Orange	MIMS Notes = +	<WARNINGID>DP:+</WARNINGID>	Yes
		Yellow	Pregnancy Category = C	<WARNINGID>DP:C</WARNINGID>	No
		Green	Pregnancy Category = B	<WARNINGID>DP:B</WARNINGID>	No
		Blue	Pregnancy Category = A	<WARNINGID>DP:A</WARNINGID>	No
6	Drug Lactation Alert (D2L)	Red	Contraindicated	<WARNINGID>DL:Contraindicated</WARNINGID>	Yes
		Orange	Avoid if possible	<WARNINGID>DL:Avoid if possible</WARNINGID>	No
		Yellow	Caution	<WARNINGID>DL:Caution</WARNINGID>	No

a. How to enable "alertfilterbyseverity"

- i. You can use this parameter to filter alerts by specific or list of preferred severities listed in above table.
- ii. As per last column, if “Yes” are list of all preferred severities which any hospital has chosen then HIS or EMR application will make below API call to filter alerts by severities and display as final output.
- iii. This means the final output will only display alerts of preferred severities and remove or suppress rest alerts.

“alertfilterbyseverity” API call:

```
<WARNINGIDS>  
  <WARNINGID>D2D:Severe</WARNINGID>  
  <WARNINGID>D2D:Moderate</WARNINGID>  
  <WARNINGID>D2H:Contraindicated</WARNINGID>  
  <WARNINGID>DI:1</WARNINGID>  
  <WARNINGID>DT:1</WARNINGID>  
  <WARNINGID>DP:X</WARNINGID>  
  <WARNINGID>DP:D</WARNINGID>  
  <WARNINGID>DP:+</WARNINGID>  
  <WARNINGID>DL:Contraindicated</WARNINGID>  
</WARNINGIDS>
```

iv. Sample Output without applying “alertfilterbyseverity”

Drug Interaction (11)	Allergy (1)	Health Conditions (5)	Pregnancy (8)	Lactation (5)
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) [Use combination with extreme caution.]				
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs Allopurinol YSP tab 100 mg (allopurinol/Systemic) [Use combination with extreme caution.]				
▶  prazosin 1mg Oral Tablet (prazosin/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Use combination with caution.]				
▶  Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Use combination with caution.]				
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs Napan cap 250 mg (mefenamic acid/Systemic) [Use combination with caution.]				
▶  Allopurinol YSP tab 100 mg (allopurinol/Systemic) vs ampicillin 500mg Powder for Injectable Solution (ampicillin/Systemic) [Use combination with caution.]				
▶  Phenobarbitone Idaman tab 30 mg (phenobarbital/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Clinical significance not established; be alert for evidence of interaction.]				

v. Final Output after applying “alertfilterbyseverity”

Drug Interaction (9)	Allergy (1)	Health Conditions (5)	Pregnancy (7)
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) [Use combination with extreme caution.]			
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs Allopurinol YSP tab 100 mg (allopurinol/Systemic) [Use combination with extreme caution.]			
▶  prazosin 1mg Oral Tablet (prazosin/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]			
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]			
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Use combination with caution.]			
▶  Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]			
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Use combination with caution.]			
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs Napan cap 250 mg (mefenamic acid/Systemic) [Use combination with caution.]			
▶  Allopurinol YSP tab 100 mg (allopurinol/Systemic) vs ampicillin 500mg Powder for Injectable Solution (ampicillin/Systemic) [Use combination with caution.]			

b. How to enable “alertfilterbydrug”?

1. This feature supports filtering alerts both by single or multiple drugs using its GUID, see example below
2. This means the final output will only display alerts of preferred drug or drugs and remove or suppress rest alerts.

“alertfilterbydrug” API call:

Single Drug Example

```
<GUIDS>  
  <GUID>{5FA1DA45-AD91-4BBA-A46C-7C16048D143D}</GUID>  
</GUIDS>
```

Multiple Drug Example

```
<GUIDS>  
  <GUID>{5FA1DA45-AD91-4BBA-A46C-7C16048D143D}</GUID>  
  <GUID>{C9376526-AE03-4749-A71B-CF765155E14E}</GUID>  
  <GUID>{B4374321-E067-1D25-E034-080020E1DD8C}</GUID>  
  <GUID>{268C7977-533F-4765-A529-5AF2974F9F0D}</GUID>  
  <GUID>{6924264D-5205-49EE-842E-B706B01F9207}</GUID>  
  <GUID>{707BFAFF-1B76-4621-9983-D8212D2E00F7}</GUID>  
  <GUID>{D52D4344-814B-44C8-9DA5-DE573964472C}</GUID>  
</GUIDS>
```

i. Sample Output without applying “alertfilterbydrug”

Drug Interaction (11)	Allergy (1)	Health Conditions (5)	Pregnancy (8)	Lactation (5)
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) [Use combination with extreme caution.]				
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs Allopurinol YSP tab 100 mg (allopurinol/Systemic) [Use combination with extreme caution.]				
▶  prazosin 1mg Oral Tablet (prazosin/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Napan cap 250 mg (mefenamic acid/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Use combination with caution.]				
▶  Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Use combination with caution.]				
▶  Captopril Stada tab 12.5 mg (captopril/Systemic) vs Napan cap 250 mg (mefenamic acid/Systemic) [Use combination with caution.]				
▶  Allopurinol YSP tab 100 mg (allopurinol/Systemic) vs ampicillin 500mg Powder for Injectable Solution (ampicillin/Systemic) [Use combination with caution.]				
▶  Phenobarbitone Idaman tab 30 mg (phenobarbital/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]				
▶  Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) vs prazosin 1mg Oral Tablet (prazosin/Systemic) [Clinical significance not established; be alert for evidence of interaction.]				

c. Final Output after applying “alertfilterbydrug” and want to all alerts only for “Lanoxin PG elixir 50 mcg/mL”

LANOXIN PG ELIXIR 50 MCG/ML

Drug Interaction (2)

Health Conditions (1)

Pregnancy (1)

▶  Napan cap 250 mg (mefenamic acid/Systemic) vs Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) [Use combination with extreme caution.]

▶  Lanoxin PG elixir 50 mcg/mL (digoxin/Systemic) vs Properol 1 mg/mL Injection (propranolol hydrochloride/Systemic) [Use combination with caution.]