

INDEX

- Aggregate objects, 189–192, 296
- Anomaly
 - addition, 308
 - deletion, 307–308
 - update, 307
- API (Application Program Interface), 616–617
- Applications developer, 63–64
- Application development, approaches for, 20–21
- ARPANET, 599
- ASP (Active Server Pages), 624
- Attribute, 170, 179–181, 214–218, 280–281, 298–299
 - inheritance of, 196
 - specification, 215–216
 - types of, 215–218
 - simple and composite, 216–218
 - single-valued and multivalued, 216
 - with stored and derived values, 218
 - values and domains, 181–182, 215
- Bitmapped index, *see* Indexing
- Block addressing, 361–362
- Block size, 362
- Block usage parameters, 362–363
- B-tree index, *see* Indexing
- Business objects, 177–178
- Cardinality, 171, 184–185, 221–226
 - minimum and maximum, 189
 - optional and mandatory conditions, 221–226
- CASE tools, use of, 347–348
- CGI (Common Gateway Interface), 613–616
- Clustering, 378
- Codd, E. F., 239, 251, 252, 264
- ColdFusion, 623
- Communications interface, 64
- Computer applications, evolution of, 7
- Computer systems
 - informational, 79–80
 - operational, 79
- Concurrency
 - control
 - techniques, optimistic, 479–481
 - Thomas’s write rule, 478–479
 - timestamp ordering, 477–478
 - timestamps, 477
 - problems of, 458–460
 - dependency on uncommitted update, 459

- inconsistent summary, 459–460
 - lost update, 459
- Cookies, 619–620
- Data abstraction, 22
- Data access, levels and types, 502–503
- Data administration, 432
- Data administrator, 435, 436–437
- Data availability, 429
- Data dictionary, 21, 58–59, 356–358
- Data distribution
 - fragmentation, 568–571
 - horizontal, 568–569
 - vertical, 569
 - processing
 - query, 580–585
 - transaction, 585–588
 - replication, 571–572
- Data independence, multilevel, 45
- Data integrity, 429
- Data model
 - aids for, 156
 - as the replica, 146–147
 - components of, 147–148
 - description of, 144
 - entity-relationship, 155–156, 209
 - example of, 174
 - generic, 168–169
 - hierarchical, 24–25
 - high-level, 154
 - need for, 144–145
 - network, 25–27
 - object-based, 154–155, 169
 - object-relational, 28–29
 - relational, 27–28
 - semantic, 273, 278–279
 - time-dependent components, 226
- Data modeling, in logical design, 339–342
- Data ownership, 108
- Data partitioning, *see* Fragmentation
- Data redundancy, uncontrolled, 13–14
- Data repository, 21
- Data storage, aspects of, 87–88
- Data storage devices, evolution of, 6
- Data structure, assembly, 202
- Data systems
 - evolution of, 8
 - file-oriented, 10
 - inadequacy of earlier, 12–16
- Data views, 156–164
 - definition of, 157–159
 - integration of, 160–164
 - two perceptions of, 159–160
- Database
 - benchmarks, use of, 537–538
 - centralized, 29–30
 - concurrency control, 532
 - deployment tasks, 416–417
 - distributed, 30–31
 - architectural options, 572–574
 - concurrency control, 588–592
 - definition of, 555
 - network, 566–568
 - recovery, 592–595
 - types, 559–561
 - three-phase commit, 595
 - two-phase commit, 593–595
 - failures of
 - checkpoint, 485–486
 - classification, 481–482
 - logging, 483–485
 - formal definition of, 19
 - implementation
 - centralized architecture, 417–418
 - client/server architecture, 418–419
 - methods and procedures, 54–55
 - monitoring, 534–537
 - practitioners, 53–54
 - recovery
 - methods, 528–529
 - restore and reprocess, 529
 - rollback, 529
 - rollforward, 529
 - system, 527–528
 - recovery of
 - log-based, 486–489
 - deferred update, 486–488
 - immediate update, 488–489
 - shadow paging, 489–491
 - schema revisions, 541–542
 - security
 - authentication, 512–513
 - authorization, 510–512
 - DBA, role of, 513
 - discretionary control
 - authorization matrix, 504
 - SQL examples, 507–508
 - views, use of, 506–507
 - encryption
 - DES, 519–520
 - key, use of, 518
 - methods, 518–519
 - public key, 520–522
 - simple substitution, 517–518

- mandatory control
 - classes and clearances, 509
 - objectives, 496–497
 - privacy, 500–501
 - problems, 497–499
 - solution options, 499–500
 - statistical databases, 513–516
 - Web security, 501
 - space management, 531–532
 - system, planning for, 103–109
 - critical issues, 108–109
 - database plan, 107
 - impact of business plan, 105–107
 - scope, 104
 - test environment, 539–541
 - tuning, 543–547
 - utilities, 64
- Database administration, 432–433
- Database administrator, 435–436, 437
- Database environment
- description of, 38
 - functions and features, 48–50
 - organizational context of, 70
 - overall architecture, 38–40
 - progression to, 37
- Database industry, brief history of, 31–33
- Database management system, *see* DBMS
- Database software, 21, 52. *See also* DBMS
- Database systems
- benefits of, 16–19
 - driving forces, 11–12
- Databases
- active, 674–675
 - commercial, 33
 - decision support, 649–671
 - data mining, 667–671
 - data warehousing, 650–661
 - OLAP, 661–667
 - deductive, 67
 - geographic, 681–683
 - how used, 23, 55–56
 - intelligent, 675
 - mobile, 678–681
 - multimedia, 676–678
 - object-oriented, 637–646
 - object-relational, 646–649
 - parallel, 672–674
- DBMS
- classifications, 45–46
 - compared to database, 42
 - engine, 56–58
 - need for, 42–43
 - version upgrades, 542–543
- DCL (Data Control Language), 47–48. *See also* Languages
- DDBMS, 556, 561–566
- Transparency
- failure, 579
 - fragmentation, 577
 - location, 578
 - naming, 579
 - network, 578
 - replication, 578
- DDL (Data Definition Language), 46–47.
See also Languages
- DDLC (Database Development Life Cycle)
- design and development, 96–98
 - management and control, 101–103
 - roles and responsibilities, 99–101
 - starting the process, 94–96
 - steps and tasks, 98–99
- Decision support system, *see* Databases, decision support
- Denormalization, 379
- Design, informal, pitfalls of, 304–306
- Design completeness, 337–339
- Design phase, 128–132. *See also* DDLC
- conceptual schema, 130–131
 - external schema, 130
 - internal schema, 131–132
 - logical versus physical design, 129–130
 - objectives, 129
- Digital certificates, 629
- Digital signatures, 628–629
- Distributed database management system,
see DDBMS
- DML (Data Manipulation Language), 47.
See also Languages
- End-users, *see* Users
- Entities, 210–213. *See also* Business objects
- definition of, 211
 - type of, 211–212
 - weak, 212–213
- Entity-relationship diagram, sample,
230–233
- Entity type, definition of, 298
- E-R data modeling, *see* Data model
- Extranet, 606–607
- Feasibility study, 109–117. *See also* DDLC
- benefits assessment, 115–117
 - cost estimation, 113–115
 - purpose and extent, 109–110

- skills review, 112–113
- technological infrastructure, 111–112
- File organization, 363–366. *See also* Physical design
 - hash or direct, 365–366
 - heap or pile, 364
 - sequential, 364–365
- Firewalls, 626–627. *See also* Database, security
- Forms Generator, 61–62
- Fragmentation, 380. *See also* Data distribution
- Generalization, 171, 192–196, 229–230
 - hierarchy, 194–196
- Homonyms, 15–16
- HTML (HyperText Markup Language), 600, 603–605
- HTTP, 600, 601–602
- Identifier, 170, 182–183, 281–282. *See also* Keys
- Implementation and deployment, 132–135. *See also* DDLC
 - data dictionary, building of, 134–135
 - DBMS installation, 134
 - populating the database, 135
- Indexing, 371–377
 - bitmapped, 376–377
 - B-tree index, 374–375
 - dense index, 371
 - primary indexes, 372–373
 - secondary indexes, 375–376
 - sparse index, 371
- Information
 - common asset, 82
 - demand for, 8–9
 - major asset, 72–74
 - requirements
 - at geographic regions, 78–79
 - at user levels, 76–77
 - in functional departments, 77–78
 - real-world, 145–146
 - representation as data model, 149–150
 - sharing of, 80–86
 - major benefits, 82–83
 - schemes, 84–86
- Information technology, waves of evolution, 9–10
- Integrity
 - business rules, 456
 - domain, 455
 - referential, 455–456
- Intranet, 606
- Java, 419
 - applications of, 620–621
 - security, 630–633
- JDBC, 419, 621–622
- Joins, preconstructed, 381–382
- Keys, primary, 218–219. *See also* Indexing Kerberos, 629
- Language
 - nonprocedural, 265
 - procedural, 265
 - scripting, 622–623
- Languages
 - for the relational model, 389–406
 - SQL (Structured Query Language), 391–407
 - data control, 401–403
 - data definition, 394–397
 - data maintenance, 399–401
 - data retrieval, 397–399
 - database access, 406–407
 - features, 392–393
 - history, 393–394
 - queries, 403–406
 - Quel, 390
 - Query-by-Example, 390
 - role of, 387–389
- Linking, of related data elements, 366–367
- Logical design
 - outputs of, 346–347
 - phase in DDLC, 335
- Logical schema, 344–345
- Logical structure, 334–335
- Maintenance and growth, 135–138
 - administration tools, 136–137
 - managing growth, 138–139
 - ongoing monitoring, 137
 - performance tuning, 137–138
- Memory buffer management, 380–381
- Minimum cardinality, 291–296
- Model, *see also* Data model
 - implementation of, 386–387
 - transformation, 274–279
 - mapping and transformation, 279
 - merits of method, 274–276
 - steps and tasks, 277

- Normal forms
 - fundamental
 - Boyce-Codd, 317
 - First, 311–312
 - Second, 312–314
 - Third, 314–317
 - higher
 - domain-key, 321–322
 - fifth, 320–321
 - fourth, 319–320
- Normalization, *see also* Normal forms
 - example, 325–326
 - how to apply, 309–310
 - purpose and merits, 309
 - steps and tasks, 310–311
 - summary, 322–323
- Null values, 181
- Object instances, 177–178
- Object set, 169–170, 177, 279–280
- Objects, *see also* Business objects
 - conceptual, 201
 - physical, 200–201
- ODBC, 419
- Operating system software, 50–52
- Physical data, access of, 360
- Physical design, *see also* DDLC
 - components of, 355
 - goals of, 354–355
 - logical to, 352–354
- Physical structure, 334–335
- Primary key, 299. *See also* Indexing
- Proxy servers, 628
- Query optimizer, 410–415
 - cost-based, 412–415
 - heuristic approach, 411–412
- Query processing, steps of, 409–410
- Query processor, 59–60
- RAID technology, 367–371
- Recovery management, 44–45
- Relation, 241–242, 343–344
- Relational algebra, 253–262
- Relational calculus, 262–264
- Relational data model
 - basic properties, 247–248
 - columns as attributes, 242
 - data integrity, 247
 - data manipulation languages, 252–253
 - design approaches, 267–270
 - entity integrity, 248–249
 - foreign keys, 244–245
 - functional dependencies, 250–251
 - notation, 245–246
 - primary key, 243–244
 - referential integrity, 249–250
 - relationships, 244–245
 - mandatory, 245
 - optional, 245
 - rows as instances, 242–243
 - strengths of, 240–241
- Relationship
 - association between entities, 219–221
 - degrees of, 192, 221
 - gerund, 228–229
 - identifying and nonidentifying, 226–228, 296–297
 - inheritance of, 196–197
 - many-to-many, 186–187, 286–291
 - one-to-many, 185, 284–286
 - one-to-one, 185, 282–284
 - recursive, 201–202
- Report Writer, 62–63
- Requirements, 118–128. *See also* DDLC
 - definition document, 127–128
 - gathering methods, 119–120
 - observation of processes, 124–125
 - review of applications, 125–126
 - study of documents, 126
 - user interviews, 120–124
 - JAD methodology, 122–124
- Search, binary, 373. *See also* Indexing
- Security management, 44
- Specialization, 171, 229–230
 - partial, 198
 - total, 198
- SQL, *see* Languages
- SSI (Server Side Includes), 618–619
- Standards, 428
- Storage management, 43, 359–360
- Subsets, 194. *See also* Specialization
 - exclusive, 197
 - nonexclusive, 197
- Supersets, 194. *See also* Generalization
- Synonyms, 16
- TCP/IP, 599
- Transaction
 - commands
 - abort, 449
 - commit, 449

- rollback, 449
- locking
 - deadlock, 473–476
 - detection, 475
 - prevention, 475–476
 - levels, 468
 - management, 468–470
 - schemes, 467–468
 - techniques, 470–474
 - simple, 470–471
 - two-phase, 472–473
 - with S- and X-Locks, 471–472
- management, 43–44
- properties of
 - atomicity, 449
 - consistency, 450
 - durability, 450
 - isolation, 450
- schedule
 - cascadeless, 461
 - complete, 461
 - nonrecoverable, 465–466
 - nonserial, 461
 - recoverable, 465–466
 - serial, 461
 - serializability, 462–465
 - conflict, 463–465
 - view, 465
 - states of, 451–452
 - structure of, 452–453
 - types of, 453
- Tuning, 430
- URL (Uniform Resource Locator), 600, 602
- Users
 - casual, 52
 - individual, 53
 - power, 52
 - regular, 52
 - specialized, 53
- Wrappers, 627–628
- XML (eXtensible Markup Language), 605–606