

1. Fever

Description

Fever is a temporary rise in body temperature (usually above **38°C / 100.4°F**) caused by infections, inflammation, or other medical conditions.

Symptoms

- High body temperature
- Chills or sweating
- Headache
- Body pain
- Weakness

Diagnosis

- Digital thermometer
- Blood tests (if persistent)
- Urine test / infection markers (CRP, CBC)

Commonly Used Medicines

- **Paracetamol (Acetaminophen)**
- **Ibuprofen**
(Antibiotics only if bacterial cause is confirmed)

Prevention

1. Maintain hand hygiene
2. Drink clean water
3. Avoid close contact with sick people
4. Take vaccinations on time
5. Get adequate rest

How to Be During This Condition

- Take rest
- Avoid heavy physical activity
- Monitor temperature regularly

What to Eat

- Warm soups
 - Rice, dal
 - Fruits (banana, apple)
 - Coconut water
 - Plenty of fluids
-

2.Common Cold

Description

The common cold is a **viral infection of the upper respiratory tract**, mainly affecting the nose and throat.

Symptoms

- Runny or blocked nose
- Sneezing
- Mild fever
- Sore throat
- Cough

Diagnosis

- Clinical examination
- No lab test usually required

Commonly Used Medicines

- **Paracetamol**
- **Cetirizine / Loratadine**
- **Phenylephrine** (nasal decongestant)
- **Saline nasal spray**

Prevention

1. Wash hands frequently
2. Avoid touching face
3. Cover mouth while sneezing
4. Avoid cold exposure

5. Boost immunity

How to Be During This Condition

- Stay warm
- Rest well
- Avoid cold drinks

What to Eat

- Warm water
 - Ginger tea
 - Honey
 - Light home food
-

3. Flu (Influenza)

Description

Influenza is a **contagious viral illness** that affects the respiratory system and is more severe than the common cold.

Symptoms

- Sudden high fever
- Severe body pain
- Dry cough
- Headache
- Extreme tiredness

Diagnosis

- Rapid Influenza Diagnostic Test (RIDT)
- Clinical symptoms

Commonly Used Medicines

- Paracetamol
- Ibuprofen
- Oseltamivir (Tamiflu) *(for confirmed cases)*

Prevention

1. Annual flu vaccination
2. Hand hygiene
3. Avoid crowded places
4. Wear mask during outbreaks
5. Maintain immunity

How to Be During This Condition

- Strict bed rest
- Isolate if necessary
- Monitor breathing

What to Eat

- Warm soups
 - Soft foods
 - Fruits rich in vitamin C
 - Warm fluids
-

4. Viral Infection (General)

Description

Viral infections are caused by viruses affecting different body systems such as respiratory, digestive, or blood.

Symptoms

- Fever
- Body pain
- Headache
- Fatigue
- Nausea

Diagnosis

- Blood tests
- Rapid viral antigen tests
- Clinical evaluation

Commonly Used Medicines

- Paracetamol
 - Ibuprofen
 - ORS
- (Antibiotics are NOT effective for viral infections)*

Prevention

1. Good hygiene
2. Safe drinking water
3. Mosquito control
4. Vaccination
5. Proper rest

How to Be During This Condition

- Avoid self-medication
- Stay hydrated
- Observe symptoms

What to Eat

- Easily digestible foods
 - Fruits
 - Rice porridge
 - Fluids
-

5. Bacterial Infection

Description

Bacterial infections occur when harmful bacteria invade the body and multiply, causing localized or systemic illness.

Symptoms

- High fever
- Local pain or swelling
- Pus formation

- Fatigue

Diagnosis

- Blood tests
- Culture & sensitivity test
- Imaging (if required)

Commonly Used Medicines (*Doctor Prescribed*)

- Amoxicillin
 - Azithromycin
 - Cefixime
 - Doxycycline
- (Depends on infection & sensitivity report)*

Prevention

1. Complete antibiotic courses
2. Maintain hygiene
3. Treat wounds properly
4. Safe food practices
5. Vaccinations

How to Be During This Condition

- Follow medical advice strictly
- Do not stop antibiotics early

What to Eat

- Protein-rich foods
- Vegetables
- Probiotic foods (curd)

6. Fatigue

Description

Fatigue is a state of **persistent tiredness or weakness** not relieved by rest, often linked to lifestyle or illness.

Symptoms

- Constant tiredness
- Poor concentration
- Sleepiness
- Muscle weakness

Diagnosis

- Blood tests (Hb, thyroid, sugar)
- Sleep assessment

Commonly Used Medicines

- **Multivitamins**
- **Iron supplements** (*if anemic*)
- **Vitamin B-Complex**

Prevention

1. Adequate sleep
2. Balanced diet
3. Regular exercise
4. Stress management
5. Hydration

How to Be During This Condition

- Reduce workload
- Maintain sleep routine

What to Eat

- Green vegetables
- Fruits
- Nuts
- Eggs
- Whole grains

7. Dehydration

Description

Dehydration occurs when the body loses more fluids than it takes in, affecting normal body functions.

Symptoms

- Dry mouth
- Dark urine
- Dizziness
- Fatigue

Diagnosis

- Clinical signs
- Blood electrolyte tests

Commonly Used Medicines

- **ORS (Oral Rehydration Salts)**
- **Electrolyte solutions**

Prevention (5 Points)

1. Drink water regularly
2. Avoid excess heat
3. Replace fluids after illness
4. Eat water-rich foods
5. Avoid excess caffeine

How to Be During This Condition

- Rest
- Avoid sun exposure

What to Eat

- Water
- Coconut water
- Fruits (watermelon, orange)
- Soups

8. Hypertension (High Blood Pressure)

Description

Hypertension is a chronic condition where blood pressure remains persistently above normal levels ($\geq 140/90$ mmHg), increasing the risk of heart, brain, and kidney diseases.

Symptoms

- Headache
- Dizziness
- Blurred vision
- Chest discomfort
- Often no symptoms (silent disease)

Diagnosis

- Blood pressure measurement
- Ambulatory BP monitoring
- Blood tests (kidney function, lipids)
- ECG / Echocardiogram (if needed)

Commonly Used Medicines

- Amlodipine
- Losartan
- Telmisartan
- Enalapril
- Hydrochlorothiazide

Prevention

1. Reduce salt intake
2. Exercise regularly
3. Maintain healthy weight
4. Avoid smoking and alcohol
5. Manage stress

How to Be During This Condition

- Monitor BP regularly
- Take medicines consistently
- Avoid sudden exertion

What to Eat

- **Fruits and vegetables**
 - Low-salt foods
 - Whole grains
 - Low-fat dairy
 - Plenty of water
-

9. Hypotension (Low Blood Pressure)

Description

Hypotension occurs when blood pressure drops below normal levels ($\leq 90/60$ mmHg), leading to inadequate blood flow to organs.

Symptoms

- Dizziness
- Fainting
- Blurred vision
- Nausea
- Fatigue

Diagnosis

- Blood pressure measurement
- Blood tests
- ECG
- Tilt-table test (if recurrent)

Commonly Used Medicines

- Fludrocortisone
- Midodrine
- IV fluids (acute cases)

Prevention

1. Drink adequate fluids
2. Rise slowly from sitting/lying
3. Avoid long standing
4. Eat small frequent meals
5. Increase salt if advised by doctor

How to Be During This Condition

- Avoid sudden posture changes
- Sit or lie down during dizziness

What to Eat

- Salty foods (if advised)
 - Fruits
 - Soups
 - Adequate fluids
-

10. Coronary Artery Disease (CAD)

Description

Coronary artery disease occurs when coronary arteries become narrowed due to plaque buildup, reducing blood supply to the heart muscle.

Symptoms

- Chest pain (angina)
- Shortness of breath
- Fatigue
- Pain radiating to arm or jaw

Diagnosis

- ECG
- Stress test
- Coronary angiography
- Lipid profile

Commonly Used Medicines

- Aspirin
- Atorvastatin / Rosuvastatin
- Metoprolol
- Nitroglycerin
- Clopidogrel

Prevention

1. Stop smoking
2. Control diabetes and BP
3. Exercise regularly
4. Eat heart-healthy diet
5. Manage cholesterol

How to Be During This Condition

- Avoid heavy exertion
- Follow cardiac advice
- Take medicines strictly

What to Eat

- Fruits and vegetables
 - Oats
 - Fish
 - Nuts
 - Low-fat foods
-

11. Heart Attack (Myocardial Infarction)

Description

A heart attack occurs when blood flow to a part of the heart is suddenly blocked, causing damage to heart muscle.

Symptoms

- Severe chest pain
- Pain radiating to left arm/jaw
- Shortness of breath
- Sweating
- Nausea

Diagnosis

- ECG
- Cardiac enzymes (Troponin)
- Coronary angiography

Commonly Used Medicines

- Aspirin
- Clopidogrel
- Heparin
- Atorvastatin
- Beta-blockers

Prevention

1. Control BP and diabetes
2. Stop smoking
3. Maintain healthy diet
4. Exercise regularly
5. Regular cardiac checkups

How to Be During This Condition

- Immediate hospitalization
- Strict bed rest initially
- Cardiac rehabilitation

What to Eat

- Low-salt diet
 - Fruits
 - Vegetables
 - Whole grains
-

12. Arrhythmia

Description

Arrhythmia is a condition where the heart beats too fast, too slow, or irregularly due to electrical disturbances.

Symptoms

- Palpitations
- Dizziness
- Shortness of breath
- Chest discomfort
- Fainting

Diagnosis

- ECG
- Holter monitoring
- Echocardiogram

Commonly Used Medicines

- Metoprolol
- Amiodarone
- Diltiazem
- Digoxin

Prevention

1. Avoid caffeine and alcohol
2. Manage stress
3. Control heart conditions
4. Regular monitoring
5. Follow medication schedule

How to Be During This Condition

- Avoid strenuous activity
- Monitor heart rate

What to Eat

- Potassium-rich foods
 - Fruits
 - Vegetables
 - Balanced diet
-

13. Anemia

Description

Anemia is a condition where the blood lacks enough healthy red blood cells or hemoglobin, reducing oxygen delivery to tissues.

Symptoms

- Fatigue
- Pale skin

- Dizziness
- Shortness of breath
- Weakness

Diagnosis

- Complete blood count (CBC)
- Iron studies
- Vitamin B12 / Folate levels

Commonly Used Medicines

- Ferrous sulfate
- Ferrous fumarate
- Vitamin B12
- Folic acid

Prevention

1. Iron-rich diet
2. Treat underlying cause
3. Regular blood tests
4. Deworming if needed
5. Proper nutrition

How to Be During This Condition

- Avoid overexertion
- Take supplements regularly

What to Eat

- Green leafy vegetables
 - Dates
 - Liver
 - Eggs
 - Pulses
-

14. High Cholesterol (Hyperlipidemia)

Description

High cholesterol is a condition where excess lipids accumulate in the blood, increasing the risk of heart disease and stroke.

Symptoms

- Usually asymptomatic
- Fatigue (rare)
- Chest pain (advanced cases)

Diagnosis

- Lipid profile
- Fasting blood tests

Commonly Used Medicines

- Atorvastatin
- Rosuvastatin
- Ezetimibe
- Fenofibrate

Prevention

1. Reduce fatty foods
2. Exercise regularly
3. Maintain healthy weight
4. Stop smoking
5. Regular lipid checks

How to Be During This Condition

- Follow diet strictly
- Take medicines daily

What to Eat

- Oats
- Fruits
- Vegetables
- Fish
- Nuts

15. Diabetes Mellitus

Description

Diabetes Mellitus is a chronic metabolic disorder characterized by persistently high blood sugar levels due to insufficient insulin production or ineffective insulin action.

Symptoms

- Frequent urination
- Excessive thirst
- Increased hunger
- Fatigue
- Blurred vision

Diagnosis

- Fasting Blood Sugar (FBS)
- Postprandial Blood Sugar (PPBS)
- HbA1c test
- Oral Glucose Tolerance Test (OGTT)

Commonly Used Medicines

- Metformin
- Glimepiride
- Sitagliptin
- Insulin (when required)

Prevention

Maintain healthy body weight

Exercise regularly

Follow balanced diet

Reduce sugar intake

Regular blood sugar monitoring

How to Be During This Condition

- Monitor glucose levels regularly
- Take medicines on time
- Avoid skipping meals

What to Eat

- Whole grains
 - Green leafy vegetables
 - Pulses
 - Fruits with low glycemic index
 - Adequate water
-

16. Hypothyroidism

Description

Hypothyroidism is a condition where the thyroid gland produces insufficient thyroid hormones, slowing down body metabolism.

Symptoms

- Weight gain
- Fatigue
- Cold intolerance
- Dry skin
- Constipation

Diagnosis

- Thyroid function test (TSH, T3, T4)
- Thyroid antibodies (if needed)

Commonly Used Medicines

- Levothyroxine

Prevention

Regular thyroid screening

Adequate iodine intake

Medication adherence

Avoid self-medication

Follow doctor's advice

How to Be During This Condition

- Take medicine daily on empty stomach
- Avoid missing doses
- Regular follow-ups

What to Eat

- Iodine-rich foods
 - Whole grains
 - Fruits
 - Vegetables
 - Adequate fluids
-

17. Hyperthyroidism

Description

Hyperthyroidism occurs when the thyroid gland produces excess thyroid hormones, leading to increased metabolic activity.

Symptoms

- Weight loss
- Palpitations
- Heat intolerance
- Anxiety
- Tremors

Diagnosis

- Thyroid function test (Low TSH, High T3/T4)
- Thyroid scan
- Ultrasound (if required)

Commonly Used Medicines

- Carbimazole
- Methimazole
- Propranolol

Prevention

Regular thyroid monitoring

Avoid excess iodine intake

Stress management

Medication compliance

Follow endocrinologist advice

How to Be During This Condition

- Avoid strenuous activity
- Take medicines as prescribed

What to Eat

- Balanced diet
 - Fruits
 - Vegetables
 - Adequate calories
-

18. Obesity

Description

Obesity is a condition characterized by excessive body fat accumulation that increases the risk of multiple health disorders.

Symptoms

- Excess body weight
- Breathlessness on exertion
- Joint pain
- Fatigue

Diagnosis

- Body Mass Index (BMI)
- Waist circumference
- Blood tests (lipids, sugar)

Commonly Used Medicines

- Orlistat
- Metformin (in insulin resistance)

Prevention

Balanced diet

Regular physical activity

Avoid junk foods

Adequate sleep

Lifestyle modification

How to Be During This Condition

- Follow diet plan
- Maintain activity routine

What to Eat

- Fruits
 - Vegetables
 - High-fiber foods
 - Lean proteins
 - Adequate water
-

19. Metabolic Syndrome

Description

Metabolic syndrome is a cluster of conditions including obesity, high blood pressure, high blood sugar, and abnormal cholesterol levels that increase cardiovascular risk.

Symptoms

- Central obesity
- Fatigue
- Increased thirst
- High blood pressure

Diagnosis

- Waist circumference
- Blood pressure measurement
- Lipid profile
- Blood sugar tests

Commonly Used Medicines

- Metformin
- Atorvastatin
- Amlodipine / Losartan

Prevention

Weight reduction

Healthy diet

Regular exercise

Control blood pressure

Regular health checkups

How to Be During This Condition

- Lifestyle modification
- Adherence to medications

What to Eat

- Whole grains
- Vegetables
- Fruits
- Low-fat foods
- Limited sugar and salt

20. Asthma

Description

Asthma is a chronic respiratory condition where the airways become inflamed and narrowed, causing difficulty in breathing.

Symptoms

- Wheezing
- Shortness of breath
- Chest tightness
- Coughing (especially at night or early morning)

Diagnosis

- Spirometry (lung function test)
- Peak flow measurement
- Clinical history
- Chest X-ray (to rule out other causes)

Commonly Used Medicines

- Salbutamol inhaler
- Budesonide inhaler
- Formoterol + Budesonide
- Montelukast

Prevention

Avoid dust, smoke, and allergens

Use inhalers correctly

Avoid cold air exposure

Regular follow-up with doctor

Get influenza vaccination

How to Be During This Condition

- Carry inhaler at all times
- Avoid strenuous activity during attacks
- Monitor breathing symptoms

What to Eat

- Fruits
 - Vegetables
 - Warm fluids
 - Balanced diet
-

21. Bronchitis

Description

Bronchitis is inflammation of the bronchial tubes, usually caused by viral infection, leading to cough and mucus production.

Symptoms

- Persistent cough
- Mucus production
- Chest discomfort
- Mild fever
- Fatigue

Diagnosis

- Clinical examination
- Chest X-ray (if severe)
- Sputum test (if bacterial suspected)

Commonly Used Medicines

- Paracetamol
- Salbutamol inhaler
- Cough syrups (Dextromethorphan)
- Antibiotics (only if bacterial infection)

Prevention

Avoid smoking

Maintain respiratory hygiene

Avoid polluted environments

Boost immunity

Adequate rest

How to Be During This Condition

- Rest adequately
- Avoid cold exposure

What to Eat

- Warm soups
- Herbal teas
- Fruits
- Plenty of fluids

22. Pneumonia

Description

Pneumonia is an infection of the lungs caused by bacteria, viruses, or fungi, leading to inflammation and fluid accumulation in air sacs.

Symptoms

- High fever
- Cough with sputum
- Shortness of breath
- Chest pain
- Fatigue

Diagnosis

- Chest X-ray
- Blood tests
- Sputum culture
- Oxygen saturation monitoring

Commonly Used Medicines

- Amoxicillin
- Azithromycin
- Ceftriaxone
- Paracetamol

Prevention

Pneumococcal vaccination

Hand hygiene

Avoid smoking

Early treatment of respiratory infections

Good nutrition

How to Be During This Condition

- Bed rest
- Monitor breathing
- Hospitalization if severe

What to Eat

- High-protein foods
 - Warm liquids
 - Fruits
 - Soft foods
-

23. Chronic Obstructive Pulmonary Disease (COPD)

Description

COPD is a progressive lung disease that causes airflow obstruction, mainly due to smoking or long-term exposure to irritants.

Symptoms

- Chronic cough
- Breathlessness
- Wheezing
- Fatigue
- Excess sputum

Diagnosis

- Spirometry
- Chest X-ray
- CT scan (if needed)

Commonly Used Medicines

- Salbutamol
- Tiotropium
- Budesonide + Formoterol
- Oxygen therapy (advanced cases)

Prevention

Stop smoking

Avoid air pollution

Regular exercise

Vaccinations

Early medical care

How to Be During This Condition

- Avoid exertion
- Follow inhaler routine
- Pulmonary rehabilitation

What to Eat

- High-protein foods
 - Fruits
 - Vegetables
 - Adequate fluids
-

24. Tuberculosis (TB)

Description

Tuberculosis is a contagious bacterial infection caused by *Mycobacterium tuberculosis*, mainly affecting the lungs.

Symptoms

- Persistent cough (>2 weeks)
- Weight loss
- Night sweats
- Fever
- Blood in sputum

Diagnosis

- Sputum AFB test
- CBNAAT (GeneXpert)
- Chest X-ray
- Mantoux test

Commonly Used Medicines

- Isoniazid
- Rifampicin
- Pyrazinamide
- Ethambutol

Prevention

BCG vaccination

Early detection

Complete treatment course

Good ventilation

Avoid close contact with active TB patients

How to Be During This Condition

- Take medicines without interruption
- Regular follow-ups
- Adequate rest

What to Eat

- High-protein diet
 - Eggs
 - Milk
 - Fruits
 - Nutritious foods
-

25. Sinusitis

Description

Sinusitis is inflammation of the sinus cavities caused by infection or allergies, leading to facial pain and nasal congestion.

Symptoms

- Facial pain or pressure
- Nasal congestion
- Thick nasal discharge
- Headache
- Fever

Diagnosis

- Clinical examination
- Nasal endoscopy
- CT scan (chronic cases)

Commonly Used Medicines

- Paracetamol
- Amoxicillin-Clavulanate
- Cetirizine
- Nasal saline spray

Prevention

Treat colds early

Avoid allergens

Maintain nasal hygiene

Stay hydrated

Avoid smoking

How to Be During This Condition

- Steam inhalation
- Adequate rest

What to Eat

- Warm fluids
- Soups
- Fruits
- Light meals

26. Migraine

Description

Migraine is a neurological condition characterized by recurrent, moderate to severe headaches, often affecting one side of the head and associated with sensory disturbances.

Symptoms

- Throbbing headache
- Nausea or vomiting
- Sensitivity to light and sound
- Visual disturbances (aura)
- Fatigue

Diagnosis

- Clinical history
- Neurological examination
- MRI / CT scan (to rule out other causes)

Commonly Used Medicines

- Paracetamol
- Ibuprofen
- Sumatriptan
- Propranolol (prevention)

Prevention

Avoid known triggers

Maintain regular sleep

Manage stress

Stay hydrated

Regular meals

How to Be During This Condition

- Rest in a dark, quiet room
- Avoid screens and noise

What to Eat

- Light meals
 - Fruits
 - Whole grains
 - Plenty of water
-

27. Tension Headache

Description

Tension headache is the most common type of headache, caused by muscle tension and stress, producing a dull, aching pain.

Symptoms

- Mild to moderate headache
- Tight band-like pressure around head
- Neck and shoulder stiffness
- Fatigue

Diagnosis

- Clinical examination
- Stress and posture assessment

Commonly Used Medicines

- Paracetamol
- Ibuprofen
- Muscle relaxants (if required)

Prevention

Stress management

Correct posture

Regular breaks from screens

Adequate sleep

Neck exercises

How to Be During This Condition

- Relaxation techniques
- Gentle stretching

What to Eat

- Balanced diet
- Warm fluids
- Fruits and vegetables

28. Epilepsy

Description

Epilepsy is a chronic neurological disorder characterized by recurrent, unprovoked seizures due to abnormal electrical activity in the brain.

Symptoms

- Seizures
- Loss of consciousness
- Jerking movements
- Confusion after episode

Diagnosis

- EEG (Electroencephalogram)
- MRI brain
- Blood tests

Commonly Used Medicines

- Sodium Valproate
- Levetiracetam
- Phenytoin
- Carbamazepine

Prevention

Regular medication intake

Adequate sleep

Avoid alcohol

Avoid seizure triggers

Regular neurologist follow-up

How to Be During This Condition

- Avoid dangerous activities alone
- Follow safety precautions

What to Eat

- Balanced diet
 - Adequate fluids
 - Nutritious foods
-

29. Stroke

Description

Stroke occurs when blood supply to part of the brain is interrupted or reduced, leading to brain tissue damage.

Symptoms

- Sudden weakness on one side
- Slurred speech
- Facial drooping
- Vision problems
- Loss of balance

Diagnosis

- CT scan / MRI brain
- Blood tests
- ECG
- Carotid Doppler

Commonly Used Medicines

- Aspirin
- Clopidogrel
- Atorvastatin
- Antihypertensives

Prevention

Control blood pressure

Control diabetes

Stop smoking

Healthy diet

Regular exercise

How to Be During This Condition

- Immediate hospitalization
- Rehabilitation therapy

What to Eat

- Low-salt diet
 - Fruits
 - Vegetables
 - Whole grains
-

30. Parkinson's Disease

Description

Parkinson's disease is a progressive neurological disorder affecting movement due to loss of dopamine-producing brain cells.

Symptoms

- Tremors
- Muscle stiffness
- Slow movements
- Balance problems

Diagnosis

- Clinical neurological examination
- Response to medication
- Brain imaging (supportive)

Commonly Used Medicines

- Levodopa + Carbidopa
- Pramipexole
- Ropinirole

Prevention

Regular exercise

Medication adherence

Physical therapy

Balanced nutrition

Regular follow-ups

How to Be During This Condition

- Follow physiotherapy
- Prevent falls

What to Eat

- High-fiber foods
 - Fruits
 - Vegetables
 - Adequate protein
-

31. Multiple Sclerosis (MS)

Description

Multiple sclerosis is an autoimmune neurological disorder where the immune system attacks the protective covering of nerves, affecting communication between brain and body.

Symptoms

- Muscle weakness
- Vision problems
- Numbness or tingling
- Fatigue
- Balance issues

Diagnosis

- MRI brain and spine
- Lumbar puncture
- Evoked potential tests

Commonly Used Medicines

- Interferon beta
- Glatiramer acetate
- Corticosteroids (during relapse)

Prevention

Regular neurological follow-up

Avoid overheating

Balanced lifestyle

Medication adherence

Stress management

How to Be During This Condition

- Energy conservation
- Physiotherapy

What to Eat

- Balanced diet
- Fruits
- Vegetables
- Adequate fluids

32. Arthritis

Description

Arthritis is a general term for inflammation of one or more joints, causing pain, swelling, stiffness, and reduced movement.

Symptoms

- Joint pain
- Swelling
- Stiffness
- Reduced range of motion
- Warmth around joints

Diagnosis

- Clinical examination
- Blood tests (ESR, CRP)
- X-ray of affected joints

Commonly Used Medicines

- Paracetamol
- Ibuprofen
- Diclofenac
- Naproxen

Prevention

Maintain healthy weight

Regular joint exercises

Avoid joint overuse

Early medical care

Balanced nutrition

How to Be During This Condition

- Gentle movements
- Avoid sudden strain
- Use joint supports if needed

What to Eat

- Fruits and vegetables
 - Omega-3 rich foods
 - Whole grains
 - Adequate fluids
-

33. Osteoarthritis

Description

Osteoarthritis is a degenerative joint disease caused by gradual wear and tear of joint cartilage, commonly affecting knees, hips, and hands.

Symptoms

- Joint pain on movement
- Morning stiffness
- Crepitus (cracking sound)
- Reduced flexibility

Diagnosis

- X-ray joints
- Clinical examination

Commonly Used Medicines

- Paracetamol
- Diclofenac
- Aceclofenac
- Topical pain relief gels

Prevention

Weight control

Regular low-impact exercise

Avoid joint injury

Proper posture

Strengthen muscles

How to Be During This Condition

- Avoid prolonged standing
- Use knee or joint braces

What to Eat

- Calcium-rich foods
 - Fruits
 - Vegetables
 - Adequate protein
-

34. Rheumatoid Arthritis

Description

Rheumatoid arthritis is an autoimmune disorder where the immune system attacks joint lining, causing chronic inflammation and joint damage.

Symptoms

- Symmetrical joint pain
- Swelling and warmth
- Morning stiffness (>1 hour)
- Fatigue

Diagnosis

- Rheumatoid factor (RF)
- Anti-CCP antibodies
- ESR, CRP
- X-ray / ultrasound joints

Commonly Used Medicines

- Methotrexate
- Sulfasalazine
- Hydroxychloroquine
- Prednisolone

Prevention

Early diagnosis

Regular medication

Joint protection

Exercise regularly

Avoid smoking

How to Be During This Condition

- Follow rheumatologist advice
- Balance rest and activity

What to Eat

- Anti-inflammatory foods
 - Fruits
 - Vegetables
 - Omega-3 fatty acids
-

35. Back Pain

Description

Back pain is discomfort in the upper, middle, or lower back caused by muscle strain, disc problems, or posture issues.

Symptoms

- Localized pain
- Muscle stiffness
- Reduced movement
- Pain radiating to legs (sometimes)

Diagnosis

- Clinical examination
- X-ray spine
- MRI (if severe or persistent)

Commonly Used Medicines

- Paracetamol
- Ibuprofen
- Diclofenac
- Muscle relaxants

Prevention

Maintain correct posture

Avoid heavy lifting

Strengthen core muscles

Regular stretching

Healthy weight

How to Be During This Condition

- Short rest period
- Avoid sudden bending

What to Eat

- Calcium-rich foods
 - Protein
 - Fruits
 - Vegetables
-

36. Neck Pain

Description

Neck pain is discomfort in the cervical spine area, commonly due to muscle strain, poor posture, or prolonged screen use.

Symptoms

- Neck stiffness
- Pain on movement
- Headache
- Shoulder discomfort

Diagnosis

- Clinical examination
- X-ray cervical spine

Commonly Used Medicines

- Paracetamol
- Ibuprofen
- Diclofenac
- Muscle relaxants

Prevention

Proper posture

Screen height adjustment

Regular breaks

Neck exercises

Avoid prolonged phone use

How to Be During This Condition

- Gentle neck movements
- Avoid sudden jerks

What to Eat

- Balanced diet
 - Calcium-rich foods
 - Adequate fluids
-

37. Sciatica

Description

Sciatica is pain that radiates along the sciatic nerve, usually due to nerve compression in the lower spine.

Symptoms

- Lower back pain
- Pain radiating to leg
- Numbness or tingling
- Weakness in leg

Diagnosis

- Clinical examination
- MRI spine
- Neurological assessment

Commonly Used Medicines

- Paracetamol
- Ibuprofen
- Gabapentin
- Muscle relaxants

Prevention

Correct posture

Core strengthening

Avoid prolonged sitting

Proper lifting techniques

Regular exercise

How to Be During This Condition

- Avoid heavy lifting
- Gentle stretching exercises

What to Eat

- Anti-inflammatory foods
 - Fruits
 - Vegetables
 - Adequate water
-

38. Osteoporosis

Description

Osteoporosis is a condition characterized by reduced bone density, increasing the risk of fractures, especially in elderly individuals.

Symptoms

- Fragile bones
- Back pain
- Loss of height
- Fractures with minor injury

Diagnosis

- Bone Mineral Density (DEXA scan)
- X-ray (fractures)
- Blood calcium levels

Commonly Used Medicines

- Calcium supplements
- Vitamin D

- Alendronate
- Risedronate

Prevention

Adequate calcium intake

Vitamin D exposure

Weight-bearing exercises

Avoid smoking and alcohol

Fall prevention

How to Be During This Condition

- Prevent falls
- Regular bone health monitoring

What to Eat

- Milk and dairy products
- Green leafy vegetables
- Nuts
- Protein-rich foods

39. Anxiety Disorder

Description

Anxiety disorder is a mental health condition marked by excessive fear, worry, or nervousness that interferes with daily activities.

Symptoms

- Excessive worry
- Restlessness
- Palpitations
- Sweating
- Difficulty concentrating

Diagnosis

- Clinical psychiatric evaluation
- Anxiety screening questionnaires
- Rule-out medical causes (thyroid, anemia)

Commonly Used Medicines

- Escitalopram
- Sertraline
- Alprazolam (short-term use)
- Buspirone

Prevention

Stress management

Regular exercise

Adequate sleep

Avoid excess caffeine

Seek early counseling

How to Be During This Condition

- Practice relaxation techniques
- Follow therapy and medication plan

What to Eat

- Balanced meals
 - Fruits
 - Vegetables
 - Adequate water
-

40. Depression

Description

Depression is a mood disorder causing persistent sadness, loss of interest, and reduced ability to function in daily life.

Symptoms

- Persistent sadness
- Loss of interest
- Fatigue
- Sleep disturbance
- Poor concentration

Diagnosis

- Psychiatric evaluation
- Depression screening scales
- Rule-out medical causes

Commonly Used Medicines

- Sertraline
- Escitalopram
- Fluoxetine
- Amitriptyline

Prevention

Early mental health support

Regular physical activity

Social interaction

Stress control

Consistent sleep routine

How to Be During This Condition

- Follow therapy regularly
- Avoid isolation

What to Eat

- Nutritious balanced diet
 - Fruits
 - Vegetables
 - Omega-3 rich foods
-

41. Panic Disorder

Description

Panic disorder is characterized by sudden, repeated panic attacks involving intense fear and physical symptoms without real danger.

Symptoms

- Sudden fear
- Chest pain
- Shortness of breath
- Dizziness
- Palpitations

Diagnosis

- Clinical psychiatric assessment
- Rule-out cardiac causes
- Anxiety scales

Commonly Used Medicines

- Escitalopram
- Sertraline
- Clonazepam
- Alprazolam

Prevention

Cognitive behavioral therapy

Stress management

Avoid stimulants

Regular sleep

Medication adherence

How to Be During This Condition

- Practice slow breathing
- Avoid known triggers

What to Eat

- Light meals
 - Fruits
 - Avoid caffeine
 - Adequate fluids
-

42. Bipolar Disorder

Description

Bipolar disorder is a mood disorder marked by episodes of depression and mania or hypomania.

Symptoms

- Mood swings
- Excess energy (mania)
- Sadness or withdrawal
- Sleep changes
- Risky behavior

Diagnosis

- Psychiatric evaluation
- Mood history
- Family history assessment

Commonly Used Medicines

- Lithium
- Valproate
- Olanzapine
- Quetiapine

Prevention

Regular medication

Sleep regulation

Avoid alcohol

Stress reduction

Regular follow-ups

How to Be During This Condition

- Maintain routine
- Monitor mood changes

What to Eat

- Balanced diet
- Regular meals
- Adequate hydration

43. Insomnia

Description

Insomnia is a sleep disorder involving difficulty falling asleep, staying asleep, or waking too early.

Symptoms

- Difficulty sleeping
- Daytime fatigue
- Irritability
- Poor concentration

Diagnosis

- Sleep history
- Sleep diary
- Rule-out anxiety or depression

Commonly Used Medicines

- Melatonin
- Zolpidem
- Alprazolam (short-term)

Prevention

Maintain sleep schedule

Avoid screens before bed

Reduce caffeine intake

Relaxation techniques

Quiet sleep environment

How to Be During This Condition

- Follow sleep hygiene rules
- Avoid daytime naps

What to Eat

- Light dinner
 - Warm milk
 - Fruits
 - Avoid spicy foods
-

44. Stress Disorder

Description

Stress disorder occurs when prolonged stress affects mental and physical health, impacting daily functioning.

Symptoms

- Irritability
- Fatigue
- Headache
- Sleep problems
- Poor concentration

Diagnosis

- Psychological assessment
- Stress questionnaires

Commonly Used Medicines

- Escitalopram
- Sertraline
- Propranolol (physical symptoms)

Prevention

Time management

Regular exercise

Relaxation techniques

Social support

Adequate rest

How to Be During This Condition

- Take breaks
- Practice mindfulness

What to Eat

- Healthy balanced diet
- Fruits
- Vegetables
- Adequate water

45. Gastritis

Description

Gastritis is inflammation of the stomach lining, commonly caused by infection, medications, alcohol, or stress.

Symptoms

- Upper abdominal pain
- Nausea
- Vomiting
- Bloating
- Loss of appetite

Diagnosis

- Clinical examination
- Upper GI endoscopy
- H. pylori test
- Blood tests

Commonly Used Medicines

- Omeprazole
- Pantoprazole

- Antacids
- Sucralfate

Prevention

Avoid spicy and oily foods

Limit alcohol intake

Avoid unnecessary painkillers

Eat regular meals

Manage stress

How to Be During This Condition

- Eat small frequent meals
- Avoid lying down immediately after eating

What to Eat

- Soft foods
- Rice
- Banana
- Warm fluids

46. Acid Reflux (GERD)

Description

Gastroesophageal Reflux Disease (GERD) occurs when stomach acid flows back into the esophagus, causing irritation.

Symptoms

- Heartburn
- Sour taste in mouth
- Chest discomfort
- Regurgitation
- Chronic cough

Diagnosis

- Clinical assessment
- Upper GI endoscopy
- pH monitoring (if required)

Commonly Used Medicines

- Omeprazole
- Pantoprazole
- Famotidine
- Antacids

Prevention

Avoid late-night meals

Reduce fatty foods

Elevate head during sleep

Maintain healthy weight

Avoid smoking

How to Be During This Condition

- Sit upright after meals
- Avoid tight clothing

What to Eat

- Oats
- Fruits (banana, apple)
- Vegetables
- Non-spicy foods

47. Peptic Ulcer Disease

Description

Peptic ulcer disease is the formation of open sores in the stomach or duodenum due to acid damage or infection.

Symptoms

- Burning stomach pain
- Bloating
- Nausea
- Dark stools (severe cases)

Diagnosis

- Upper GI endoscopy
- H. pylori testing
- Blood tests

Commonly Used Medicines

- Omeprazole
- Amoxicillin
- Clarithromycin
- Sucralfate

Prevention

Complete H. pylori treatment

Avoid NSAIDs

Avoid alcohol

Eat on time

Stress management

How to Be During This Condition

- Avoid spicy foods
- Follow medication schedule strictly

What to Eat

- Rice
 - Milk
 - Fruits
 - Soft foods
-

48. Constipation

Description

Constipation is difficulty in passing stools or infrequent bowel movements, often due to diet or lifestyle factors.

Symptoms

- Hard stools
- Straining
- Abdominal discomfort
- Incomplete evacuation

Diagnosis

- Clinical history
- Abdominal examination

Commonly Used Medicines

- Lactulose
- Isabgol (Psyllium husk)
- Bisacodyl

Prevention

High-fiber diet

Adequate water intake

Regular physical activity

Fixed bowel routine

Avoid excessive laxatives

How to Be During This Condition

- Do not delay urge to pass stool
- Maintain routine

What to Eat

- Fruits (papaya, banana)
 - Vegetables
 - Whole grains
 - Plenty of water
-

49. Diarrhea

Description

Diarrhea is the passage of loose or watery stools, usually caused by infection, food intolerance, or medications.

Symptoms

- Loose stools
- Abdominal cramps
- Dehydration
- Weakness

Diagnosis

- Stool examination
- Blood tests (if severe)

Commonly Used Medicines

- ORS
- Zinc supplements
- Loperamide (selected cases)

Prevention

Drink clean water

Wash hands before eating

Avoid street food

Maintain hygiene

Safe food practices

How to Be During This Condition

- Rest
- Prevent dehydration

What to Eat

- Rice gruel
 - Banana
 - Curd
 - ORS
-

50. Irritable Bowel Syndrome (IBS)

Description

IBS is a functional bowel disorder characterized by abdominal discomfort with altered bowel habits without structural disease.

Symptoms

- Abdominal pain
- Bloating
- Constipation or diarrhea
- Mucus in stool

Diagnosis

- Clinical evaluation
- Rome criteria
- Rule-out tests

Commonly Used Medicines

- Dicycloverine
- Mebeverine
- Probiotics
- Loperamide (diarrhea type)

Prevention

Identify trigger foods

Stress management

Regular meals

Adequate sleep

Exercise

How to Be During This Condition

- Maintain food diary
- Avoid trigger foods

What to Eat

- Low-fat foods
- Fruits
- Vegetables
- Adequate water

51. Fatty Liver Disease

Description

Fatty liver disease is the accumulation of excess fat in liver cells, commonly related to obesity, diabetes, or alcohol use.

Symptoms

- Often asymptomatic
- Fatigue
- Right upper abdominal discomfort

Diagnosis

- Liver function tests
- Ultrasound abdomen
- FibroScan (if needed)

Commonly Used Medicines

- Vitamin E
- Ursodeoxycholic acid
- Metformin (if diabetic)

Prevention

Weight reduction

Avoid alcohol

Control diabetes

Regular exercise

Healthy diet

How to Be During This Condition

- Lifestyle modification
- Regular follow-ups

What to Eat

- Fruits
- Vegetables
- Whole grains
- Low-fat foods

52. Dengue

Description

Dengue is a mosquito-borne viral infection that causes high fever and severe body pain, commonly occurring in tropical regions.

Symptoms

- High fever
- Severe body and joint pain
- Headache
- Pain behind eyes
- Low platelet count

Diagnosis

- Dengue NS1 antigen test
- Dengue IgM / IgG antibody test
- Complete Blood Count (CBC)

Commonly Used Medicines

- Paracetamol (Acetaminophen)
 - IV fluids (if required)
- (Avoid NSAIDs like ibuprofen and aspirin)

Prevention

Prevent mosquito breeding

Use mosquito repellents

Wear full-sleeve clothing

Use mosquito nets

Early medical consultation

How to Be During This Condition

- Complete bed rest
- Monitor platelet count regularly

What to Eat

- Papaya leaf extract
 - Fruits
 - Coconut water
 - Light foods
 - Plenty of fluids
-

53. Malaria

Description

Malaria is a mosquito-borne parasitic infection that causes fever with chills and sweating.

Symptoms

- Fever with chills
- Sweating
- Headache
- Body pain
- Nausea

Diagnosis

- Peripheral blood smear
- Rapid malaria antigen test

Commonly Used Medicines

- Chloroquine
- Artemether-Lumefantrine
- Primaquine

Prevention

Use mosquito nets

Insecticide sprays

Prevent stagnant water

Wear protective clothing

Early diagnosis

How to Be During This Condition

- Adequate rest
- Complete full medication course

What to Eat

- Light foods
 - Fruits
 - Warm fluids
 - Adequate hydration
-

54. Typhoid

Description

Typhoid is a bacterial infection caused by *Salmonella typhi*, spread through contaminated food and water.

Symptoms

- Prolonged fever
- Abdominal pain
- Weakness
- Loss of appetite
- Constipation or diarrhea

Diagnosis

- Blood culture
- Widal test
- CBC

Commonly Used Medicines

- Cefixime
- Azithromycin
- Ceftriaxone

Prevention

Drink safe water

Eat hygienic food

Hand hygiene

Typhoid vaccination

Proper sanitation

How to Be During This Condition

- Bed rest
- Strict medication adherence

What to Eat

- Soft foods
- Rice
- Boiled vegetables
- Plenty of fluids

55. COVID-19

Description

COVID-19 is a viral respiratory illness caused by SARS-CoV-2, spreading through respiratory droplets.

Symptoms

- Fever
- Cough
- Shortness of breath

- Loss of taste or smell
- Fatigue

Diagnosis

- RT-PCR test
- Rapid Antigen Test
- Oxygen saturation monitoring

Commonly Used Medicines

- Paracetamol
- Vitamin C and Zinc
- Antivirals (doctor advised)

Prevention

Vaccination

Mask wearing

Hand hygiene

Social distancing

Avoid crowded places

How to Be During This Condition

- Home isolation (mild cases)
- Monitor oxygen levels

What to Eat

- Nutritious foods
 - Fruits
 - Warm fluids
 - High-protein diet
-

56. Hepatitis

Description

Hepatitis is inflammation of the liver caused by viral infection, alcohol, or toxins.

Symptoms

- Jaundice
- Fatigue
- Dark urine
- Abdominal pain
- Nausea

Diagnosis

- Liver Function Tests (LFT)
- Viral markers
- Ultrasound abdomen

Commonly Used Medicines

- Antiviral therapy (specific type)
- Supportive treatment
- Vitamin supplements

Prevention

Hepatitis vaccination

Safe drinking water

Avoid alcohol

Safe injections

Regular screening

How to Be During This Condition

- Complete rest
- Avoid alcohol completely

What to Eat

- Low-fat diet
 - Fruits
 - Vegetables
 - Adequate fluids
-

57. Urinary Tract Infection (UTI)

Description

UTI is a bacterial infection affecting the urinary system, commonly seen in women.

Symptoms

- Burning sensation while urinating
- Frequent urination
- Lower abdominal pain
- Cloudy urine
- Fever (sometimes)

Diagnosis

- Urine routine examination
- Urine culture and sensitivity

Commonly Used Medicines

- Nitrofurantoin
- Ciprofloxacin
- Cefixime

Prevention

Drink plenty of water

Maintain personal hygiene

Do not hold urine

Urinate after intercourse

Complete antibiotic course

How to Be During This Condition

- Adequate hydration
- Follow medication strictly

What to Eat

- Water
- Coconut water
- Fruits
- Light meals

58. Acne

Description

Acne is a common skin condition caused by blockage and inflammation of hair follicles due to excess oil, bacteria, and dead skin cells.

Symptoms

- Pimples
- Blackheads or whiteheads
- Red, inflamed skin
- Painful nodules (severe cases)

Diagnosis

- Clinical skin examination
- Severity grading by dermatologist

Commonly Used Medicines

- Benzoyl Peroxide
- Clindamycin (topical)
- Adapalene
- Isotretinoin (severe cases)

Prevention

Clean face twice daily

Avoid oily cosmetics

Do not squeeze pimples

Maintain healthy diet

Manage stress

How to Be During This Condition

- Follow skin-care routine
- Avoid touching face frequently

What to Eat

- Fruits
 - Vegetables
 - Plenty of water
 - Avoid excess oily foods
-

59. Eczema

Description

Eczema is a chronic inflammatory skin condition causing dry, itchy, and inflamed skin, often associated with allergies.

Symptoms

- Dry skin
- Severe itching
- Red patches
- Skin cracking or oozing

Diagnosis

- Clinical examination
- Allergy history
- Patch testing (if required)

Commonly Used Medicines

- Hydrocortisone cream
- Mometasone
- Moisturizers
- Antihistamines

Prevention

Regular skin moisturizing

Avoid known allergens

Use mild soaps

Avoid scratching

Wear soft cotton clothing

How to Be During This Condition

- Keep skin moisturized
- Avoid irritants

What to Eat

- Balanced diet
- Fruits
- Vegetables
- Adequate fluids

60. Psoriasis

Description

Psoriasis is a chronic autoimmune skin disease causing rapid skin cell turnover, leading to thick, scaly patches.

Symptoms

- Red scaly plaques
- Itching
- Dry cracked skin
- Joint pain (some cases)

Diagnosis

- Clinical examination
- Skin biopsy (rarely)

Commonly Used Medicines

- Calcipotriol
- Topical corticosteroids
- Methotrexate
- Cyclosporine

Prevention

Avoid skin injury

Manage stress

Avoid smoking and alcohol

Follow treatment regularly

Maintain skin hydration

How to Be During This Condition

- Follow long-term treatment plan
- Avoid triggers

What to Eat

- Anti-inflammatory foods
 - Fruits
 - Vegetables
 - Omega-3 rich foods
-

61. Fungal Infection

Description

Fungal infections are skin infections caused by fungi, commonly affecting moist areas like feet, groin, and skin folds.

Symptoms

- Itching
- Red circular patches
- Scaling
- Burning sensation

Diagnosis

- Clinical examination
- Skin scraping (KOH test)

Commonly Used Medicines

- Clotrimazole
- Ketoconazole
- Terbinafine
- Fluconazole (oral)

Prevention

Keep skin dry

Avoid sharing towels

Wear breathable clothing

Maintain hygiene

Complete treatment course

How to Be During This Condition

- Keep affected area clean and dry
- Avoid tight clothing

What to Eat

- Balanced diet
 - Low sugar foods
 - Adequate fluids
-

62. Dermatitis

Description

Dermatitis is inflammation of the skin due to irritation, allergy, or contact with harmful substances.

Symptoms

- Redness
- Itching
- Swelling
- Rash

Diagnosis

- Clinical examination
- Patch testing (allergic dermatitis)

Commonly Used Medicines

- Hydrocortisone cream
- Antihistamines
- Moisturizers

Prevention

Avoid irritants

Use protective gloves

Maintain skin moisture

Use mild products

Avoid scratching

How to Be During This Condition

- Identify and avoid triggers
- Follow skin care advice

What to Eat

- Healthy balanced diet
 - Fruits
 - Vegetables
 - Adequate water
-

63. Skin Allergy

Description

Skin allergy occurs when the immune system reacts to allergens such as foods, medicines, or environmental substances.

Symptoms

- Itching
- Red rashes
- Hives
- Swelling

Diagnosis

- Clinical evaluation
- Allergy testing

Commonly Used Medicines

- Cetirizine
- Loratadine
- Levocetirizine
- Topical corticosteroids

Prevention

Identify allergens

Avoid known triggers

Maintain hygiene

Wear protective clothing

Early treatment

How to Be During This Condition

- Avoid allergen exposure
- Do not scratch rashes

What to Eat

- Simple home-cooked foods
- Fruits
- Vegetables
- Adequate fluids

64. Conjunctivitis

Description

Conjunctivitis is inflammation of the conjunctiva (the thin membrane covering the white part of the eye), commonly caused by infection or allergy.

Symptoms

- Redness of eyes
- Itching or burning
- Watery or sticky discharge
- Gritty sensation
- Swelling of eyelids

Diagnosis

- Clinical eye examination
- Discharge analysis (if severe or recurrent)

Commonly Used Medicines

- Moxifloxacin eye drops
- Tobramycin eye drops
- Olopatadine eye drops (allergic)
- Lubricating eye drops

Prevention

Avoid touching or rubbing eyes

Maintain hand hygiene

Do not share towels or cosmetics

Avoid contact with infected persons

Use clean eye makeup

How to Be During This Condition

- Avoid contact lenses
- Keep eyes clean
- Rest eyes

What to Eat

- Vitamin A–rich foods
- Fruits
- Vegetables
- Adequate fluids

65. Cataract

Description

Cataract is clouding of the natural lens of the eye, leading to gradual and painless loss of vision, commonly related to aging.

Symptoms

- Blurred or cloudy vision
- Difficulty seeing at night
- Glare from lights
- Faded colors

Diagnosis

- Visual acuity test
- Slit-lamp examination
- Fundus examination

Commonly Used Medicines

- No curative medicines
- Lubricating eye drops (symptom relief)
- Surgical lens replacement (definitive treatment)

Prevention

Regular eye check-ups

Control diabetes

Wear UV-protective sunglasses

Avoid smoking

Balanced nutrition

How to Be During This Condition

- Avoid eye strain
- Use proper lighting

What to Eat

- Green leafy vegetables
 - Fruits
 - Antioxidant-rich foods
 - Adequate fluids
-

66. Glaucoma

Description

Glaucoma is a group of eye diseases causing increased eye pressure, leading to optic nerve damage and vision loss if untreated.

Symptoms

- Gradual loss of peripheral vision
- Eye pain (acute cases)
- Headache
- Halos around lights

Diagnosis

- Intraocular pressure measurement
- Visual field testing
- Optic nerve examination

Commonly Used Medicines

- Timolol eye drops
- Latanoprost eye drops
- Brimonidine eye drops
- Acetazolamide (oral, selected cases)

Prevention

Regular eye screening

Early diagnosis

Medication adherence

Avoid steroid misuse

Control eye pressure

How to Be During This Condition

- Use eye drops regularly
- Avoid missing follow-ups

What to Eat

- Leafy vegetables
 - Fruits
 - Omega-3 rich foods
 - Adequate hydration
-

67. Refractive Error

Description

Refractive error occurs when the eye cannot properly focus light on the retina, causing blurred vision (myopia, hypermetropia, astigmatism).

Symptoms

- Blurred vision
- Eye strain
- Headache
- Difficulty seeing far or near

Diagnosis

- Vision testing
- Refraction test
- Eye examination

Commonly Used Medicines

- No medicines required
- Corrective glasses
- Contact lenses
- Refractive surgery (LASIK – selected cases)

Prevention

Regular eye check-ups

Proper screen distance

Adequate lighting

Limit prolonged screen time

Eye exercises

How to Be During This Condition

- Use prescribed spectacles
- Follow eye-care practices

What to Eat

- Vitamin A–rich foods
- Fruits
- Vegetables
- Adequate fluids

68. Ear Infection

Description

Ear infection is inflammation or infection of the outer, middle, or inner ear, commonly caused by bacteria or viruses.

Symptoms

- Ear pain
- Fever
- Ear discharge
- Hearing difficulty
- Irritability (children)

Diagnosis

- Otoscopic ear examination
- Hearing assessment
- Ear swab (if discharge present)

Commonly Used Medicines

- Amoxicillin
- Azithromycin

- Ofloxacin ear drops
- Paracetamol

Prevention

Keep ears dry

Avoid inserting objects into ear

Treat cold and sinus infections early

Maintain ear hygiene

Avoid contaminated water

How to Be During This Condition

- Keep ear dry
- Avoid swimming
- Follow medication schedule

What to Eat

- Warm foods
 - Fruits
 - Plenty of fluids
 - Light meals
-

69. Tonsillitis

Description

Tonsillitis is inflammation of the tonsils, usually caused by viral or bacterial infection.

Symptoms

- Sore throat
- Difficulty swallowing
- Fever

- Swollen tonsils
- Bad breath

Diagnosis

- Throat examination
- Throat swab (if bacterial suspected)
- Blood tests (CBC)

Commonly Used Medicines

- Paracetamol
- Amoxicillin
- Azithromycin
- Warm saline gargles

Prevention

Hand hygiene

Avoid close contact with infected persons

Treat throat infections early

Maintain oral hygiene

Adequate rest

How to Be During This Condition

- Voice rest
- Avoid cold foods

What to Eat

- Warm soups
 - Soft foods
 - Rice
 - Plenty of fluids
-

70. Pharyngitis

Description

Pharyngitis is inflammation of the pharynx (throat), commonly caused by viral or bacterial infections.

Symptoms

- Sore throat
- Throat irritation
- Fever
- Cough
- Difficulty swallowing

Diagnosis

- Clinical throat examination
- Throat culture (if needed)

Commonly Used Medicines

- Paracetamol
- Amoxicillin (bacterial)
- Cetirizine
- Gargles

Prevention

Avoid smoking

Hand hygiene

Avoid cold exposure

Treat upper respiratory infections

Adequate hydration

How to Be During This Condition

- Voice rest
- Warm saline gargles

What to Eat

- Warm liquids
 - Soft foods
 - Fruits
 - Honey
-

71. Hearing Loss

Description

Hearing loss is partial or complete inability to hear sounds, which may be temporary or permanent.

Symptoms

- Difficulty hearing conversations
- Asking for repetition
- Ringing in ears
- Social withdrawal

Diagnosis

- Audiometry
- Tuning fork tests
- ENT examination

Commonly Used Medicines

- Steroids (sudden hearing loss)
- Vitamin supplements
- Treatment of underlying cause

Prevention

Avoid loud noise exposure

Use ear protection

Treat ear infections early

Regular hearing tests

Avoid ototoxic drugs

How to Be During This Condition

- Use hearing aids if advised
- Avoid loud environments

What to Eat

- Balanced diet
 - Fruits
 - Vegetables
 - Adequate hydration
-

72. Vertigo

Description

Vertigo is a sensation of spinning or dizziness, often caused by inner ear problems.

Symptoms

- Spinning sensation
- Nausea
- Vomiting
- Loss of balance
- Headache

Diagnosis

- Clinical examination
- Dix-Hallpike test
- MRI / CT scan (if needed)

Commonly Used Medicines

- Betahistine
- Meclizine
- Prochlorperazine

Prevention

Avoid sudden head movements

Adequate sleep

Stress management

Vestibular exercises

Follow ENT advice

How to Be During This Condition

- Sit or lie down during attacks
- Avoid sudden movements

What to Eat

- Light meals
- Fruits
- Adequate fluids
- Avoid excess salt

73. Kidney Stone

Description

Kidney stones are hard mineral deposits that form in the kidneys and can cause severe pain when they move through the urinary tract.

Symptoms

- Severe flank pain
- Pain radiating to groin
- Blood in urine
- Nausea or vomiting
- Frequent urination

Diagnosis

- Ultrasound abdomen
- CT scan (KUB)
- Urine analysis
- Blood tests (calcium, uric acid)

Commonly Used Medicines

- Diclofenac
- Paracetamol
- Tamsulosin
- Potassium citrate

Prevention

Drink plenty of water

Reduce salt intake

Avoid excess oxalate foods

Maintain healthy weight

Regular follow-up

How to Be During This Condition

- Adequate hydration
- Avoid strenuous activity during pain

What to Eat

- Plenty of water
- Fruits
- Vegetables
- Lemon water

74. Chronic Kidney Disease (CKD)

Description

Chronic kidney disease is a long-term condition where kidneys gradually lose their ability to filter waste from the blood.

Symptoms

- Fatigue
- Swelling of feet or face
- Reduced urine output
- Loss of appetite
- High blood pressure

Diagnosis

- Serum creatinine
- eGFR
- Urine albumin test
- Ultrasound kidneys

Commonly Used Medicines

- Amlodipine
- Losartan
- Furosemide
- Erythropoietin

Prevention

Control diabetes

Control blood pressure

Avoid painkiller overuse

Regular kidney tests

Follow renal diet

How to Be During This Condition

- Regular medical follow-up
- Avoid dehydration

What to Eat

- Low-salt diet
 - Controlled protein intake
 - Fruits (as advised)
 - Adequate fluids (as advised)
-

75. Urinary Tract Infection (UTI)

Description

Urinary tract infection is a bacterial infection affecting the bladder, urethra, or kidneys.

Symptoms

- Burning during urination
- Frequent urination
- Lower abdominal pain
- Cloudy or foul-smelling urine
- Fever (sometimes)

Diagnosis

- Urine routine examination
- Urine culture and sensitivity

Commonly Used Medicines

- Nitrofurantoin
- Ciprofloxacin
- Cefixime
- Paracetamol

Prevention

Drink plenty of water

Maintain personal hygiene

Do not hold urine

Urinate after intercourse

Complete antibiotics

How to Be During This Condition

- Adequate hydration
- Follow medication course strictly

What to Eat

- Water
 - Coconut water
 - Fruits
 - Light meals
-

76. Prostate Enlargement (Benign Prostatic Hyperplasia – BPH)

Description

Prostate enlargement is a non-cancerous increase in prostate size that commonly affects older men, causing urinary symptoms.

Symptoms

- Weak urine stream
- Difficulty starting urination
- Frequent night urination
- Incomplete bladder emptying

Diagnosis

- Digital rectal examination
- Ultrasound prostate
- PSA blood test
- Urine flow study

Commonly Used Medicines

- Tamsulosin
- Alfuzosin
- Finasteride
- Dutasteride

Prevention

Regular health check-ups

Limit evening fluid intake

Avoid alcohol at night

Maintain healthy weight

Follow urologist advice

How to Be During This Condition

- Avoid holding urine
- Follow medication regularly

What to Eat

- Fruits
- Vegetables
- High-fiber foods
- Adequate water

77. Polycystic Ovary Syndrome (PCOS)

Description

Polycystic Ovary Syndrome is a hormonal disorder affecting women of reproductive age, characterized by irregular periods, excess androgen levels, and polycystic ovaries.

Symptoms

- Irregular or absent periods
- Weight gain
- Excess facial/body hair
- Acne
- Infertility

Diagnosis

- Ultrasound pelvis
- Hormonal blood tests
- Blood sugar and lipid profile

Commonly Used Medicines

- Metformin
- Combined Oral Contraceptive Pills
- Clomiphene (fertility treatment)
- Spironolactone

Prevention

Maintain healthy weight

Regular exercise

Balanced diet

Control blood sugar

Regular gynecologist follow-up

How to Be During This Condition

- Follow lifestyle changes strictly
- Take medicines regularly

What to Eat

- Whole grains
 - Vegetables
 - Fruits
 - High-fiber foods
 - Adequate water
-

78. Menstrual Disorder

Description

Menstrual disorders include irregular, heavy, painful, or absent menstrual periods due to hormonal imbalance or underlying conditions.

Symptoms

- Irregular cycles
- Heavy bleeding
- Painful periods
- Missed periods
- Fatigue

Diagnosis

- Menstrual history
- Ultrasound pelvis
- Hormonal blood tests
- CBC

Commonly Used Medicines

- Oral contraceptive pills
- Tranexamic acid
- Mefenamic acid
- Progesterone

Prevention

Maintain healthy lifestyle

Manage stress

Balanced nutrition

Regular check-ups

Early treatment

How to Be During This Condition

- Track menstrual cycles
- Avoid excessive exertion

What to Eat

- Iron-rich foods
 - Fruits
 - Vegetables
 - Plenty of fluids
-

79. Anemia

Description

Anemia is a condition where there is a decrease in hemoglobin levels, leading to reduced oxygen supply to the body tissues.

Symptoms

- Fatigue
- Pale skin
- Dizziness
- Shortness of breath
- Weakness

Diagnosis

- Complete Blood Count (CBC)
- Iron studies
- Vitamin B12 and folate levels

Commonly Used Medicines

- Ferrous sulfate
- Ferrous fumarate
- Vitamin B12
- Folic acid

Prevention

Iron-rich diet

Regular deworming

Treat underlying causes

Regular blood tests

Nutrition awareness

How to Be During This Condition

- Avoid overexertion
- Take supplements regularly

What to Eat

- Green leafy vegetables
 - Dates
 - Jaggery
 - Eggs
 - Pulses
-

80. Vaginal Infection

Description

Vaginal infection is inflammation of the vagina caused by bacteria, fungi, or parasites, leading to discharge and discomfort.

Symptoms

- Abnormal vaginal discharge
- Itching
- Burning sensation
- Foul odor
- Pain during urination

Diagnosis

- Vaginal swab examination
- pH testing
- Microscopy

Commonly Used Medicines

- Metronidazole
- Clotrimazole
- Fluconazole

Prevention

Maintain genital hygiene

Avoid douching

Use cotton underwear

Practice safe sex

Complete treatment course

How to Be During This Condition

- Keep area clean and dry
- Avoid sexual intercourse until cured

What to Eat

- Probiotic foods (curd)
 - Fruits
 - Vegetables
 - Adequate fluids
-

81. Breast Lump

Description

A breast lump is a localized swelling in the breast, which may be benign or malignant and requires proper evaluation.

Symptoms

- Palpable lump
- Breast pain (sometimes)

- Nipple discharge
- Skin changes (rare)

Diagnosis

- Clinical breast examination
- Ultrasound breast
- Mammography
- Biopsy (if needed)

Commonly Used Medicines

- Pain relievers (Paracetamol)
- Hormonal therapy (if advised)
- Treatment depends on diagnosis

Prevention

Monthly breast self-examination

Regular screening

Maintain healthy weight

Avoid smoking

Early medical consultation

How to Be During This Condition

- Avoid panic
- Follow diagnostic advice promptly

What to Eat

- Balanced diet
- Fruits
- Vegetables
- Low-fat foods

82. Erectile Dysfunction

Description

Erectile dysfunction is the inability to achieve or maintain an erection sufficient for satisfactory sexual performance.

Symptoms

- Difficulty achieving erection
- Difficulty maintaining erection
- Reduced sexual desire
- Performance anxiety

Diagnosis

- Medical and sexual history
- Blood tests (sugar, testosterone)
- Psychological assessment

Commonly Used Medicines

- Sildenafil
- Tadalafil
- Vardenafil

Prevention

Maintain healthy lifestyle

Control diabetes and BP

Avoid smoking and alcohol

Manage stress

Regular exercise

How to Be During This Condition

- Open communication with partner
- Follow medical advice

What to Eat

- Fruits
 - Vegetables
 - Whole grains
 - Nuts
 - Adequate fluids
-

83. Prostatitis

Description

Prostatitis is inflammation of the prostate gland, often caused by bacterial infection or chronic pelvic pain syndrome.

Symptoms

- Pelvic or perineal pain
- Painful urination
- Frequent urination
- Pain during ejaculation
- Fever (acute cases)

Diagnosis

- Urine examination
- Prostate examination
- PSA test
- Ultrasound prostate

Commonly Used Medicines

- Ciprofloxacin
- Levofloxacin
- Alpha blockers (Tamsulosin)
- NSAIDs

Prevention

Adequate hydration

Avoid prolonged sitting

Safe sexual practices

Complete antibiotic course

Regular follow-up

How to Be During This Condition

- Avoid bicycling during pain
- Warm sitz baths

What to Eat

- Fruits
 - Vegetables
 - High-fiber foods
 - Adequate water
-

84. Benign Prostatic Hyperplasia (BPH)

Description

Benign prostatic hyperplasia is a non-cancerous enlargement of the prostate gland that causes urinary symptoms in aging men.

Symptoms

- Weak urine stream
- Difficulty starting urination
- Frequent night urination
- Incomplete bladder emptying

Diagnosis

- Digital rectal examination
- Ultrasound prostate
- PSA blood test
- Urine flow study

Commonly Used Medicines

- Tamsulosin
- Alfuzosin
- Finasteride
- Dutasteride

Prevention

Regular medical check-ups

Limit evening fluids

Avoid alcohol at night

Maintain healthy weight

Follow urologist advice

How to Be During This Condition

- Do not delay urination
- Follow medication schedule

What to Eat

- Fruits
- Vegetables
- Whole grains
- Adequate fluids

85. Dental Caries (Tooth Decay)

Description

Dental caries is the destruction of tooth enamel caused by bacteria producing acids from sugars in food.

Symptoms

- Tooth pain
- Sensitivity to hot or cold

- Visible holes or dark spots
- Bad breath

Diagnosis

- Dental examination
- Dental X-ray
- Visual inspection

Commonly Used Medicines

- Fluoride gel
- Analgesics (Paracetamol)
- Dental filling materials

Prevention

Brush twice daily

Use fluoride toothpaste

Limit sugary foods

Regular dental check-ups

Proper oral hygiene

How to Be During This Condition

- Avoid hard or sugary foods
- Visit dentist early

What to Eat

- Soft foods
- Fruits
- Vegetables
- Plenty of water

86. Gingivitis

Description

Gingivitis is inflammation of the gums caused by plaque accumulation around the teeth.

Symptoms

- Red swollen gums
- Bleeding gums
- Bad breath
- Gum tenderness

Diagnosis

- Clinical gum examination
- Dental probing

Commonly Used Medicines

- Chlorhexidine mouthwash
- Metronidazole (if infection)
- Analgesics

Prevention

Brush and floss daily

Regular dental cleaning

Avoid tobacco

Proper oral hygiene

Healthy diet

How to Be During This Condition

- Gentle brushing
- Regular mouth rinsing

What to Eat

- Soft foods
 - Fruits
 - Vegetables
 - Adequate fluids
-

87. Periodontitis

Description

Periodontitis is a severe gum infection that damages the soft tissue and bone supporting the teeth.

Symptoms

- Bleeding gums
- Loose teeth
- Gum recession
- Bad breath

Diagnosis

- Dental examination
- X-ray jaw
- Periodontal probing

Commonly Used Medicines

- Amoxicillin
- Metronidazole
- Chlorhexidine mouthwash

Prevention

Early treatment of gingivitis

Maintain oral hygiene

Regular dental visits

Avoid smoking

Proper brushing technique

How to Be During This Condition

- Follow dental treatment plan
- Avoid chewing on affected side

What to Eat

- Soft foods
 - Protein-rich foods
 - Fruits
 - Plenty of water
-

88. Tooth Sensitivity

Description

Tooth sensitivity is sharp pain triggered by hot, cold, sweet, or acidic foods due to exposed dentin.

Symptoms

- Sharp tooth pain
- Sensitivity to temperature
- Discomfort while brushing

Diagnosis

- Dental examination
- Sensitivity tests

Commonly Used Medicines

- Desensitizing toothpaste
- Fluoride varnish
- Potassium nitrate gel

Prevention

Use soft-bristle brush

Avoid acidic foods

Use sensitivity toothpaste

Maintain oral hygiene

Regular dental check-ups

How to Be During This Condition

- Avoid extreme temperatures
- Brush gently

What to Eat

- Lukewarm foods
 - Soft foods
 - Non-acidic fruits
-

89. Tooth Abscess

Description

A tooth abscess is a collection of pus caused by bacterial infection inside the tooth or gums.

Symptoms

- Severe tooth pain
- Swelling of face or gums
- Fever
- Pus discharge

Diagnosis

- Dental examination
- X-ray
- Clinical symptoms

Commonly Used Medicines

- Amoxicillin-Clavulanate
- Metronidazole
- Paracetamol

Prevention

Treat cavities early

Maintain oral hygiene

Regular dental visits

Avoid delaying tooth pain

Healthy diet

How to Be During This Condition

- Seek immediate dental care
- Avoid chewing on affected side

What to Eat

- Soft foods
- Warm soups
- Plenty of fluids

90. Oral Ulcer (Mouth Ulcer)

Description

Oral ulcers are painful sores inside the mouth caused by stress, injury, infection, or nutritional deficiency.

Symptoms

- Painful mouth sores
- Burning sensation
- Difficulty eating

Diagnosis

- Clinical examination
- Blood tests (if recurrent)

Commonly Used Medicines

- Benzocaine gel
- Choline salicylate gel
- Vitamin B-complex

Prevention

Avoid spicy foods

Manage stress

Maintain oral hygiene

Avoid mouth injury

Balanced diet

How to Be During This Condition

- Avoid irritant foods
- Maintain mouth cleanliness

What to Eat

- Soft foods
- Curd
- Fruits
- Adequate fluids

91. Wisdom Tooth Infection (Pericoronitis)

Description

Pericoronitis is infection and inflammation of gum tissue around a partially erupted wisdom tooth.

Symptoms

- Pain at back of jaw
- Swelling
- Difficulty opening mouth
- Bad breath

Diagnosis

- Dental examination
- OPG X-ray

Commonly Used Medicines

- Amoxicillin
- Metronidazole
- Chlorhexidine mouthwash

Prevention

Maintain oral hygiene

Regular dental check-ups

Early removal if advised

Avoid food lodgment

Proper brushing

How to Be During This Condition

- Avoid chewing hard foods
- Follow dentist advice

What to Eat

- Soft foods
- Warm soups
- Plenty of fluids

