# 1)CRUD OPERATION ON MYSQL

mysql> create database student;
Query OK, 1 row affected (0.01 sec)
mysql> use student;
Database changed
mysql> create table mark(Regno int primary key,Name varchar(20) NOT NULL,Major int NOT
NULL, Allied int NOT NULL, Language int NOT NULL);
Query OK, 0 rows affected (0.01 sec)
mysql> desc mark;
++
Field   Type   Null   Key   Default   Extra
++
Regno   int(11)   NO   PRI   NULL
Name   varchar(20)   NO   NULL
Major   int(11)   NO     NULL
Allied   int(11)   NO     NULL
Language   int(11)   NO   NULL
++
5 rows in set (0.00 sec)
mysql> alter table mark add Percentage float NOT NULL;
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0
1. 1
mysql> insert into mark values(101,'Raja',84,69,45,72);
Query OK, 1 row affected (0.01 sec)

```
mysql> insert into mark values(102, 'vimal', 54,65,48,68);
Query OK, 1 row affected (0.00 sec)
mysql> insert into mark values(103, 'Viswa', 56, 41, 74, 64);
Query OK, 1 row affected (0.00 sec)
mysql> insert into mark values(104, 'Sanjay', 48,81,44,74);
Query OK, 1 row affected (0.00 sec)
mysql> select * from mark;
+-----+
| Regno | Name | Major | Allied | Language | Percentage |
+-----+
| 101 | Raja | 84 | 69 | 45 | 72 |
| 102 | vimal | 54 | 65 | 48 | 68 |
| 103 | Viswa | 56 | 41 | 74 | 64 |
| 104 | Sanjay | 48 | 81 | 44 |
                             74 |
+-----+
4 rows in set (0.00 \text{ sec})
mysql> select * from mark;
+-----+
| Regno | Name | Major | Allied | Language | Percentage |
+-----+
| 101 | Raja | 84 | 69 | 45 | 72 |
| 102 | vimal | 54 | 65 | 48 | 68 |
| 103 | Viswa | 56 | 41 | 74 | 64 |
| 104 | Sanjay | 48 | 81 | 44 |
                            74 |
+-----+
```

4 rows

## mysql> delete from mark where Major<=50

Query OK, 1 row affected (0.01 sec)

## mysql> select \* from mark;

+-----+

| Regno | Name | Major | Allied | Language | Percentage |

+-----+

| 101 | Raja | 84 | 69 | 45 | 72 |

| 102 | vimal | 54 | 65 | 48 | 68 |

| 103 | Viswa | 56 | 41 | 74 | 64 |

+----+

3 rows in set (0.00 sec)

# mysql> truncate table mark;

Query OK, 0 rows affected (0.00 sec)

## mysql> select \* from mark;

Empty set (0.00 sec)

## mysql> drop table mark;

Query OK, 0 rows affected (0.00 sec)

## mysql> select \* from mark;

ERROR 1146 (42S02): Table 'v1084.mark' doesn't exist

mysql> update mark set total=tamil+english+physics+dbms;

Query OK, 4 rows affected (0.00 sec)

Rows matched: 4 Changed: 4 Warnings: 0