lineeditor.c

Public

Pin Watch 0 Fork 0 Star 0

main 1 Branch 0 Tags Go to file T Add file Code

ujjwal200612-sketch Initial commit 4366dfd · 18 minutes ago 1 Commit

HELP.md	Initial commit	18 minutes ago
README.md	Initial commit	18 minutes ago
editor.c	Initial commit	18 minutes ago
editor.exe	Initial commit	18 minutes ago

README

Simple Line Editor in C

About the Project

This project is a simple command-line Line Editor developed using the C programming language.

About

No description, website, or topics provided.

Readme
Activity
0 stars
0 watching
0 forks

Releases

No releases published
Create a new release

Packages

No packages published
Publish your first package

Contributors 1

ujjwal200612-sketch UJJWAL GD

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

lineeditor.c
- .dist
- editor.c
- editor.exe
- HELP.md
- README.md

Outline

Timeline

editor.c | README.md | HELP.md

HELP.md

Markdown Editor

What it does

Loads a text file into the editor.

How to use

1. Select option `5`.
2. Enter the name of the file.

Example

Enter filename to load:

Problems Output Debug Console **Terminal** Ports

```
$ git push origin main
remote: Permission to ujjwal200612-sketch/lineeditor.c.git denied to ujjwalgd200612-sudo.
Ujjwal Victus@UJJWALSVICTUSLAPTOP-18QGS759 MINGW64 ~/Desktop/CSIT 'C' 3rd SEM/portfolia activities/lineeditor.c (main)
$ git push origin main
Ujjwal Victus@UJJWALSVICTUSLAPTOP-18QGS759 MINGW64 ~/Desktop/CSIT 'C' 3rd SEM/portfolia activities/lineeditor.c (main)
$ git push origin main
info: please complete authentication in your browser...
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 23.12 KiB | 1.36 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ujjwal200612-sketch/lineeditor.c
 * [new branch]      main -> main

Ujjwal Victus@UJJWALSVICTUSLAPTOP-18QGS759 MINGW64 ~/Desktop/CSIT 'C' 3rd SEM/portfolia activities/lineeditor.c (main)
$
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

HELP.md

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share

24°C Partly sunny

ENG IN 82% 10.08.18 AM 04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

- lineeditor.c
  - .dist
  - editor.c
  - editor.exe
  - HELP.md
  - README.md

Outline

Timeline

editor.c | README.md | HELP.md

editor.c > clearInputBuffer()

```
29  void clearInputBuffer()
33      while ((ch = getchar()) != '\n' && ch != EOF)
34      {       You, 20 minutes ago • Initial commit
35      }
36  }
37
38
39  /* INSERT LINE */
40  void insertLine()
41  {
42      int lineNumber;
43      int i;
44      char text[MAX_LENGTH];
45
46      if (lineCount >= MAX_LINES)
47      {
48          printf("\nDocument is full!\n");
49          return;
50      }
51
52      printf("\nEnter line number (1 to %d): ", lineCount + 1);
53
54      if (scanf("%d", &lineNumber) != 1)
55      {
56          printf("Invalid input!\n");
57          clearInputBuffer();
58          return;
59      }
60
61      clearInputBuffer();
62
63      if (lineNumber < 1 || lineNumber > lineCount + 1)
64      {
65          printf("Invalid line number!\n");
66          return;
67      }
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (20 minutes ago) Ln 34, Col 6 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 81% 10.09.18 AM 04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

lineeditor.c
- .dist
- editor.c
- editor.exe
- HELP.md
- README.md

Outline

Timeline

editor.c | README.md | HELP.md

editor.c > clearInputBuffer()

```c
void deleteLine()
{
    lineCount--;

    printf("Line deleted successfully!\n");
}


/* DISPLAY DOCUMENT */
void displayDocument()
{
    int i;

    if (lineCount == 0)
    {
        printf("\nDocument is empty.\n");
        return;
    }

    printf("\n========== DOCUMENT ==========\n");

    for (i = 0; i < lineCount; i++)
    {
        printf("%d. %s\n", i + 1, document[i]);
    }

    printf("==============================\n");
}


/* SAVE FILE */
void saveFile()
{
    FILE *file;
    char filename[100];
    int i;
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (20 minutes ago) Ln 34, Col 6 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 81% 10.09.35 AM 04-09-2026

Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md

editor.c README.md HELP.md

editor.c > clearInputBuffer()

```
226  void searchText()
267
268
269  /* FIND AND REPLACE */
270  void replaceText()
271  {
272      int lineNumber;
273      char oldText[MAX_LENGTH];
274      char newText[MAX_LENGTH];
275      char temp[MAX_LENGTH * 2];
276      char *position;
277      int beforeLength;
278
279      if (lineCount == 0)
280      {
281          printf("\nDocument is empty!\n");
282          return;
283      }
284
285      printf("\nEnter line number: ");
286
287      if (scanf("%d", &lineNumber) != 1)
288      {
289          printf("Invalid input!\n");
290          clearInputBuffer();
291          return;
292      }
293
294      clearInputBuffer();
295
296      if (lineNumber < 1 || lineNumber > lineCount)
297      {
298          printf("Invalid line number!\n");
299          return;
300      }
301
302      printf("Enter text to find: ");
```

Outline
Timeline

Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c
Describe what to build
Lo... Default permissi...

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

lineeditor.c
- .dist
- editor.c
- editor.exe
- HELP.md
- README.md

Outline

Timeline

editor.c | README.md | HELP.md

editor.c > clearInputBuffer()

```c
void replaceText()
{
    printf("Enter text to find: ");
    fgets(oldText, MAX_LENGTH, stdin);
    oldText[strcspn(oldText, "\n")] = '\0';

    printf("Enter replacement text: ");
    fgets(newText, MAX_LENGTH, stdin);
    newText[strcspn(newText, "\n")] = '\0';

    if (strlen(oldText) == 0)
    {
        printf("Find text cannot be empty!\n");
        return;
    }

    position = strstr(document[lineNumber - 1], oldText);

    if (position == NULL)
    {
        printf("Text not found in that line!\n");
        return;
    }

    beforeLength = position - document[lineNumber - 1];

    strncpy(temp, document[lineNumber - 1], beforeLength);
    temp[beforeLength] = '\0';

    strcat(temp, newText);
    strcat(temp, position + strlen(oldText));

    if (strlen(temp) >= MAX_LENGTH)
    {
        printf("Replacement makes line too long!\n");
        return;
    }
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (20 minutes ago) Ln 34, Col 6 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 80% 10.10.00 AM 04-09-2026

Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md

editor.c README.md HELP.md

editor.c > clearInputBuffer()

```
270 void replaceText()
332     if (strlen(temp) >= MAX_LENGTH)
336     }
337
338     strcpy(document[lineNumber - 1], temp);
339
340     printf("Text replaced successfully!\n");
341 }
342
343
344 /* UNDO LAST ACTION */
345 void undoLastAction()
346 {
347     int i;
348
349     if (lastAction == 0)
350     {
351         printf("\nNothing to undo!\n");
352         return;
353     }
354
355     /* Undo insert */
356     if (lastAction == 1)
357     {
358         for (i = lastPosition; i < lineCount - 1; i++)
359         {
360             strcpy(document[i], document[i + 1]);
361         }
362
363         lineCount--;
364
365         printf("Last insert undone successfully!\n");
366     }
367
368     /* Undo delete */
369     else if (lastAction == 2)
```

Outline
Timeline

Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.


Ran `git push -u origin main`


The push failed again with GitHub error `403`:


`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.


Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c
Describe what to build
Lo... Default permissi...


File Edit Selection View Go Run Terminal Help
lineeditor.c
Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md
editor.c
README.md
HELP.md
editor.c > clearInputBuffer()
void deleteLine()
if (lineCount == 0)
{
printf("\nDocument is empty. Nothing to delete!\n");
return;
}
printf("\nEnter line number to delete (1 to %d): ", lineCount);
if (scanf("%d", &lineNumber) != 1)
{
printf("Invalid input!\n");
clearInputBuffer();
return;
}
clearInputBuffer();
if (lineNumber < 1 || lineNumber > lineCount)
{
printf("Invalid line number!\n");
return;
}
/* Save deleted line for undo */
strcpy(lastDeletedLine, document[lineNumber - 1]);
lastAction = 2;
lastPosition = lineNumber - 1;
/* Shift lines up */
for (i = lineNumber - 1; i < lineCount - 1; i++)
{
strcpy(document[i], document[i + 1]);
}
lineCount--;
Outline
Timeline
Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2
git push -u origin main
I'm running the requested push from the project directory now and will report the GitHub result directly.
Ran git push -u origin main
The push failed again with GitHub error 403 :
ujwalgd200612-sudo does not have permission to push to ujjwal200612-sketch/lineeditor.c .
Authenticate with the repository owner account or grant this account write access, then run the same command again.
editor.c
Describe what to build
Lo...
Default permissi...
main
0 0
Connect
Live Share
You, 19 minutes ago
UJJWAL GD (20 minutes ago)
Ln 34, Col 6
Spaces: 4
UTF-8
CRLF
C
Win32
Prettier
24°C
Partly sunny
ENG
IN
81%
10.09.30 AM
04-09-2026


File Edit Selection View Go Run Terminal Help
lineeditor.c
Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md
editor.c
README.md
HELP.md
editor.c > clearInputBuffer()
345 void undoLastAction()
368 /* Undo delete */
369 else if (lastAction == 2)
370 {
371 if (lineCount >= MAX_LINES)
372 {
373 printf("Cannot undo. Document is full!\n");
374 return;
375 }
376
377 for (i = lineCount; i > lastPosition; i--)
378 {
379 strcpy(document[i], document[i - 1]);
380 }
381
382 strcpy(document[lastPosition], lastDeletedLine);
383
384 lineCount++;
385
386 printf("Last delete undone successfully!\n");
387 }
388
389 lastAction = 0;
390 }
391
392
393 /* HELP */
394 void showHelp()
395 {
396 printf("\n========== HELP ==========\n");
397
398 printf("1. Insert Line\n");
399 printf(" Insert text at a specific line number.\n\n");
400
401 printf("2. Delete Line\n");
402 printf(" Delete a line using its line number.\n\n");
Outline
Timeline
Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2
git push -u origin main
I'm running the requested push from the project directory now and will report the GitHub result directly.
Ran git push -u origin main
The push failed again with GitHub error 403 :
ujwalgd200612-sudo does not have permission to push to ujjwal200612-sketch/lineeditor.c .
Authenticate with the repository owner account or grant this account write access, then run the same command again.
editor.c
Describe what to build
Lo...
Default permissi...
main
0 0
Connect
Live Share
You, 19 minutes ago
UJJWAL GD (20 minutes ago)
Ln 34, Col 6
Spaces: 4
UTF-8
CRLF
C
Win32
Prettier
24°C
Partly sunny
ENG
IN
80%
10.10.10 AM
04-09-2026


File Edit Selection View Go Run Terminal Help
lineeditor.c
Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md
editor.c
README.md
HELP.md
editor.c > clearInputBuffer()
void showHelp()
{
printf("\n========== HELP ==========\n");
printf("1. Insert Line\n");
printf(" Insert text at a specific line number.\n\n");
printf("2. Delete Line\n");
printf(" Delete a line using its line number.\n\n");
printf("3. Display Document\n");
printf(" Display all lines with line numbers.\n\n");
printf("4. Save File\n");
printf(" Save the document to a text file.\n\n");
printf("5. Load File\n");
printf(" Load a text file into the editor.\n\n");
printf("6. Search Text\n");
printf(" Search for a word or phrase.\n\n");
printf("7. Find and Replace\n");
printf(" Replace text on a selected line.\n\n");
printf("8. Undo Last Action\n");
printf(" Undo the most recent insert or delete.\n\n");
printf("9. Help\n");
printf(" Display this help menu.\n\n");
printf("0. Exit\n");
printf("========================\n");
}
Outline
Timeline
Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2
git push -u origin main
I'm running the requested push from the project directory now and will report the GitHub result directly.
Ran git push -u origin main
The push failed again with GitHub error 403 :
ujwalgd200612-sudo does not have permission to push to ujjwal200612-sketch/lineeditor.c .
Authenticate with the repository owner account or grant this account write access, then run the same command again.
editor.c
Describe what to build
Lo...
Default permissi...
main
0 0
Connect
Live Share
You, 19 minutes ago
UJJWAL GD (20 minutes ago)
Ln 34, Col 6
Spaces: 4
UTF-8
CRLF
C
Win32
Prettier
24°C
Partly sunny
ENG
IN
80%
10.10.15 AM
04-09-2026


File Edit Selection View Go Run Terminal Help
lineeditor.c
Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md
editor.c
README.md
HELP.md
editor.c > clearInputBuffer()
clearInputBuffer();
switch (choice)
{
case 1:
insertLine();
break;
case 2:
deleteLine();
break;
case 3:
displayDocument();
break;
case 4:
saveFile();
break;
case 5:
loadFile();
break;
case 6:
searchText();
break;
case 7:
replaceText();
break;
case 8:
undoLastAction();
break;
Outline
Timeline
Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2
git push -u origin main
I'm running the requested push from the project directory now and will report the GitHub result directly.
Ran git push -u origin main
The push failed again with GitHub error 403 :
ujwalgd200612-sudo does not have permission to push to ujjwal200612-sketch/lineeditor.c .
Authenticate with the repository owner account or grant this account write access, then run the same command again.
editor.c
Describe what to build
Lo...
Default permissi...
main
0 0
Connect
Live Share
You, 19 minutes ago
UJJWAL GD (20 minutes ago)
Ln 34, Col 6
Spaces: 4
UTF-8
CRLF
C
Win32
Prettier
24°C
Partly sunny
ENG
IN
80%
10.10.26 AM
04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

lineeditor.c

.dist

editor.c

editor.exe

HELP.md

README.md

editor.c README.md HELP.md

editor.c > clearInputBuffer()

```
493                 break;
494
495             case 8:
496                 undoLastAction();
497                 break;
498
499             case 9:
500                 showHelp();
501                 break;
502
503             case 0:
504                 printf("\nThank you for using Simple Line Editor!\n");
505                 break;
506
507             default:
508                 printf("\nInvalid choice! Please try again.\n");
509         }
510
511     } while (choice != 0);
512
513     return 0;
514 }
```

Outline

Timeline

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (20 minutes ago) Ln 34, Col 6 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 80% 10.10.30 AM 04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Update

Explorer

line...

.dist

editor.c

editor.exe M

HELP.md

notes.txt U

README.md

editor.c editor.exe M README.md HELP.md

editor.c > main()

```
505                 break;
506
507             default:
508                 printf("\nInvalid choice! Please try again.\n");
509             }
510
511     } while (choice != 0);
512
513     return 0;
514 }       You, 25 minutes ago • Initial commit
```

Problems Output Debug Console Terminal Ports

```
PS C:\Users\Ujjwal Victus\Desktop\CSIT 'C' 3rd SEM\portfolia activities\lineeditor.c> cd "c:\Users\Ujjwal Victus\Desktop\CSIT 'C' 3rd SEM\portfolia activities\lineeditor.c\" ; if ($?) { gcc editor.c -o editor } ; if ($?) { .\editor }
==================================
      SIMPLE LINE EDITOR IN C
==================================

---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit
```

Code

1 Hidden Terminal

Outline

Timeline

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main* 0 0 Connect Live Share You, 25 minutes ago UJJWAL GD (25 minutes ago) Ln 514, Col 2 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 76% 10.14.43 AM 04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Update

Explorer

line...

.dist

editor.c

editor.exe M

HELP.md

notes.txt U

README.md

Outline

Timeline

Problems Output Debug Console Terminal Ports

```
PS C:\Users\Ujjwal Victus\Desktop\CSIT 'C' 3rd SEM\portfolia activities\lineeditor.c> cd "c:\Users\Ujjwal Victus\Desktop\CSIT 'C' 3rd SEM\portfolia activities\lineeditor.c\" ; if ($?) { gcc editor.c -o editor } ; if ($?) { .\editor }
==================================
       SIMPLE LINE EDITOR IN C
==================================

---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit

Enter your choice: 1

Enter line number (1 to 1): 1
Enter text: Hello
Line inserted successfully!

---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit

Enter your choice: 1
```

Code

1 Hidden Terminal

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main* 0 0 Connect Live Share You, 25 minutes ago UJJWAL GD (25 minutes ago) Ln 514, Col 2 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 76% 10.15.02 AM 04-09-2026

Explorer
line...
.dist
editor.c
editor.exe M
HELP.md
notes.txt U
README.md
Outline
Timeline


```
Enter your choice: 1

Enter line number (1 to 2): 2
Enter text: Welcome
Line inserted successfully!

---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit

Enter your choice: 1

Enter line number (1 to 3): 3
Enter text: Beautiful
Line inserted successfully!

---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit

Enter your choice: 3
```

Code
1 Hidden Terminal

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c
Describe what to build
Lo... Default permissi...

24°C Partly sunny
ENG IN 76% 10.15.06 AM 04-09-2026

Explorer
line...
.dist
editor.c
editor.exe M
HELP.md
notes.txt U
README.md
Outline
Timeline


```
9. Help
0. Exit

Enter your choice: 3

========== DOCUMENT ==========
1. Hello
2. Welcome
3. Beautiful
==============================

----------- MENU -----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit

Enter your choice: 2

Enter line number to delete (1 to 3): 2
Line deleted successfully!

----------- MENU -----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
```

Code
1 Hidden Terminal

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`


The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c
Describe what to build
Lo... Default permissi...

24°C Partly sunny
ENG IN 76% 10.15.10 AM 04-09-2026


File Edit Selection View Go Run Terminal Help
lineeditor.c
Update
Explorer
line...
.dist
editor.c
editor.exe M
HELP.md
notes.txt U
README.md
Problems Output Debug Console Terminal Ports
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit
Enter your choice: 4
Enter filename to save: notes.txt
Document saved successfully to notes.txt!
---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit
Enter your choice:
Code
1 Hidden Terminal
Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2
git push -u origin main
I'm running the requested push from the project directory now and will report the GitHub result directly.
Ran git push -u origin main
The push failed again with GitHub error 403 :
ujwalgd200612-sudo does not have permission to push to ujjwal200612-sketch/lineeditor.c .
Authenticate with the repository owner account or grant this account write access, then run the same command again.
editor.c
Describe what to build
Outline
Timeline
main*
0 0
Connect
Live Share
You, 25 minutes ago
UJJWAL GD (25 minutes ago)
Ln 514, Col 2
Spaces: 4
UTF-8
CRLF
C
Win32
Prettier
24°C
Partly sunny
ENG
IN
75%
10.15.18 AM
04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

lineeditor.c
- .dist
- editor.c
- editor.exe
- HELP.md
- README.md

Outline

Timeline

editor.c | README.md | HELP.md

editor.c > clearInputBuffer()

```
394  void showHelp()
429
430
431  /* MAIN FUNCTION */
432  int main()
433  {
434      int choice;
435
436      printf("=====================================\n");
437      printf("       SIMPLE LINE EDITOR IN C\n");
438      printf("=====================================\n");
439
440      do
441      {
442          printf("\n---------- MENU ----------\n");
443          printf("1. Insert Line\n");
444          printf("2. Delete Line\n");
445          printf("3. Display Document\n");
446          printf("4. Save File\n");
447          printf("5. Load File\n");
448          printf("6. Search Text\n");
449          printf("7. Find and Replace\n");
450          printf("8. Undo Last Action\n");
451          printf("9. Help\n");
452          printf("0. Exit\n");
453
454          printf("\nEnter your choice: ");
455
456          if (scanf("%d", &choice) != 1)
457          {
458              printf("Invalid input! Please enter a number.\n");
459              clearInputBuffer();
460              continue;
461          }
462
463          clearInputBuffer();
464
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (20 minutes ago) Ln 34, Col 6 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 80% 10.10.20 AM 04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Update

Explorer

line...

.dist

editor.c

editor.exe M

HELP.md

notes.txt U

README.md

Problems Output Debug Console Terminal Ports

```
Enter line number to delete (1 to 3): 2
Line deleted successfully!

----------- MENU -----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit

Enter your choice: 3

========== DOCUMENT ==========
1. Hello
2. Beautiful
==============================

----------- MENU -----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit

Enter your choice: 4
```

Code

1 Hidden Terminal

Outline

Timeline

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c


Describe what to build

Lo... Default permissi...

main* 0 0 Connect Live Share You, 25 minutes ago UJJWAL GD (25 minutes ago) Ln 514, Col 2 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 75% 10.15.14 AM 04-09-2026


File Edit Selection View Go Run Terminal Help
lineeditor.c
Update
Explorer
lineeditor.c
.dist
editor.c
editor.exe M
HELP.md
notes.txt U
README.md
Problems Output Debug Console Terminal Ports
Enter your choice: 4
Enter filename to save: notes.txt
Document saved successfully to notes.txt!
---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit
Enter your choice: exit
Invalid input! Please enter a number.
---------- MENU ----------
1. Insert Line
2. Delete Line
3. Display Document
4. Save File
5. Load File
6. Search Text
7. Find and Replace
8. Undo Last Action
9. Help
0. Exit
Enter your choice: 0
Thank you for using Simple Line Editor!
PS C:\Users\Ujjwal Victus\Desktop\CSIT 'C' 3rd SEM\portfolia activities\lineeditor.c>
Code
1 Hidden Terminal
Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2
git push -u origin main
I'm running the requested push from the project directory now and will report the GitHub result directly.
Ran git push -u origin main
The push failed again with GitHub error 403 :
ujwalgd200612-sudo does not have permission to push to ujjwal200612-sketch/lineeditor.c .
Authenticate with the repository owner account or grant this account write access, then run the same command again.
editor.c
Describe what to build
Outline
Timeline
main*
Connect
Live Share
You, 25 minutes ago
UJJWAL GD (25 minutes ago)
Ln 514, Col 2
Spaces: 4
UTF-8
CRLF
C
Win32
Prettier
24°C
Partly sunny
ENG
IN
75%
10.15.33 AM
04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

line...

- .dist
- editor.c
- editor.exe
- HELP.md
- README.md

editor.c | README.md | HELP.md

HELP.md

Markdown Editor

What it does

Loads a text file into the editor.

How to use

1. Select option `5`.
2. Enter the name of the file.

Example

Enter filename to load:

Problems Output Debug Console Terminal Ports

```
Ujjwal Victus@UJJWALSVICTUSLAPTOP-18QGS759 MINGW64 ~/Desktop/CSIT 'C' 3rd SEM/portfolia activities/lineeditor.c (main)
$ [200~git remote set-url origin https://github.com/ujjwal200612-sketch/lineeditor.c
bash: [200~git: command not found

Ujjwal Victus@UJJWALSVICTUSLAPTOP-18QGS759 MINGW64 ~/Desktop/CSIT 'C' 3rd SEM/portfolia activities/lineeditor.c (main)
$ git remote set-url origin https://github.com/ujjwal200612-sketch/lineeditor.c

Ujjwal Victus@UJJWALSVICTUSLAPTOP-18QGS759 MINGW64 ~/Desktop/CSIT 'C' 3rd SEM/portfolia activities/lineeditor.c (main)
$ git remote -v
origin  https://github.com/ujjwal200612-sketch/lineeditor.c (fetch)
origin  https://github.com/ujjwal200612-sketch/lineeditor.c (push)

Ujjwal Victus@UJJWALSVICTUSLAPTOP-18QGS759 MINGW64 ~/Desktop/CSIT 'C' 3rd SEM/portfolia activities/lineeditor.c (main)
$ git push origin main
remote: Permission to ujjwal200612-sketch/lineeditor.c.git denied to ujjwalgd200612-sudo.
fatal: unable to access 'https://github.com/ujjwal200612-sketch/lineeditor.c/': The requested URL returned error: 403
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

HELP.md

Describe what to build

Lo... Default permissi...

Outline

Timeline

main 0 0 Connect Live Share

24°C Partly sunny

ENG IN 82% 10.08.34 AM 04-09-2026

Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md
Outline
Timeline

editor.c README.md HELP.md

editor.c > clearInputBuffer()

```
40  void insertLine()
63      if (lineNumber < 1 || lineNumber > lineCount + 1)
68
69      printf("Enter text: ");
70      fgets(text, MAX_LENGTH, stdin);
71
72      text[strcspn(text, "\n")] = '\0';
73
74      /* Shift lines down */
75      for (i = lineCount; i >= lineNumber; i--)
76      {
77          strcpy(document[i], document[i - 1]);
78      }
79
80      strcpy(document[lineNumber - 1], text);
81
82      lineCount++;
83
84      /* Save for undo */
85      lastAction = 1;
86      lastPosition = lineNumber - 1;
87
88      printf("Line inserted successfully!\n");
89  }
90
91
92  /* DELETE LINE */
93  void deleteLine()
94  {
95      int lineNumber;
96      int i;
97
98      if (lineCount == 0)
99      {
100         printf("\nDocument is empty. Nothing to delete!\n");
101         return;
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

24°C Partly sunny
ENG IN 81% 10.09.24 AM 04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

lineeditor.c
- .dist
- editor.c
- editor.exe
- HELP.md
- README.md

Outline

Timeline

editor.c README.md HELP.md

editor.c > insertLine()

You, 19 minutes ago | 1 author (You)

```c
#include <stdio.h>
#include <string.h>
#include <stdlib.h>

#define MAX_LINES 100
#define MAX_LENGTH 256

char document[MAX_LINES][MAX_LENGTH];
int lineCount = 0;

/* Undo variables */
int lastAction = 0;      /* 1 = insert, 2 = delete */
int lastPosition = -1;
char lastDeletedLine[MAX_LENGTH];

/* Function declarations */
void clearInputBuffer();
void insertLine();
void deleteLine();
void displayDocument();
void saveFile();
void loadFile();
void searchText();
void replaceText();
void undoLastAction();
void showHelp();


void clearInputBuffer()
{
    int ch;

    while ((ch = getchar()) != '\n' && ch != EOF)
    {
    }
}
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (19 minutes ago) Ln 48, Col 41 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 82% 10.08.51 AM 04-09-2026

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

lineeditor.c
- .dist
- editor.c
- editor.exe
- HELP.md
- README.md

Outline

Timeline

editor.c | README.md | HELP.md

editor.c > clearInputBuffer()

```
226  void searchText()
232      if (lineCount == 0)
233      {
234          printf("\nDocument is empty!\n");
235          return;
236      }
237
238      printf("\nEnter word or phrase to search: ");
239      fgets(search, MAX_LENGTH, stdin);
240
241      search[strcspn(search, "\n")] = '\0';
242
243      if (strlen(search) == 0)
244      {
245          printf("Search text cannot be empty!\n");
246          return;
247      }
248
249      printf("\nFound in line(s): ");
250
251      for (i = 0; i < lineCount; i++)
252      {
253          if (strstr(document[i], search) != NULL)
254          {
255              printf("%d ", i + 1);
256              found = 1;
257          }
258      }
259
260      if (!found)
261      {
262          printf("No matches found.");
263      }
264
265      printf("\n");
266  }
267
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (20 minutes ago) Ln 34, Col 6 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 81% 10.09.52 AM 04-09-2026

Explorer
lineeditor.c
.dist
editor.c
editor.exe
HELP.md
README.md

editor.c README.md HELP.md

editor.c > clearInputBuffer()

```
161 void saveFile()
165     int i;
166
167     printf("\nEnter filename to save: ");
168     scanf("%99s", filename);
169     clearInputBuffer();
170
171     file = fopen(filename, "w");
172
173     if (file == NULL)
174     {
175         printf("Error opening file!\n");
176         return;
177     }
178
179     for (i = 0; i < lineCount; i++)
180     {
181         fprintf(file, "%s\n", document[i]);
182     }
183
184     fclose(file);
185
186     printf("Document saved successfully to %s!\n", filename);
187 }
188
189
190 /* LOAD FILE */
191 void loadFile()
192 {
193     FILE *file;
194     char filename[100];
195
196     printf("\nEnter filename to load: ");
197     scanf("%99s", filename);
198     clearInputBuffer();
199
```

Outline
Timeline

Chat
Push files to GitHub repo
http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c
Describe what to build
Lo... Default permissi...

File Edit Selection View Go Run Terminal Help

lineeditor.c

Explorer

- lineeditor.c
  - .dist
  - editor.c
  - editor.exe
  - HELP.md
  - README.md

Outline

Timeline

editor.c | README.md | HELP.md

editor.c > clearInputBuffer()

```
191  void loadFile()
200      file = fopen(filename, "r");
201
202      if (file == NULL)
203      {
204          printf("File not found or could not be opened!\n");
205          return;
206      }
207
208      lineCount = 0;
209
210      while (lineCount < MAX_LINES &&
211             fgets(document[lineCount], MAX_LENGTH, file) != NULL)
212      {
213          document[lineCount][strcspn(document[lineCount], "\n")] = '\0';
214          lineCount++;
215      }
216
217      fclose(file);
218
219      lastAction = 0;
220
221      printf("File loaded successfully!\n");
222  }
223
224
225  /* SEARCH TEXT */
226  void searchText()
227  {
228      char search[MAX_LENGTH];
229      int i;
230      int found = 0;
231
232      if (lineCount == 0)
233      {
234          printf("\nDocument is empty!\n");
```

Chat

Push files to GitHub repo

http://github.com/ujjwal2006... 1/2

git push -u origin main

I'm running the requested push from the project directory now and will report the GitHub result directly.

Ran `git push -u origin main`

The push failed again with GitHub error `403`:

`ujwalgd200612-sudo` does not have permission to push to `ujjwal200612-sketch/lineeditor.c`.

Authenticate with the repository owner account or grant this account write access, then run the same command again.

editor.c

Describe what to build

Lo... Default permissi...

main 0 0 Connect Live Share You, 19 minutes ago UJJWAL GD (20 minutes ago) Ln 34, Col 6 Spaces: 4 UTF-8 CRLF { } C Win32 Prettier

24°C Partly sunny

ENG IN 81% 10.09.46 AM 04-09-2026

4/9/2026

Simple Line Editor in C

Team Members:-
1. Vighnesh P Kanhirakandi - R25EJ174
2. Ujjwal G.D - R25EJ165
3. Rohan.R - R25EJ123

Problem understanding:
we have to design and build a Command line-line editor in C. The editor works with a text document line by line. The user enters the commands through terminal to create view and modify the document.


Data Structure:
we choose an Array of Strings.
Declaration:

```
char lines[MAX_LINES][MAX_LENGTH];
MAX_LINES = 100
MAX_LENGTH = 200
```

Justification:
We choose array of strings because the editor handles a small text document. It's simple to implement and understand. Insertion and deletion can be performed by shifting the existing lines.

Commands:
1. insert <line_number> <text>
2. delete <line_number>
3. display
4. Save <filename>

Insert line - Core logic :




Logic :

1. Read line number and text.
2. Check whether line number is valid.
3. Check whether the array has space.
4. Shift existing lines one position downward.
5. Insert the new text.
6. Increase lineCount.

5. load <filename>
6. help
7. Exit

Flowchart of the program:



Read Command END

To implement Save / Load; add;

Back to Command

NO
↓
END

LOGIC:

1. Check whether document is empty.
2. If empty, display a suitable message.
3. Otherwise start from line 1.
4. Print line number and text.
5. Move to the next line.
6. Continue until all lines are displayed.

PROGRAM:

```
#include<stdio.h>
#include<string.h>
#include<stdlib.h>

#define MAX_LINES 100
#define MAX_LENGTH 256

char document[MAX_LINES][MAX_LINE
```

Function Design:

main() → Controls the program.
insertLine() → Inserts a new line.
deleteLine() → Deletes a line.
displayDocument() → Displays all lines.
saveFile() → Saves document to .txt.
loadFile() → Loads document from .txt.
ShowHelp() → Displays available Commands.

DOMS

DELETE LINE - Core logic:

START
↓
Input line number
↓
Is document empty?
↙ YES ↘ NO
Show Error ↓
Is line number valid?
↙ NO ↘ YES
Show Error ↓
Shift lines upward
↓
lineCount--
↓
END

LOGIC:

1. Read line number
2. Check whether document is empty
3. Check whether line number is valid
4. Shift all lines below the selected line upwards.
5. Decrease lineCount.

DISPLAY - Core logic:

START
↓
Is document empty
↙ YES ↘ NO
Print "Empty" ↓
↓ Set i = 1
END ↓
Print line number + line text
↓
i = i + 1
↓
More lines
↙ YES ↘ NO

__/__/____

EXAMPLE:

Command : insert 1 Hello
Command : insert 2 Welcome
Command : insert 3 Beautiful

Command : display

1. Hello
2. Welcome
3. Beautiful

Command : delete 2
Command : display

1. Hello
2. Beautiful

Team Members and Roles:

Vighnesh P Kanhirakandi - Team Leader and
Core logic developer.
Designed the overall program structure and implemented
insert, delete and display functions.

Ujjwal G.D - File handling & Testing
Implemented save/load functionality and tested the
program for different inputs and edge cases.

Rohan.R - Documentation & Github management
prepared README/HELP documentation, maintained the
github repository and assisted in debugging.