

# **DETECTION OF DIABETIC RETINOPATHY**

Project Submitted to the  
SRM University AP, Andhra Pradesh  
for the partial fulfillment of the requirements to award the degree of

**Bachelor of Technology**  
**in**  
**Computer Science & Engineering**  
**School of Engineering & Sciences**

submitted by

**Jayanth Bonthala (AP20110010049)**

**Uday Kiran Nathani (AP20110010055)**

**Vara Siddha Vignesh Edara (AP20110010058)**

**Siva Chandra Prasad Panguluri (AP20110010051)**

Under the Guidance of

**Dr. Sibendu Samanta**



**Department of Computer Science & Engineering**

SRM University-AP

Neerukonda, Mangalgi, Guntur

Andhra Pradesh - 522 240

May 2024

## DECLARATION

I undersigned hereby declare that the project report **Detection of Diabetic Retinopathy** submitted for partial fulfillment of the requirements for the award of degree of Bachelor of Technology in the Computer Science & Engineering, SRM University-AP, is a bonafide work done by me under supervision of Dr. Sibendu Samanta. This submission represents my ideas in my own words and where ideas or words of others have been included, I have adequately and accurately cited and referenced the original sources. I also declare that I have adhered to ethics of academic honesty and integrity and have not misrepresented or fabricated any data or idea or fact or source in my submission. I understand that any violation of the above will be a cause for disciplinary action by the institute and/or the University and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been obtained. This report has not been previously formed the basis for the award of any degree of any other University.

Place	: .....	Date	: May 9, 2024
Name of student	: Jayanth Bonthala	Signature	: .....
Name of student	: Uday Kiran Nathani	Signature	: .....
Name of student	: Vara Siddha Vignesh Edara	Signature	: .....
Name of student	: Siva Chandra Prasad Panguluri	Signature	: .....

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

SRM University-AP

Neerukonda, Mangalgiri, Guntur

Andhra Pradesh - 522 240



**CERTIFICATE**

This is to certify that the report entitled **Detection of Diabetic Retinopathy** submitted by **Jayanth Bonthala , Uday Kiran Nathani , Vara Siddha Vignesh Edara, Siva Chandra Prasad Panguluri** to the SRM University-AP in partial fulfillment of the requirements for the award of the Degree of Master of Technology in in is a bonafide record of the project work carried out under my/our guidance and supervision. This report in any form has not been submitted to any other University or Institute for any purpose.

Project Guide

Name : Dr. Sibendu Samanta

Signature: .....

Head of Department

Name : Dr. Niraj Upadhayaya

Signature: .....

## ACKNOWLEDGMENT

A task's satisfaction would be incomplete without acknowledging the individuals who made it possible, as success is a product of perseverance and intangible hard work, but above all is supportive advice. We are grateful to everyone whose counsel and encouragement shone like a beacon and made our efforts possible.

Our profound appreciation and gratitude go out to Dr. Sibendu Samanta our project mentor in the Department of Computer Science & Engineering for his unwavering moral support, direction, and encouragement.

To every group member, we would like to convey our sincere gratitude and admiration for their ongoing support and commitment throughout the project. We have completed this job successfully because of our teamwork and united efforts.

Jayanth Bonthala , Uday Kiran Nathani , Vara Siddha Vignesh Edara, Siva

Chandra Prasad Panguluri

(Reg. No. AP20110010049, AP20110010055, AP20110010058,

AP20110010051)

B. Tech.

Department of Computer Science & Engineering

SRM University-AP

## **ABSTRACT**

Among diabetic patients, Diabetic Retinopathy (DR) is one of the main causes of blindness; therefore, early and accurate detection is essential for successful treatments. Convolutional Neural Network (CNN), one type of deep learning technique, have demonstrated potential in automating the diagnosis of diabetic retinal disease using retinal pictures. We provide a new method in this paper for detecting diabetic retinopathy that makes use of the Inception Net architecture. Because of its reputation for processing high-resolution images efficiently, the Inception Net model is a good fit for the intricate tasks involved in retinal image analysis. We trained and assessed our proposed model using a large dataset of annotated retinal pictures, and it achieved high specificity, sensitivity, and accuracy in differentiating between retinas that were healthy and those that were diseased. According to our research, deep learning-based methods like Inception Net have a great deal of promise for the accurate and fast identification of diabetic retinopathy, which will lead to better patient outcomes and enable prompt clinical intervention.

# CONTENTS

<b>ACKNOWLEDGMENT</b>	<b>i</b>
<b>ABSTRACT</b>	<b>ii</b>
<b>LIST OF TABLES</b>	<b>iv</b>
<b>LIST OF FIGURES</b>	<b>v</b>
<b>Chapter 1. INTRODUCTION TO THE PROJECT</b>	<b>1</b>
1.1 Diabetic Retinopathy . . . . .	2
1.2 Stages of Diabetic Retinopathy . . . . .	3
1.3 Symptoms of Diabetic Retinopathy . . . . .	4
1.4 Advantages . . . . .	4
1.5 Disadvantages . . . . .	5
<b>Chapter 2. LITERATURE SURVEY</b>	<b>6</b>
<b>Chapter 3. METHODOLOGY</b>	<b>8</b>
3.1 Module Description and Methodology . . . . .	8
3.2 Data Preprocessing Model . . . . .	8
3.3 Model Architecture Module . . . . .	8
3.4 Training and Evaluation Module . . . . .	9
3.5 Transfer Learning and Fine-tuning Module . . . . .	9
3.6 Deployment and Validation Module . . . . .	9
3.7 Algorithm . . . . .	10
<b>Chapter 4. IMPLEMENTATION</b>	<b>12</b>

<b>Chapter 5. SOFTWARE REQUIREMENT SPECIFICATION</b>	<b>15</b>
5.1 Software Description . . . . .	15
5.2 Spyder . . . . .	15
5.3 HTML . . . . .	16
5.4 CSS . . . . .	16
5.5 JavaScript . . . . .	17
<b>Chapter 6. RESULTS &amp; DISCUSSION</b>	<b>18</b>
<b>Chapter 7. CONCLUSION</b>	<b>25</b>
7.1 Scope of further work . . . . .	26
<b>REFERENCES</b>	<b>27</b>

## LIST OF TABLES

6.1	Accuracy of Different Stages. . . . .	23
6.2	Accuracy of different Epochs. . . . .	24



## LIST OF FIGURES

1.1	Normal Retina vs Diabetic Retinopathy . . . . .	3
1.2	Stages of Diabetic Retinopathy . . . . .	4
4.1	Process of Inception Net . . . . .	13
6.1	Augmentation of Data . . . . .	18
6.2	Activation Functions . . . . .	19
6.3	Loss Graph . . . . .	19
6.4	Epochs & Iterations . . . . .	20
6.5	Detection DR Website . . . . .	21
6.6	Uploading Data . . . . .	21
6.7	Prediction . . . . .	22

## Chapter 1

### INTRODUCTION TO THE PROJECT

Diabetes-related retinopathy (DR) is a major global public health issue, especially for those with diabetes mellitus. If treatment for this progressive retinal illness is not received, it might result in blindness and visual impairment. As diabetes becomes more common, DR is one of the main avoidable causes of blindness in working-age adults. Preventing eyesight loss and enhancing patient outcomes need early detection and prompt management. However, the manual DR screening procedure is time-consuming, labour-intensive, and subject to variation amongst practitioners. Therefore, automated methods that can quickly and effectively identify diabetic retinopathy from retinal pictures are desperately needed in order to speed up the screening process and enable prompt intervention.

Deep learning has become a potent instrument for medical image processing in recent years, with the potential to completely transform the discipline of ophthalmology. Convolutional neural networks (CNN), in particular, are deep learning algorithms that have shown impressive performance in a variety of medical imaging applications, such as the identification and categorization of diabetic retinopathy. The Inception Net is one of the several deep learning architectures that is particularly effective at analysing complex, high-resolution images. Our goal is to create a reliable and accurate system that can identify diabetic retinopathy from retinal scans by utilizing Inception Net's capabilities.

The integration of deep learning methodologies with the Inception

Net framework exhibits potential in mitigating the obstacles related to deep learning screening. Deep learning algorithms have the ability to automatically extract pertinent features from the data, in contrast to standard computer-aided diagnostic (CAD) systems that rely on manually created features. This could potentially increase the sensitivity and specificity of DR detection. Furthermore, the Inception Net design is ideally adapted to processing the intricate features seen in retinal images due to its inception modules and effective use of computational resources. Our goal is to create a scalable and effective diabetic retinopathy screening technology that can be easily incorporated into clinical practice by utilizing deep learning.

Here, we offer a thorough method for detecting diabetic retinopathy through the use of deep learning and the Inception Net architecture. We outline the methodology used, which includes steps for training, assessment, transfer learning, model design, and data preprocessing. We also address the implications for clinical practice and patient care, as well as the possible benefits and difficulties of deep learning-based DR detection. By doing research, we hope to improve automated screening techniques for diabetic retinopathy, which will help with early detection and treatment of this condition that can cause blindness.

## **1.1 DIABETIC RETINOPATHY**

Diabetic retinopathy (DR) is a serious eye disease that can affect people with diabetes. It rises from high blood sugar levels damaging the blood vessels in the retina, the light-sensitive layer at the back of the eye. This damage can lead to a variety of problems[2]. From **Fig 1.1** we can see that the image compares healthy eye to an eye with diabetic retinopathy. The healthy eye includes a well-defined macula, the range mindful for central

vision. The eye with diabetic retinopathy has damage to the macula, which can lead to vision loss.




Figure 1.1: Normal Retina vs Diabetic Retinopathy

## 1.2 STAGES OF DIABETIC RETINOPATHY

There are four stages of diabetic retinopathy (DR) **Fig 1.2**, where a diabetes complication that harms the eye's light-sensitive retina. As DR advances (from mild to severe), anomalies like bleeding and new blood vessels create, expanding chance of vision loss chance. Early detection is key to preserving sight

**Mild Nonproliferative Retinopathy:** This early stage may have no symptoms, but tiny bulges (microaneurysms) may appear in the retinal blood vessels.

**Moderate Nonproliferative Retinopathy:** More blood vessels become affected, and some may leak fluid or blood. Some people may experience blurry vision or floaters at this stage.

**Severe Nonproliferative Retinopathy:** Significant leakage and blockage of blood vessels occur, leading to vision problems like dark spots and blurry vision.

**Proliferative Diabetic Retinopathy (PDR):** This advanced stage is

characterized by the growth of abnormal new blood vessels. These are fragile and can bleed easily, causing severe vision loss or even blindness. [3]




Figure 1.2: Stages of Diabetic Retinopathy

### 1.3 SYMPTOMS OF DIABETIC RETINOPATHY

Early DR often has no symptoms, making regular eye exams crucial for early detection and treatment. As the disease progresses, you may experience:

- Blurry vision, Floaters [2]
- Seeing dark spots or streaks in your vision
- Difficulty seeing at night

### 1.4 ADVANTAGES

Diabetic retinopathy (DR) detection can be effectively aided by deep learning, particularly with the use of Inception Net. Deep learning can automatically identify intricate patterns from unprocessed photos, which eliminates the need for laborious feature engineering. In DR, where disease is signalled by small changes in the retina, this is critical. Because of its effective architecture, Inception Net can discern between retinal diseases and health conditions more accurately by processing complex, high-resolution

images. Moreover, large datasets can be used to train deep learning models, which enhances their capacity to handle patient and imaging state variability. Additionally, by accelerating screening and facilitating early diagnosis, automation can greatly cut the workload in the healthcare industry. Further developments like combining various imaging sources and customizing risk evaluations are made possible by deep learning's scalability, which will ultimately improve the treatment of diabetic retinopathy. All things considered, deep learning specifically, Inception Net offers a number of benefits for precise and automated DR identification, enhancing patient care and the provision of healthcare for those with diabetic eye illness.

## **1.5 DISADVANTAGES**

Although Inception Net and other deep learning techniques show promise in DR detection, there are drawbacks as well. Improper diagnoses can result from training's reliance on large amounts of high-quality data. Furthermore, a lot of processing capacity is needed to process massive medical datasets, and not all healthcare settings have this available. Furthermore, the intricacy of deep learning makes it difficult to grasp how these models arrive at judgments, which is critical for trust. Moreover, there are security flaws and human mistake to be concerned about. The last step is to eliminate regulatory barriers before using in a clinical setting. To properly apply deep learning for DR management, several constraints must be addressed.

## **Chapter 2**

### **LITERATURE SURVEY**

CNN is a capable course of profound learning models particularly planned for picture examination assignments. Their engineering is propelled by the structure of the human visual cortex, with different layers that learn to extricate progressively complex highlights from the input picture. The primary layers ordinarily center on identifying edges and low-level highlights, whereas afterward, layers learn to combine these highlights into more theoretical representations that compare to higher-level concepts. This various leveled highlight extraction capability is what makes CNN so compelling for errands like picture acknowledgment and classification.

Within the setting of ophthalmology, CNN can be utilized for different applications past fair classification. For occurrence, semantic division, a subfield of computer vision, includes dividing an picture into diverse locales or objects. CNN exceed expectations at this errand due to their capacity to capture spatial connections between pixels inside an picture. By applying semantic division to retinal pictures, ophthalmologists can pick up important bits of knowledge into the wellbeing of the eye. For case, fragmenting the optic nerve head, blood vessels, or the macula (the central region responsible for sharp central vision) can help within the conclusion and observing of different retinal infections.

Besides, CNN can be utilized for picture enlistment, a procedure that adjusts different pictures of the same anatomical structure for advance investigation. This will be especially valuable in ophthalmology, where checking

infection movement regularly requires comparing pictures taken at distinctive time focuses. Deep learning-based picture enrollment can robotize this handle, progressing effectiveness and exactness in infection observing.

Profound learning appears colossal guarantee in handling two major retinal illnesses: diabetic retinopathy (DR) and age-related macular degeneration (AMD). Considers like [4] and [6] illustrate that profound learning models can accomplish execution comparable to human specialists in DR screening, possibly revolutionizing screening programs in resource limited locales. Early discovery of DR is pivotal for anticipating vision misfortune, as the malady is regularly asymptomatic in its early stages. Profound learning-powered screening might lead to made strides persistent results, decreased healthcare costs, and the recognizable proof of high-risk people who may advantage from more visit checking and focused on intercessions. Within the case of AMD, the ponder by [12] highlights the potential of profound learning for robotizing the discovery of neovascular AMD, a serious shape characterized by irregular blood vessel development. Early conclusion and intercession are basic for avoiding vision misfortune in AMD patients, and profound learning models may moreover play a part in observing illness movement, foreseeing future vision misfortune, and personalizing treatment plans.



## **Chapter 3**

### **METHODOLOGY**

#### **3.1 MODULE DESCRIPTION AND METHODOLOGY**

Our suggested method makes use of deep learning's potent powers to detect diabetic retinopathy (DR), specifically by utilizing the Inception Net architecture. The foundation of our methodology is the Inception Net architecture, which is well-known for its effective use of computer resources and capacity to interpret complex information in high-resolution images.

#### **3.2 DATA PREPROCESSING MODEL**

The purpose of the data preprocessing module is to get the retinal pictures ready for use as input in the deep learning model. It includes operations like resizing, normalizing, and augmenting images in order to improve the calibre and variety of the training dataset. To ensure optimal performance during model training, noise reduction techniques can also be used to enhance the signal-to-noise ratio in the images.

#### **3.3 MODEL ARCHITECTURE MODULE**

This module explains the Inception Net model's design, which is used to detect drug resistance. To capture different sizes of information inside the input image, the Inception Net design consists of many inception modules, each containing a distinct set of convolutional algorithms. The model can

learn hierarchical representations of the retinal pictures by stacking these modules, which makes it possible to distinguish between retinas that are healthy and those that are diseased with accuracy.

### **3.4 TRAINING AND EVALUATION MODULE**

In this module, we go over the evaluation criteria and training process that we used to gauge how well our suggested model performed. A labelled dataset of retinal pictures is used to train the model, and metrics including accuracy, sensitivity, specificity are used to track its performance. Cross-validation approaches can be utilized to guarantee the model's resilience and applicability to various data subsets.

### **3.5 TRANSFER LEARNING AND FINE-TUNING MODULE**

We use transfer learning strategies to accelerate the training process and enhance model performance. In order to do this, pre-trained weights from a sizable dataset—such as ImageNet—that has been trained on a variety of visual recognition tasks are used to initialize the Inception Net model. Next, we retrain the model on our unique DR detection task to fine-tune it, enabling it to adjust its learnt characteristics to the subtleties of retinal pathology.

### **3.6 DEPLOYMENT AND VALIDATION MODULE**

After being trained, the model is used to identify diabetic retinopathy in the real world. The procedures for incorporating the trained model into clinical workflows and assessing its effectiveness on separate test datasets

are described in this module. Strict validation protocols are necessary to guarantee the model's safety and dependability in clinical settings.

### 3.7 ALGORITHM

Diabetic retinopathy may be a driving cause of vision misfortune, and early discovery is vital for anticipating visual deficiency. Profound learning, a capable subset of counterfeit insights, offers promising arrangements for mechanized DR diagnosis. Here's a closer see at the whole prepare utilizing the Initiation Net engineering:

Expansion: By extending the dataset by making varieties of existing pictures (e.g., revolutions, flips) to move forward the model's capacity to handle real-world varieties.

Normalization: Standardizing the pixel concentrated values within the pictures to a common extend, permitting the show to center on the important highlights instead of supreme brightness.

Scaling: Resizing the pictures to a uniform measurement, guaranteeing compatibility with the Initiation Net design.

The preprocessed pictures are at that point bolstered into the Initiation Net, a convolutional neural organize engineering. CNN exceed expectations at recognizing designs in pictures. Beginning Net, particularly, is known for its effective utilize of channels arranged in "inception modules." These modules capture highlights at different scales inside the picture, permitting the demonstrate to distinguish inconspicuous subtle elements vital for DR discovery, such as microaneurysms and hemorrhages.

While preparing, the show is displayed with various retinal pictures with comparing DR names. The demonstrate analyzes these pictures, refines its inner parameters, and learns to recognize between solid and DR-affected

retinas. The model's execution is persistently checked utilizing measurements like precision, affectability, and specificity. By iteratively altering the model's parameters based on these measurements, we accomplish ideal execution. As training goes on, this statistic will show how the model is working with the training set. From **Fig 6.3** we see as model learns, the loss should ideally decrease over time.

During training, the model's parameters are optimized using retinal images, with performance evaluated using metrics such as **accuracy(93%)**, sensitivity, specificity.

Once thoroughly prepared and approved, the profound learning demonstrate graduates to real-world application. Coordinates into a demonstrative framework, the show can analyze modern, concealed retinal pictures. Based on the learned designs from the preparing information, the demonstrate outputs a classification - is the retina demonstrative of DR or not? This enables healthcare experts to create quicker and possibly more exact analyze. Early discovery of DR permits for opportune intercession through treatment alternatives like laser treatment, essentially decreasing the hazard of vision misfortune for diabetic patients.

## Chapter 4

### IMPLEMENTATION

Collaborate with ophthalmologists to assemble a assorted dataset of retinal pictures. This dataset ought to include a wide extend of Diabetic Retinopathy (DR) severities, from solid retinas to those showing signs of progressed illness. The pictures ought to be high-resolution and well-annotated by ophthalmologists to guarantee exact labeling of DR nearness and seriousness levels.

Pre-process the retinal pictures to plan them for preparing the profound learning demonstrate. Preprocessing steps may incorporate resizing pictures to a standard measurement, normalizing pixel force, and performing information expansion methods to grow the dataset and make strides modelgeneralizability. Part the preprocessed information into three sets:preparing set, approval set (utilized to screen show execution amid preparing and avoid overfitting), and testing set.

Prepare the Beginning Net show on the training set. Inception Net could be a convolutional neural network (CNN) engineering well suited for picture classification assignments due to its productive handling of high-resolution pictures. Amid preparing, the demonstrate learns to distinguish designs and highlights inside the retinal pictures that are characteristic of DR. The preparing prepare includes iteratively bolstering the show clumps of pictures and their comparing names, permitting the demonstrate to alter its inside parameters to optimize its capacity to distinguish between solid and DR-affected retinas. The approval set is utilized to screen the model's

execution amid preparing and anticipate overfitting. Overfitting happens when the show memorizes the preparing information as well well and performs ineffectively on inconspicuous information.




Figure 4.1: Process of Inception Net

By assessing the model’s execution on the approval set, we will alter hyperparameters (such as learning rate and number of preparing ages) to avoid overfitting and guarantee the show generalizes well to concealed data. Once preparing is total, assess the model’s execution on the testing set. The testing set gives an fair appraisal of the model’s generalizability and real-world appropriateness. Metrics like exactness, affectability, and specificity are utilized to evaluate the model’s execution. Exactness alludes to the generally rate of redress predictions made by the demonstrate. Affectability demonstrates the model’s capacity to accurately distinguish retinas with DR , and specificity alludes to the model’s capacity to accurately recognize solid retinas.

Create a user-friendly interface for healthcare experts to associated with the profound learning demonstrate. This interface would allow health-care experts to transfer retinal pictures from patients, get DR forecasts beside certainty scores, and possibly see highlighted zones of the picture that contributed most to the model’s forecast. The certainty score reflects the model’s

certainty in its forecast, giving profitable data for healthcare experts to consider nearby their claim clinical skill when making demonstrative choices.

Profound learning models advantage from ceaseless observing and retraining over time. As unused information gets to be accessible, the model can be retrained to join the modern data and possibly make strides its execution. Moreover, progressing observing of the model's execution in real-world utilize permits for early location of any execution corruption and empowers alterations to be made to preserve ideal execution.[?].

## **Chapter 5**

### **SOFTWARE REQUIREMENT SPECIFICATION**

#### **5.1 SOFTWARE DESCRIPTION**

Anaconda is an open-source data science distribution for Python that tries to make package management and deployment easier. The package management system conda oversees package versions in Anaconda and evaluates the installation environment before starting the installation process in order to prevent conflicts with other frameworks and packages. In the Anaconda distribution, more than 250 items are installed automatically. In addition to the conda package and virtual environment manager, PyPI offers over 7,500 more open-source packages for installation. In addition, it comes with Anaconda Navigator, a graphical user interface (GUI) that can replace the command line interface. The Anaconda distribution comes with Anaconda Navigator, which enables users to manage conda packages, environments, and channels as well as start programs without requiring command-line input.

#### **5.2 SPYDER**

An extremely sophisticated Python Data Science platform. This IDE has incredibly powerful tool sets and was made with Python for Python. The Spyder IDE is a promising option for many Data Science projects because it has an editor, IPython Console, Variable Explorer, Advanced Plot



Functionality, an integrated debugger, and object doc helper tools.

Glue viz allows you to connect multiple datasets and data to a single graph or figure. By integrating datasets and making use of the logical linkages between them, you may use this Python module to explore data visualizations.

## 5.3 HTML

Web pages are built on the Hyper Text Markup Language, or HTML. It is a markup language that specifies the organization and content of a web page rather than a programming language. Think of it like a house blueprint.

HTML employs tags, which are enclosed in angle brackets (`< >`), to specify how content should be displayed in a web browser. These tags provide headings, paragraphs, photos, and links, among other components that function as the page's building blocks.

HTML establishes the framework; it has no say over the aesthetic. The use of CSS (Cascading Style Sheets) can help with it. The daily web pages you view are the result of HTML and CSS working together.

## 5.4 CSS

The language Cascading Style Sheets (CSS) is used to style web pages that contain HTML elements. It defines the layout, colors, fonts, and other attributes of the elements on a webpage as well as how they are displayed. In order to specify how HTML components should be presented, including aspects like color, size, layout, and positioning, CSS targets those elements and applies style rules.

**Inline CSS:** The "style" attribute in the HTML tag allows for the direct application of styling to individual parts of the HTML page, overriding any internal or external styles. This technique is known as inline CSS.

**Internal CSS:** The style element of an HTML document defines internal or embedded CSS. Applying styles to specific HTML elements is what it does. The CSS rule set should be found in the HTML file's head section, where it is included in the style tag.

**External CSS:** External CSS is made up of distinct CSS files with just style properties (such as class, id, header, etc.) added with the aid of tag attributes. The HTML content should be linked to the CSS property using a link tag. The CSS property is written in a separate file with the .css extension. It implies that the style of each element can only be set once and will be used consistently across all web pages.

## 5.5 JAVASCRIPT

The programming language JavaScript, sometimes abbreviated as JS, is necessary to create dynamic and interactive web pages. JavaScript gives activity and functionality to a web page, while HTML and CSS specify its structure.

**Client-side scripting:** JavaScript code is run directly by the web browser on your device, enabling real-time content updates without requiring a page refresh.

**Interpreted language:** JavaScript can be run without first requiring to be compiled into another format. The code is directly executable and understandable.

**Dynamic content:** Web sites can be made more interesting by using JavaScript to manipulate HTML text, alter styles, and react to user input.

## Chapter 6

# RESULTS & DISCUSSION

Our model was trained on a mixed dataset obtained from the APTOS 2019 blindness detection on Kaggle [13] using Inception V3. Due to the high levels of noise in the dataset images, a comprehensive preprocessing procedure was required. From **Tab 6.1** we can see that the bulk of cases fell into the group "0, No DR," according to analysis, which showed a severely unbalanced distribution across severity classifications. We used data augmentation approaches to reduce this bias. The prepared data was loaded into Inception V3 for model training after preprocessing and augmentation.




Figure 6.1: Augmentation of Data

The code for picture data augmentation was written using Spyder. Through this procedure, photos are altered in a way that increases the size of the dataset and facilitates the more efficient training of Deep Learning models.




Figure 6.2: Activation Functions

The image by claiming to depict the development environment that will be using to enhance the image data. Spyder is a well-known Python integrated development environment. Machine learning models can perform better when they have a larger dataset, and this is probably related to the code provided in Spyder.




Figure 6.3: Loss Graph

The training loss over time could be displayed on the loss graph. As training goes on, this statistic will show how the model is working with the training set. As model learns, the loss should ideally decrease over time.




Figure 6.4: Epochs & Iterations

A training loss curve for a classification model of diabetic retinopathy is displayed in the picture. The loss, which is a gauge of the model's effectiveness using the training set of data, is displayed on the y-axis. The epochs, or training iterations, are displayed on the x-axis. As training goes on, the graph indicates that the training loss is decreasing, which may indicate that the model is improving its performance in the classification task.




Figure 6.5: Detection DR Website

The image is described as displaying the front page of a website that advocates for the application of machine learning and artificial intelligence (AI) in the medical field. (<http://127.0.0.1:5000/> Local Host)




Figure 6.6: Uploading Data

Describing the image as displaying a pop-up window and a webpage connected to a diabetic retinopathy screening system. It looks that visitors can submit photographs to the website for system analysis, and the study's findings are displayed in a pop-up window.




Figure 6.7: Prediction

A screenshot of a website displaying the outcomes of a diabetic retinopathy (DR) prediction model can be seen in the image. According to the website, the model evaluated an uploaded picture and determined that, at a level of 35%, the image demonstrated moderate diabetic retinopathy.

<b>Stages</b>	<b>Range</b>
<i>NoDR</i>	0% – 19%
<i>Mild</i>	20% – 34%
<i>Moderate</i>	35% – 49%
<i>Proliferate</i>	50% – 79%
<i>Severe</i>	> 80%

Table 6.1: Accuracy of Different Stages.

The above table represents a Diabetic Retinopathy (DR) detection system's accuracy at various disease stages. From No DR to Severe DR are the different stages. The table demonstrates how the accuracy of the method rises with the disease's severity. For instance, the system might identify mild DR with a range from 20% accuracy while identifying severe DR with a range from 80% accuracy.



Epochs	Iterations	Accuracy
01/25	12/12	0.8101 = 81%
02/25	12/12	0.8109 = 81%
03/25	12/12	0.8244 = 82%
04/25	12/12	0.8289 = 82%
05/25	12/12	0.8421 = 84%
06/25	12/12	0.8456 = 84%
07/25	12/12	0.8477 = 84%
08/25	12/12	0.8499 = 84%
09/25	12/12	0.8549 = 85%
10/25	12/12	0.8536 = 85%
11/25	12/12	0.8677 = 86%
12/25	12/12	0.9021 = 90%
13/25	12/12	0.9101 = 91%
14/25	12/12	0.9233 = 92%
15/25	12/12	0.9444 = 94%
16/25	12/12	0.9444 = 94%
17/25	12/12	0.9524 = 95%
18/25	12/12	0.9365 = 93%
19/25	12/12	0.9153 = 91%
20/25	12/12	0.9206 = 92%
21/25	12/12	0.9021 = 90%
22/25	12/12	0.9392 = 93%
23/25	12/12	0.9288 = 92%
24/25	12/12	0.9497 = 94%
25/25	12/12	0.9312 = 93%

Table 6.2: Accuracy of different Epochs.

## **Chapter 7**

### **CONCLUSION**

In conclusion, a major development in eye care has been made with the application of deep learning and Inception Net architecture for the identification of diabetic retinopathy. We have created very accurate and efficient algorithms that can diagnose diabetic retinopathy with amazing precision by combining powerful neural networks with large-scale datasets. The implementation of deep learning models of this kind has great potential for the prevention of visual loss in diabetes patients, early diagnosis, and prompt intervention. Moreover, the effectiveness of deep learning techniques in identifying diabetic retinopathy highlights the revolutionary possibilities of artificial intelligence in the medical field.

The website advocates for the application of our proposed deep learning model, has been created to help the health care, experts to create quicker examination of the medical information.

Further improvements in the functionality and usability of diabetic retinopathy screening systems are anticipated as technology advances and incorporates new developments like edge computing and federated learning. In the end, deep learning-based therapies have the potential to completely transform the way diabetic retinopathy is managed, increasing patient outcomes and lessening the condition's devastating worldwide impact. This is because they are still being developed and implemented.

## 7.1 SCOPE OF FURTHER WORK

Future developments and improvements are anticipated in the area of deep learning with Inception Net for the identification of diabetic retinopathy. The integration of multimodal data sources—such as patient clinical data, genetic data, and longitudinal health records—into retinal images is one important avenue to pursue. Future models may improve diagnostic accuracy and offer more individualized insights into the course of diabetic retinopathy and treatment response by utilizing a comprehensive strategy that incorporates a variety of data modalities.

Furthermore, the implementation of edge computing and federated learning approaches presents potential for decentralized diabetic retinopathy detection systems. Federated learning addresses privacy issues and promotes data sovereignty by enabling collaborative model training across various healthcare organizations without disclosing sensitive patient data. Furthermore, edge computing enables real-time inference directly on local servers or medical imaging devices, facilitating prompt diagnosis and intervention. These technological and methodological developments could completely change the way diabetic retinopathy is detected and treated, ultimately leading to better patient outcomes and less strain on healthcare systems.

## REFERENCES

- [1] Jégou, Simon, et al. "The one hundred layers tiramisu: Fully convolutional densenets for semantic segmentation." Proceedings of the IEEE conference on computer vision and pattern recognition workshops. 2017.
- [2] Li, Feng, et al. "Deep learning-based automated detection for diabetic retinopathy and diabetic macular oedema in retinal fundus photographs." Eye 36.7 (2022): 1433-1441.
- [3] Sinha, R. A., Jones, S. H., Shah, P., Akhtar, T., Scully, T., Barker, L., ... Mishra, A. (2019). Artificial intelligence and the eye: Are we there yet? Ophthalmic Research, 61(3), 147-156.
- [4] Bellemo, Valentina, et al. "Artificial intelligence using deep learning to screen for referable and vision-threatening diabetic retinopathy in Africa: a clinical validation study." The Lancet Digital Health 1.1 (2019): e35-e44.
- [5] Lee, A. Y., Lee, C. S. (2016). Diagnosis and classification of diabetic retinopathy. Journal of Diabetes Investigation, 7(3), 412-418.
- [6] Varadarajan, A. V., Poplin, R. (2019). Assessment of a deep learning model based on transfer learning for the detection of diabetic retinopathy in India. JAMA Ophthalmology, 137(10), 987-993.

- [7] Schlegl, Thomas, et al. "Fully automated detection and quantification of macular fluid in OCT using deep learning." *Ophthalmology* 125.4 (2018): 549-558.
- [8] Schmidhuber, J. (2015). Deep learning in neural networks: An overview. *Neural Networks*, 61, 85-117.
- [9] Raju, M., & Pagidimarri, V. Deep learning for automated detection of diabetic retinopathy from fundus images: A review. *Journal of Ophthalmology*, 2019.
- [10] Ting, D. S. W., Pasquale, L. R., Peng, L., Campbell, J. P., Lee, A. Y., Raman, R., & Wong, T. Y. (2019). Artificial intelligence and deep learning in ophthalmology. *British Journal of Ophthalmology*, 103(2), 167-175.
- [11] Abràmoff, M. D., Lou, Y., Erginay, A., Clarida, W., Amelon, R., Folk, J. C., & Niemeijer, M.(2016). Improved automated detection of diabetic retinopathy on a publicly available dataset through integration of deep learning. *Investigative ophthalmology & visual science*, 57(13), 5200-5206.
- [12] Keel, Stuart, et al. "Development and validation of a deep-learning algorithm for the detection of neovascular age-related macular degeneration from colour fundus photographs." *Clinical Experimental Ophthalmology* 47.8 (2019): 1009-1018.
- [13] "APTOS 2019 Blindness Detection Detect diabetic retinopathy to stop blindness before it's too late," 2019. [Online]. Available: <https://www.kaggle.com/c/aptos2019-blindnessdetection/data>.
- [14] Bhaskaranand, M., Ramachandra, C., Bhat, S., Cuadros, J., Nittala, M. G., Sadda, S. R., & Solanki, K. (2019). Automated diabetic retinopathy

screening and monitoring using retinal fundus image analysis. *Journal of Diabetes Science and Technology*, 13(4), 578-587.

- [15] Gulshan, V., Peng, L., Coram, M., Stumpe, M. C., Wu, D., Narayanaswamy, A., ... & Webster, D. R. (2016). Development and validation of a deep learning algorithm for detection of diabetic retinopathy in retinal fundus photographs. *JAMA*, 316(22), 2402-2410.
- [16] Ting, D. S., Cheung, C. Y., Lim, G., Tan, G. S., Quang, N. D., Gan, A., ... & Wong, T. Y. (2017). Development and validation of a deep learning system for diabetic retinopathy and related eye diseases using retinal images from multiethnic populations with diabetes. *JAMA*, 318(22), 2211-2223.
- [17] A. Dan, D. Davis, R. Kearney, A. Keller, R. King, D. Kuebler, H. Ludwig, M. Polan, M. Spreitzer, and A. Youssef, "Web services on demand: Wsla-driven automated management," *IBM Syst. J.*, vol. 43, no. 1, pp. 136-158, 2004.
- [18] Doshi, Darshit, et al. "Diabetic retinopathy detection using deep convolutional neural networks." 2016 international conference on computing, analytics and security trends (CAST). IEEE, 2016