```
Enter password: ***************
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 23
Server version: 8.0.44 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> USE COLLEGE;
Database changed
mysql> INSERT INTO STUDENT1
    -> VALUES
    -> (142422424,'BALA',19),
    -> (142422425,'ARJUN',19);
Query OK, 2 rows affected (0.02 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> SELECT*FROM STUDENT1;
+-----------+--------------+------+
| REGNO     | NAME         | AGE  |
+-----------+--------------+------+
| 142422424 | BALA         |   19 |
| 142422425 | ARJUN        |   19 |
| 192421222 | SARAN        |   19 |
| 192424180 | VISHWA       |   19 |
| 192424185 | G CHAITANYA  |   19 |
| 192424187 | VIGNESHVAR   |   19 |
+-----------+--------------+------+
6 rows in set (0.00 sec)

mysql> SELECT NAME FROM STUDENT1;
+-------------+
| NAME        |
+-------------+
| BALA        |
| ARJUN       |
| SARAN       |
| VISHWA      |
| G CHAITANYA |
| VIGNESHVAR  |
+-------------+
6 rows in set (0.00 sec)
```

```
mysql> INSERT INTO STUDENT1
    -> VALUES
    -> (142422426,'GANESH',25);
Query OK, 1 row affected (0.02 sec)

mysql> SELECT * FROM STUDENT1
    -> WHERE AGE>20;
+-----------+--------+------+
| REGNO     | NAME   | AGE  |
+-----------+--------+------+
| 142422426 | GANESH |   25 |
+-----------+--------+------+
1 row in set (0.01 sec)

mysql> UPDATE STUDENT1
    -> SET AGE=20
    -> WHERE REGNO=192424185;
Query OK, 1 row affected (0.02 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> DESC STUDENT1;
+-------+-------------+------+-----+---------+-------+
| Field | Type        | Null | Key | Default | Extra |
+-------+-------------+------+-----+---------+-------+
| REGNO | int         | NO   | PRI | NULL    |       |
| NAME  | varchar(50) | NO   |     | NULL    |       |
| AGE   | int         | YES  |     | 19      |       |
+-------+-------------+------+-----+---------+-------+
3 rows in set (0.01 sec)

mysql> SELECT*FROM STUDENT1;
+-----------+-------------+------+
| REGNO     | NAME        | AGE  |
+-----------+-------------+------+
| 142422424 | BALA        |   19 |
| 142422425 | ARJUN       |   19 |
| 142422426 | GANESH      |   25 |
| 192421222 | SARAN       |   19 |
| 192424180 | VISHWA      |   19 |
| 192424185 | G CHAITANYA |   20 |
| 192424187 | VIGNESHVAR  |   19 |
+-----------+-------------+------+
7 rows in set (0.00 sec)

mysql> DELETE FROM STUDENT
    -> WHERE NAME='BALA';
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> DELETE FROM STUDENT
    -> WHERE NAME='BALA';
Query OK, 0 rows affected (0.00 sec)

mysql> SELECT*FROM STUDENT1;
+-----------+-------------+------+
| REGNO     | NAME        | AGE  |
+-----------+-------------+------+
| 142422424 | BALA        |   19 |
| 142422425 | ARJUN       |   19 |
| 142422426 | GANESH      |   25 |
| 192421222 | SARAN       |   19 |
| 192424180 | VISHWA      |   19 |
| 192424185 | G CHAITANYA |   20 |
| 192424187 | VIGNESHVAR  |   19 |
+-----------+-------------+------+
7 rows in set (0.00 sec)

mysql> DELETE FROM STUDENT1
    -> WHERE NAME='BALA';
Query OK, 1 row affected (0.02 sec)

mysql> SELECT*FROM STUDENT1;
+-----------+-------------+------+
| REGNO     | NAME        | AGE  |
+-----------+-------------+------+
| 142422425 | ARJUN       |   19 |
| 142422426 | GANESH      |   25 |
| 192421222 | SARAN       |   19 |
| 192424180 | VISHWA      |   19 |
| 192424185 | G CHAITANYA |   20 |
| 192424187 | VIGNESHVAR  |   19 |
+-----------+-------------+------+
6 rows in set (0.00 sec)
```