

JavaScript Prompt – Premium Notes

User-friendly guide for Browser prompt() and Node.js prompt-sync

1. What is Prompt?

Prompt is used to take input from the user during program execution.

2. Browser prompt()

Works inside browser and opens a popup input box.

Syntax

```
let name = prompt("Enter your name");
```

3. Node.js prompt-sync

Used in terminal because Node.js does not support browser popup prompt().

Install

```
npm install prompt-sync
```

Use

```
const prompt = require("prompt-sync")();  
let name = prompt("Enter name: ");
```

4. Important Rule

Input comes as STRING by default. Convert to Number() for calculations.

Example

```
let age = Number(prompt("Enter age: "));
```

5. Common Errors

- 1) prompt is not defined → using browser code in Node.js.
- 2) 2+3 gives 23 → values are strings.

6. Quick Comparison

Feature	Browser prompt()	prompt-sync
Runs in	Browser	Node.js Terminal
Input style	Popup box	Terminal line
Install needed	No	Yes

7. Practice Programs

Addition:

```
let a = Number(prompt("A: "));  
let b = Number(prompt("B: "));  
console.log(a+b);
```

Even/Odd:

```
let n = Number(prompt("Enter number: "));
```

8. Interview Questions

- What does prompt return? → String
- Why use prompt-sync? → To take input in Node.js terminal.

9. Final Tip

Use prompt for learning logic, conditions, loops, and user interaction basics.