# ALUMNYE PLATFORM

## Minutes of Meeting

*24 August 2026 | Testing Strategy & Security Governance Review and Green Buddies Functional Follow-Up*

## SESSION 1 — TESTING, SECURITY & DELIVERY GOVERNANCE

### 1. Meeting Details

| Field | Details |
|---|---|
| Project | Alumnye Platform |
| Meeting Date | 24 August 2026 (Monday) |
| Mode | Online Meeting |
| Participants | Indeevar, Anand Sivaraman, Gurusamy Paramanantham, Sathish Kumar, Lakshmi, Hemnath, Kishore, Nishalini. |

### 2. Discussion Items

- Team introductions and role alignment across development, testing, and delivery
- Current and planned testing strategy: manual testing today, moving to a complete regression pack and sanity pack
- Security testing scope: source code security testing, dynamic application security testing (DAST), API functional and security testing, and penetration testing
- Division of responsibility between design/development (building in security) and testing (validating and independently surfacing risk)
- Load and performance testing approach using JMeter
- Unit test coverage targets and AI-assisted automated test generation
- End-to-end and regression automation tooling (TestSigma; MCP + Visual Studio)
- Staging environment strategy versus the historical practice of fixing issues directly in production
- Partner integrations, the current deployment/rollback model, and feature flags / kill switches
- File upload size limits and malware/security controls for notice board and contact uploads
- Secrets management and removal of hardcoded credentials from the codebase
- Code component size and modularity guidelines
- Application performance monitoring approach
- Scheduling of the follow-up business-as-usual call

## 3. Discussion Summary & Walkthrough Feedback

| # | Topic / Module | Discussion / Observation | Owner | Phase |
|---|---|---|---|---|
| 1 | Introductions & Team Roles | Testing Team introductions covered Hemnath, Kishore along with Gurusamy Paramanantham. | Discussion Point | Process |
| 2 | Product Context — Two Tracks | Discussion framed around two parallel tracks: the core reunion/alumni app (higher-stress path, targeting a future scale of ~500k users) and the golf/sports app (already live, well-adopted, used for real-time scoring). | Discussion Point | Process |
| 3 | Current Testing State | Testing today is mostly manual, covering builds 1.1 and 1.2, with build 1.3 testing in progress. | Discussion Point | Delta |
| 4 | Planned Testing State | Plan to build a complete regression pack and sanity pack, automating with AI tools such as TestSigma and an MCP/Visual-Studio-based workflow, and to run the regression pack against full end-to-end flows after every deployment. | Test Team | Roadmap |
| 5 | End-to-End Flow Definition | Core end-to-end journey to be covered by regression: new user → login → OTP → profile creation → payment → join event. | Test Team | Roadmap |
| 6 | Security vs. Design/Dev Responsibility | Agreed that design/development owns building in protections (no screenshots, proper access control, no URL-tinkering to view others' records, no hardcoded secrets), while testing validates these work as intended and independently surfaces design/security gaps. | Test Team | Process |
| 7 | Tester Mandate | Testers agreed to both fortify what already exists and proactively flag high-risk gaps, even where the business may later choose to accept some risk. | Test Team | Process |
| 8 | Planned Security Testing Scope | Once happy paths are stable: source code security testing (hardcoded passwords, insecure logging, SQL injection), dynamic application security testing (data leakage, screenshot behaviour), API functional + security testing (latency, error handling, HTTP codes, user-friendly messages, WhatsApp/email/payment gateway integration), and penetration testing. | Test Team | Roadmap |
| 9 | Unit Testing & Dev-Side Quality | AI-assisted unit test generation already runs automatically after dev tasks complete, producing pass/fail counts and new tests for modified features. A higher coverage target was discussed — cited as roughly 60–70% in the action item list and 75–80% in the decisions discussion; figures should be reconciled and confirmed (see Notes). | Dev Team | Delta |
| 10 | Backend SQL Injection Protection | Backend uses Hibernate/ORM to prevent SQL injection and ensure safe database interactions; tools such as Burp/ZAP flagged as previously used and potentially reusable for security checks. | Dev Team | Delta |
| 11 | End-to-End & Regression Automation Tooling | Happy-path flows (mobile and portal) currently verified manually, especially for build 1.2. Going forward, regression suites to be built via TestSigma (video-to-regression conversion) and MCP + Visual Studio (natural-language-to-test generation, e.g. "login with this URL, create group '2026 Goa', create event, create poll"). | Test Team | Roadmap |
| 12 | Build-wise Testing Cycle | Cycle framed as: 1.1 baseline flows; 1.2 more integration coverage; 1.3 broader coverage including negative scenarios, validations, and regression. | Test Team | Delta |
| 13 | Environments & Agility | Historically some issues were fixed directly on live to preserve agility. Moving to a staging environment with production-like data (e.g. GreenBuddy tournament reconciliation) to test thoroughly before production, while retaining agility through controlled, staged deployments. | Test/Dev Teams | Delta |
| 14 | Partner Integrations & Rollback Model | Partners include CamsPay, Karix, and others to come; AWS/App/Play Stores act as facilitators. Current deployment model: back up the current version, deploy the new version, and roll back the entire version if issues appear. | Dev Team | Process |
| 15 | Feature Flags / Kill Switches | Desire to disable a single failing feature or partner integration (e.g. one partner endpoint, or a large module such as "reunions") without rolling | Dev Team | Roadmap |

| # | Topic / Module | Discussion / Observation | Owner | Phase |
|---|---|---|---|---|
| | | back the entire release; feature flags controlled without redeployment discussed, especially OTA options for mobile. | | |
| 16 | File Upload Behaviour & Security | Current API upload limit (photos, videos, Excels, etc.) is ~50 MB — flagged as far too high for notice board and contact Excel uploads. Agreed to restrict allowed file types, block malware/auto-execute content, set conservative size limits (small MBs for PDFs/Excels) to be relaxed later based on real usage, and restrict some sensitive uploads to anchors only.<br><br>This should be documented as part of Decision Records | Dev Team / Lakshmi | Delta |
| 17 | Secrets Management & Code Hygiene | Concern raised over a hardcoded DB password ("myPassword123") and other credentials (API keys, OTP test values) present in code, especially on GitHub. Agreed that no hardcoded credentials should exist in source; all such values must be loaded dynamically from secret managers/vaults. | Sathish | Process |
| 18 | Code Size, Modularity & Maintainability | Discussed optimal lines of code per component: ~500 LOC as a reasonable target, ~1,500 LOC as a manageable upper bound, avoiding monolithic files of 5,000–7,000 LOC to keep complexity, debugging, and partner-swap/feature-flag support manageable. Current AI-generated code is object-oriented, structured as small classes/methods. | Sathish/Guru | Process |
| 19 | Application Performance Monitoring | Discussed whether tools for monitoring are needed now. Guru's view: a single application with a few services can be adequately tracked via cloud provider monitoring (CPU, disk, uptime, resource usage); full observability platforms make more sense once there are hundreds of apps/microservices. Agreement to start basic and revisit as the portfolio grows. | Guru | Process |
| 20 | Future Topics Flagged | Upcoming discussions planned on LLM/AI session controls (session initiation, security, generative-AI risk), payment & concurrency (concurrent debit protection, financial data safety), and OTP generation rigor (confirming current Java-based random generation meets security standards, reviewed periodically). | Indeevar / Sathish | Roadmap |
| 21 | Next Meeting Scheduling | Team to reconvene at approximately 3:00 pm for a ~30-minute functionality/testing call; Hemant (testing) to join, others as needed. | Indeevar | Process |

## 4. Key Decisions

| # | Decision | Rationale / Impact |
|---|---|---|
| D1 | Decision Records document | The existing decisions/rationale document is formally treated as "Decision Records," to be continuously updated as requirements/design evolve and shared periodically with testing/delivery (Guru, Hemnath, Kishor) so they have context without re-asking known decisions. — Keeps a single source of truth for design/product rationale and reduces repeated escalation. |
| D2 | Testing strategy & sequencing | Agreed to first stabilise happy-path behaviour, then systematically implement regression + sanity packs for functional coverage, followed by phased security testing (source code checks, DAST, API security, penetration tests). — Sequences effort so functional stability is not sacrificed while ramping up security rigor. |
| D3 | Role expectations: design vs. testing | Dev/design owns building in expected functionality and core security; testing validates functions work, independently surfaces design/security gaps, rates inherent risk, and provides actionable feedback for the business to accept or mitigate. — Creates clear accountability and an independent risk-surfacing function separate from build ownership. |
| D4 | Unit test coverage & sharing | Target to raise unit test coverage toward a higher band (cited inconsistently as 60–70% and 75–80% — to be confirmed); |

| # | Decision | Rationale / Impact |
|---|---|---|
| | | automate execution after development and add a separate pre-UAT/production run; developers to share suites/results with Guru's team. — Improves coverage discipline and gives the testing team visibility into design consistency across versions. |
| D5 | Staging environment usage | A production-like staging environment with realistic data (e.g. GreenBuddy tournament) will be used for testing, reconciliation, and validation, reducing direct changes on the live app while retaining agility. — Lowers production risk while preserving delivery speed. |
| D6 | Rollback vs. feature flags | Full-version rollback remains today's safety net; the team will explore feature flags/kill switches to disable specific failing features or partner integrations without reverting the entire release. — Reduces the blast radius of a single failing feature or partner (e.g. reunion module) without affecting unrelated working features (e.g. golf). |
| D7 | File uploads | File uploads treated as a high-risk entry point: implement file-type checks and malware/auto-execute guarding; start with conservative size limits (small MBs for notice board PDFs and contact Excels), relax later on demand with documented justification; record all rules in Decision Records. — Reduces malware and abuse risk from upload surfaces while leaving room to relax limits based on real usage. |
| D8 | Credential handling | All hardcoded secrets (e.g. "myPassword123", API keys, OTP test values) must be removed and loaded via secret vaults/managers instead of being stored in code or repos; a second-line confirmation scan of the codebase will be performed. — Removes a significant, easily exploitable security gap ahead of further security testing phases. |
| D9 | Code size & structure | Components should target ~500 LOC and stay below ~1,500 LOC; AI-generated, object-oriented structure is acceptable provided modules stay manageable and changes (e.g. partner swaps, feature flags) remain easy to localise. — Keeps the codebase maintainable and supports modular rollouts as the platform scales. |
| D10 | Monitoring | For now, use cloud monitoring for uptime, memory, disk, etc.; defer tools like Sentry until the system landscape becomes more complex; establish a version-to-version monitoring/reporting rhythm. — Avoids over-investing in observability tooling ahead of actual scale while still tracking key health metrics. |
| D11 | Green Buddies dogfooding | Indeevar to message the Green Buddies WhatsApp group requesting members retain the mobile number 95990 in their contact details, enabling end-to-end testing of the member login path, and to personally dogfood the member journey. — Provides a low-cost, real-user validation channel for the login/member flow ahead of broader rollout. |
| D12 | Next meeting | Team to reconvene at ~3:00 pm the same day for a ~30-minute functionality/testing call, with Hemant (testing) attending. — Keeps momentum on open testing issues without waiting for the next scheduled cycle. |

## 5. Action Items Register

| AI-ID | Area | Action Required | Owner | Due / Phase |
|---|---|---|---|---|
| AI-2408-01 | Testing Strategy | Prepare and share a detailed alumni product test strategy — complete regression pack and sanity pack, source code security testing, DAST, API functional and security testing, and penetration testing — with the client within ~2 days of the new testing lead (Vigneswaran) joining. | Gurusamy Paramanantham (with Vigneswaran) | Within 2 days of testing lead joining |
| AI-2408-02 | Testing Strategy | Build and operationalise a regression suite covering main end-to-end happy flows across modules, negative scenarios, validations, and integration points; automate via TestSigma / MCP + Visual Studio where possible; ready for build 1.3 and upcoming builds. | Hemnath & Kishore(under testing lead) | Ahead of build 1.3 |
| AI-2408-03 | Performance | Design realistic load scenarios (concurrent logins, bulk contact uploads, etc.) and execute performance/load testing using JMeter; feed findings back into design and capacity decisions. | Testing team | Ongoing |
| AI-2408-04 | Unit Testing | Develop and integrate additional automated unit tests (including module-level coverage) that run before UAT and production releases; raise overall unit test coverage toward the agreed target (60–70% per the action list vs. 75–80% per the decisions discussion — reconcile and confirm the figure); share coverage/results with Guru's team. | Sathish Kumar & dev team | Ongoing |
| AI-2408-05 | API Quality | Ensure APIs return correct HTTP status codes and user-friendly error messages, explicitly covering payment flows (e.g. 401/403 for unauthorised/forbidden); document for use in API testing and regression packs. | Sathish Kumar & dev team | Ongoing |
| AI-2408-06 | Security / Secrets | Scan the full codebase and GitHub repositories (over the coming weekend) for hardcoded DB passwords (e.g. "myPassword123"), API keys, OTP variables, and other secrets; replace with values fetched from secret managers; confirm completion by end of weekend. | Sathish Kumar & dev/security team (Guru to review) | Ongoing |
| AI-2408-07 | Security Program | Launch structured security testing phases (source code, DAST, API tests, penetration testing); build a per-release checklist covering OTP generation/randomness, API key handling, HTTPS enforcement, LLM/AI session controls, and file upload protections; report findings and risk ratings to the client. | Test Team / Gurusamy Paramanantham | Ongoing, per release |
| AI-2408-08 | File Uploads | Design and implement file-upload controls for notice board and contacts that detect potentially malicious files (e.g. executables) before storing; define conservative maximum file sizes (e.g. 1–2 MB for notice board PDFs and Excel contact lists); enforce role-based access (anchors vs. members); test behaviour when limits are exceeded with clear user feedback; relax limits later based on usage feedback. | Dev team (with testing/security input) | Delta |
| AI-2408-09 | Documentation | Document the agreed file-upload rules (allowed file types and size limits, security rationale) in the product Decision Records as a reusable reference for anchors vs. members. | Lakshmi | Ongoing |
| AI-2408-10 | Documentation | Maintain and periodically share the Decision Records with the delivery and testing team (Guru, Hemnath, Kishore), including new items from this meeting (file-upload strategy, feature flag exploration, code-size guidance). | Lakshmi | Ongoing |
| AI-2408-11 | Environments | Strengthen the production-like staging environment (e.g. for GreenBuddy tournament reconciliation) and ensure the testing team has the access/data needed to validate end-to-end scenarios before go-live. | DevOps team, Guru & Sathish | Ongoing |

| AI-ID | Area | Action Required | Owner | Due / Phase |
|---|---|---|---|---|
| AI-2408-12 | Monitoring | Conduct a thorough review of the app's security configuration (OTP generation, API keys, database passwords, secret management, HTTPS, LLM/API controls) and provide a checklist of risks and mitigations per release; use cloud monitoring for uptime/CPU/memory/disk and share a simple version-to-version snapshot; revisit dedicated APM tooling (e.g. Sentry) as scale grows. | Dev Team / Gurusamy Paramanantham | Ongoing |
| AI-2408-13 | Client Coordination | Send a WhatsApp message to the Green Buddies group requesting everyone keep the mobile number in their contact details so the login flow can be tested end to end; personally track the member journey and report friction points. | Indeevar | This week |
| AI-2408-14 | Scheduling | Reconvene the follow-up business-as-usual meeting with the client today at approximately 3:00 pm (~30 minutes, ahead of a 4:10 pm flight), ensuring the testing lead / Hemnath attends to discuss outstanding issues and build 1.3 progress. | Anand Sivaraman | Today, ~3:00 pm |

## 6. Next Steps

- Once test lead (Vigneswaran) is back, share the detailed alumni product test strategy with the client within ~2 days.
- Build out the regression and sanity packs, automating via TestSigma and MCP + Visual Studio, ready ahead of build 1.3.
- Plan to run JMeter-based load/performance testing against anticipated concurrent-login and bulk-upload scenarios.
- Push unit test coverage higher (confirm target: 60–70% or 75–80%) and add a dedicated pre-UAT/production unit test run.
- Complete the weekend codebase/secrets scan and confirm no hardcoded credentials remain in source or GitHub repos.
- Design and ship conservative file-upload size limits and malware/type checks for notice board and contact uploads; document the rules in Decision Records.
- Continue strengthening the staging environment (GreenBuddy reconciliation) ahead of broader rollout.
- Keep Decision Records current and shared periodically with the delivery/testing team.
- Send the Green Buddies WhatsApp request and begin member-path tracking
- Hold the ~3:00 pm follow-up call to review outstanding testing issues and build 1.3 progress.

# SESSION 2 — FOLLOW-UP MEETING (3:00 PM – 4:00 PM): GREEN BUDDIES FUNCTIONAL REVIEW

## 7. Follow-up Meeting Details

| Field | Details |
|---|---|
| Project | Alumnye Platform |
| Meeting Date / Time | 24 August 2026 (Monday), 3:00 pm – 4:00 pm |
| Mode | Online Meeting |
| Participants | Indeevar, Anand Sivaraman, Sathish Kumar, Nishalini, Hemnath, Lakshmi |

## 8. Follow-up Discussion Items

- Green Buddies mobile number addition issues and SMS/notification troubleshooting
- Web app vs. native app session and OTP handling on invite acceptance
- DLT compliance: keeping all outbound messages transactional (not promotional) and aligning with Karix
- Group vs. event entitlements — visibility of HCP (handicap) sheets and match stats for group members outside a specific event
- Dynamic handicap calculation logic, gross-score corrections, and anchor-only override authority
- Scorecard UX: stroke-hole highlighting on the blank scorecard, and replacing “AS” with “H” after scoring
- AI-generated profile bios, manual refinement, and profile-level vs. group-level media uploads
- Multiple-anchors capability (future)
- Onboarding a new client group (CSGI 40, ~140 members) via backend data upload; overseas members using email login
- Consent and terms-and-conditions capture at first login
- Proof-of-payment screenshot workflow and data extraction (targeted v1.4+)
- Scheduling of tomorrow's follow-up call

## 9. Follow-up Discussion Summary & Walkthrough Feedback

| # | Topic / Module | Discussion / Observation | Owner | Phase |
|---|---|---|---|---|
| B1 | Mobile Number & Invite Issues | Indeevar (“Alumwhale”) could not add a second mobile number to Green Buddies and did not receive the invite SMS; in the City X group, some members (e.g. Ninu) had not received notifications. | Indeevar / Dev team | V1.3 |
| B2 | Root Cause — Web-to-App Session Conflict | First-time invite flows open as a web app and create a session; a conflict arises later when the user installs the native app. Fix requires treating old web sessions as expired and correctly issuing/funneling the next OTP when the native app is installed. | Dev team (engineering) | V1.3 |
| B3 | Fix Status & Live Test | Anand Sivaraman confirmed the issues were fixed in v1.3; SMS/contact-fetching fixes were addressed in v1.2/v1.3. The team tested adding Indeevar's mobile number and resending invites live on the call; SMS behaviour appears to be working, OTP flow remains under observation. | Anand Sivaraman / Indeevar | V1.3 |
| B4 | DLT / Promotional vs. Transactional Messaging | Indeevar wants no promotional/marketing messaging for now — all traffic (invites, OTPs, necessary updates) must stay strictly transactional so messages are not classified as promotional under DLT rules. | Indeevar / Lakshmi | Process |

| # | Topic / Module | Discussion / Observation | Owner | Phase |
|---|---|---|---|---|
| B5 | Vendor Alignment — Karix | Team to contact Karix after the call to confirm all outgoing messages are transactional and obtain clear guidance on what qualifies as promotional content under DLT. | Lakshmi | Process |
| B6 | Group vs. Event Entitlements — Current Behaviour | Today, only players within a specific event can see that event's match results, statistics, and HCP (handicap) sheet. | Dev team | V1.3 |
| B7 | Group vs. Event Entitlements — Desired Behaviour (Golf) | For the golf use case, all Green Buddies group members should be able to see the HCP sheet and tournament card, even if they are not part of that specific event.<br><br>Not required for now | Indeevar | Later |
| B8 | Entitlement Matrix — Long-Term Design | Proposed direction: introduce a group/community-type classification (golf, reunion, sustainability, agriculture, etc.) and build an entitlement matrix defining what group members vs. event members can see per type (e.g. golf groups see almost everything; reunions may restrict photos/videos to event members only). Near term, kept simple: event members see event data, others must join the event to see it — captured as a design decision, not an immediate build. | Indeevar/Dev team | Roadmap |
| B9 | Dynamic Handicap (HCP) Logic | Base HCP is set for the tournament, then dynamic HCP recalculates per match based on putts and performance. Problem scenarios include a player joining mid-tournament (e.g. Shailendra Malhotra, requiring historical record insertion/recalculation) and captains manually adjusting HCP pre-match, which can be overridden when the system recalculates from match 1. | Dev team | V1.3 |
| B10 | Gross Score as Source of Truth | Indeevar's principle: gross score drives everything; corrections should be made to the gross score (using the paper scorecard as reference) and the system should recalculate HCP from there. Only the anchor — not players or captains — should be allowed to correct gross scores; an anchor activity log already exists in the database (no UI yet) and has been actively used over the last two weeks. | Indeevar | V1.3 |
| B11 | Scorecard UX — Stroke Visibility | Request to highlight stroke holes (e.g. in yellow) directly on the blank/in-progress scorecard grid, not only inside hole-detail views during play, since some players prematurely concede a hole without realising they had a stroke on it. Intended to also encourage more real-time (vs. after-the-round) app usage, possibly supported by small incentives for live use. | Indeevar/Dev team | Check for v1.3 |
| B12 | Scorecard UX — "H" vs. "AS" Display | After scoring is entered, the system should always display "H"; the temporary "AS" label should be eliminated from the post-scoring view. Planned for v1.3. | Dev team | V1.3 |
| B13 | AI-Generated Profiles & Manual Refinement | The system can generate bios from profile data (education, job, etc.); accuracy varies — technical profiles tend to be more accurate, while some bios pick up embellished, less input-driven claims (e.g. "implementation expert"). Proposed option: the anchor generates a profile via an AI model (e.g. Claude) and manually pastes/refines it for higher accuracy. | Indeevar/Dev team | V1.3 |
| B14 | Media Uploads — Group vs. Profile Level | Group-level media library already exists (anchors can upload images for the group). Desired: profile-level uploads (pictures/videos attached to an individual member's profile, visible only to that member per defined rules). Team to check app architecture and assess feasibility for v1.3 vs. v1.4. | Indeevar/Dev team | Roadmap |
| B15 | Multiple Anchors (Future) | Multiple-anchors-per-group/event capability confirmed as a future requirement, not to be solved in v1.3; targeted for a subsequent version. | Indeevar | Roadmap |
| B16 | New Client Onboarding — CSGI 40 (~140 members) | Indeevar considering backend data upload for a new ~17-member group to avoid waiting on individual SMS/self-registration; overseas members to use email-ID login instead of local mobile. Impact of | Indeevar | V1.3 |

| # | Topic / Module | Discussion / Observation | Owner | Phase |
|---|---|---|---|---|
| | | backend upload on downstream behavior to be checked before committing. | | |
| B17 | Consent & Terms at First Login | At first sign-in (mobile or email), users must accept terms & conditions covering the rights granted to the anchor regarding data usage; confirmed that T&Cs already specify this and consent logs are captured in the system. | Discussion point | Process |
| B18 | Proof-of-Payment Extraction (Future) | Future feature: members submit proof-of-payment screenshots; the system extracts data from the images for downstream reconciliation. A design document/workflow is being prepared covering screenshot submission and data extraction, targeted for v1.4+; to be shared with the client by email. | Dev team | Roadmap |
| B19 | Meeting Schedule | Next follow-up meeting scheduled for tomorrow at approximately 2:15 pm, primarily to continue the anchor/profile-generation discussion and review v1.3 progress. | Indeevar | Process |

## 10. Follow-up Key Decisions

| # | Decision | Rationale / Impact |
|---|---|---|
| D13 | Session/OTP fix as standard | Old web sessions are to be treated as expired when the native app is installed, with the correct OTP passed through, so invite acceptance works reliably; this fix is live in v1.2/v1.3 and is the standard going forward. — Prevents invite-acceptance failures caused by web-to-app session conflicts. |
| D14 | No promotional SMS for now | The app will not send promotional/marketing SMS; all communication is treated as transactional. This is the position to present to Karix for DLT compliance. — Avoids DLT classification issues and keeps messaging compliance risk low while marketing use cases are not yet needed. |
| D15 | Entitlement direction — short term vs. long term | Short term: event members see event data; other group members must join the event to see it. Long term: implement a group-type classification and entitlement matrix governing group- vs. event-level visibility per community type (golf, reunion, etc.). — Keeps the near-term build simple while setting a clear direction for a more nuanced, type-aware visibility model. |
| D16 | Gross score as single source of truth | All handicap and dynamic HCP calculations are driven by gross score, not by manual HCP overrides; only anchors may correct gross scores, and corrections are logged. — Ensures a consistent, auditable basis for all downstream HCP calculations and prevents unauthorised score tampering. |
| D17 | Scorecard UX enhancements | Stroke holes will be visibly highlighted (e.g. yellow) on the scorecard before and during play; after scoring, the display will always show “H”, removing “AS” from the post-scoring UI. — Reduces player error (accidental hole concessions) and removes a confusing, inconsistent UI state. |
| D18 | Profile media and AI-generated profiles | Group-level media library continues as-is; profile-level media uploads are desired and will be explored, with no firm commitment yet to v1.3 vs. v1.4. AI-generated bios are an acceptable starting point, with manual anchor refinement expected for accuracy. — Balances near-term delivery certainty against the value of a richer, more personal profile experience. |
| D19 | Backend data upload for CSGI 40 | Backend upload is on the table as a faster onboarding path for the new ~17-member group, to proceed if no harmful downstream impact is found; overseas members are directed to email-based login. — Speeds up onboarding for a large new client group while avoiding known mobile-invite friction for overseas numbers. |

| # | Decision | Rationale / Impact |
|---|---|---|
| D20 | Consent at first login (standing pattern) | Consent and T&C acceptance at first login is mandatory and already implemented; this pattern will be followed for all new groups/clients going forward. — Confirms an existing compliance control as the standing pattern for future onboarding. |
| D21 | Versioning plan (v1.3 vs. v1.4+) | v1.3 focuses on scorecard fixes (stroke highlighting, “H” vs. “AS”), dashboards, invite/session fixes, and group library polishing. v1.4 and beyond will carry multiple anchors, profile-level media, proof-of-payment extraction, and a richer entitlement matrix. — Gives the team and client a shared, realistic view of what ships in the current release versus what is intentionally deferred. |

## 11. Follow-up Action Items Register

| AI-ID | Area | Action Required | Owner | Due / Phase |
|---|---|---|---|---|
| AI-2408-15 | Scheduling | Prepare for and participate in tomorrow's follow-up meeting at ~2:15 pm to continue the anchor/profile-generation discussion and related items. | Anand Sivaraman | Tomorrow, ~2:15 pm |
| AI-2408-16 | Data / Onboarding | Attempt to add the anchor's mobile number (959-901-0984) to the Green Buddies group directly in the app; if it fails, request the development team to manually add the number. | Indeevar | ASAP |
| AI-2408-17 | Engineering | Fix the web-to-app session/OTP issue: treat existing sessions as expired and pass the correct OTP when a user who accepted an SMS invite (opened as web app) subsequently installs the mobile app. | Dev team | V1.3 |
| AI-2408-18 | Vendor Management | Contact Karix to confirm all outgoing messages are strictly transactional (not promotional) and obtain clear guidance on what qualifies as promotional content for DLT compliance. | Lakshmi / Dev team | Immediately after this meeting |
| AI-2408-19 | Scorecard UX | Highlight stroke holes in yellow (or otherwise) on the blank/in-progress scorecard so players can see which holes carry a stroke before conceding. | Dev team | v1.3 (to check and confirm) |
| AI-2408-20 | Scorecard UX | Update the scorecard screen so the post-scoring display always shows “H” instead of “AS”, removing the temporary “AS” view. | Dev team | v1.3 |
| AI-2408-21 | Product / Media | Investigate whether profile-level picture/video uploads (beyond the current group-level library) are feasible, and estimate whether this can be delivered in the upcoming 1.3 release or needs to move to 1.4. | Sathish Kumar | v1.3 feasibility assessment |
| AI-2408-22 | Documentation | Share the proof-of-payment screenshot workflow document by email — covering how members submit screenshots and how payment data will be extracted — for client review. | Sathish Kumar | This week |

## 12. Follow-up Next Steps

- Resolve the web-to-app session/OTP conflict so SMS-invite acceptance works reliably end to end.
- Confirm with Karix that all messaging is transactional and get written guidance on DLT/promotional classification.
- Record the group-vs-event entitlement design decision (short-term simple rule; long-term entitlement matrix by community type) in Decision Records.
- Lock gross-score-as-source-of-truth for HCP, restrict gross-score edits to anchors, and plan a UI for the existing anchor activity log.

- Ship stroke-hole highlighting and the “H” (not “AS”) post-scoring display in v1.3.
- Assess feasibility of profile-level media uploads for v1.3 vs. v1.4, and continue refining AI-generated profile bios with manual anchor review.
- Progress the CSGI 40 (~17-member) backend upload onboarding, directing overseas members to email-based login.
- Share the payment workflow document with the client by email.
- Hold tomorrow's ~2:15 pm follow-up on anchor/profile-generation topics and v1.3 progress.