
Information Gathering


1) performed initial scan

```
-(vigneswar⊛vigneswar)-[~]
$ nmap 10.10.10.222 -sV -sC -p22,80
Starting Nmap 7.94 (https://nmap.org) at 2023-11-04 09:42 IST
Nmap scan report for 10.10.10.222
Host is up (0.33s latency).
      STATE SERVICE VERSION
22/tcp open ssh
                    OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)
| ssh-hostkey:
    2048 9c:40:fa:85:9b:01:ac:ac:0e:bc:0c:19:51:8a:ee:27 (RSA)
    256 5a:0c:c0:3b:9b:76:55:2e:6e:c4:f4:b9:5d:76:17:09 (ECDSA)
   256 b7:9d:f7:48:9d:a2:f2:76:30:fd:42:d3:35:3a:80:8c (ED25519)
80/tcp open http nginx 1.14.2
|_http-title: Welcome
|_http-server-header: nginx/1.14.2
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 24.94 seconds
```

2) checked out the web page





it uses nginx server




3) found a subdomain














there is a file upload functionality














4) Found another web port


5) Found a login page











Mattermost



Mattermost is an open-source, self-hostable online chat service with file sharing, search, and integrations. It is designed as an internal chat for organisations and companies, and mostly markets itself as an open-source alternative to Slack and Microsoft Teams.

Wikipedia

Initial release date: 2015

Programming languages: Go, JavaScript

Developer: Mattermost, Inc.

Choose your password




A Your password must contain between 10 and 64 characters made up of at least one lowercase letter, at least one uppercase letter, at least one number, and at least one symbol (e.g. "~!@#\$%^&*()").


Vulnerability Assessment

Mattermost is a internal mail server, so it doesn't mail to any external mail servers but i can register a mail with the ticket mail (which is internal) given to me and i will be able to see the activation mail in my ticket

1) created a new ticket




2) created account with the ticket mail




Resend Email

Mattermost: You are almost done Please verify your email address. Check your inbox for an email.

3) Got the activation link on ticket



4) got access to internal chat



5) Found a credential



Also please create a program to help us stop re-using the same passwords everywhere.... Especially those that are a variant of "PleaseSubscribe!" (edited)

Exploitation

1) Logged in with ssh

2) Found password of mysql


```
maildeliverer@Delivery:~$ cat /opt/mattermost/config/config.json | grep DataSource
    "DataSource": "mmuser:Crack_The_MM_Admin_PW@tcp(127.0.0.1:3306)/mattermost?charset=utf8mb4,utf8\u0026readTimeout=30s\u0026writeTimeout=30s",
    "DataSourceSearchReplicas": [],
    "DataSourceSearchReplicas": [],
maildeliverer@Delivery:~$ |
```

3) Logged into mysql

```
maildeliverer@Delivery:~$ mysql -h 127.0.0.1 -P 3306 -u mmuser -pCrack_The_MM_Admin_PW To Welcome to the MariaDB monitor. Commands end with; or \g.
Your MariaDB connection id is 59
Server version: 10.3.27-MariaDB-0+deb10u1 Debian 10
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]>
```

4) Enumerated the database

5) Found password hashes



6) From chat we get the word whose variation is the password

7) Logged in with the password and got the root flag

root@Delivery:~# cat root.txt 5e1c381f2318d50fc2a0942a266daa68 root@Delivery:~#