

```

1  #include <stdio.h>
2  int main() {
3      int t,m,n,c=0;
4      scanf("%d",&t);
5      for(int i=0;i<t;i++){
6          c=0;
7          scanf("%d\n%d",&m,&n);
8          int arr[n];
9          for(int j=0;j<n;j++){
10             scanf("%d",&arr[j]);
11         }
12         for(int a=0;a<n-1;a++){
13             for(int b=a+1;b<n;b++){
14                 if(arr[a]+arr[b]==m)
15                 {
16                     printf("%d %d\n",a+1,b);
17                     c=1;break;
18                 }
19             } if(c==1) break;
20         }
21     }
22     return 0;}

```

|   | Input     | Expected | Got |   |
|---|-----------|----------|-----|---|
| ✓ | 2         | 1 4      | 1 4 | ✓ |
|   | 4         | 1 2      | 1 2 |   |
|   | 5         |          |     |   |
|   | 1 4 5 3 2 |          |     |   |
|   | 4         |          |     |   |
|   | 4         |          |     |   |
|   | 2 2 4 3   |          |     |   |

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main() {
3     int n,m,c,c1=0,co;
4     scanf("%d",&n);
5     int arr[n];
6     for(int a=0;a<n;a++){
7         scanf("%d",&arr[a]);
8     }
9     scanf("%d",&m);
10    int brr[m],ans[m];
11    for(int b=0;b<m;b++){
12        scanf("%d",&brr[b]);
13    }
14    for(int j=0;j<m;j++){
15        c=0;
16        for(int i=0;i<n;i++){
17            if(arr[i]==brr[j]){
18                c=1;
19                arr[i]=1;
20                break;
21            }
22        }
23        if(c==0){
24            ans[c1]=brr[j];
25            c1++;
26        }
27    }
28    for(int a=0;a<c1;a++){
29        co=0;
30        for(int b=0;b<c1;b++){
31            if(ans[b]<ans[a]){
32                co++;
33            }
34        }
35        int temp=ans[a];
36        ans[a]=ans[co];
37        ans[co]=temp;
38    }
39    for(int i=0;i<c1;i++){
40        printf("%d ",ans[i]);
41    }
42
43    return 0;
44 }
```

|   | Input                                                                                              |
|---|----------------------------------------------------------------------------------------------------|
| ✓ | 10<br>203 204 205 206 207 208 203 204 205 206<br>13<br>203 204 204 205 206 207 205 208 203 206 205 |

Passed all tests! ✓

```

1 #include <stdio.h>
2 int main() {
3     int t,n,Is,rs,m;
4     scanf("%d",&t);
5     for(int i=0;i<t;i++){
6         Is=0;
7         rs=0;
8         scanf("%d",&n);
9         int arr[n];
10        for(int j=0;j<n;j++)
11            scanf("%d",&arr[j]);
12        m=n/2;
13        if(arr[m]==0){
14            for(m=0;arr[m]==0 && m<n;m++);
15        }
16        for(int j=0;j<=m;j++)
17            Is=Is+arr[j];
18        for(int j=m;j<n;j++)
19            rs=rs+arr[j];
20        printf("%s\n",(Is==rs)?"YES":"NO");
21
22    }
23    return 0;
24 }

```

|   | Input                                               | Expected          | Got               |   |
|---|-----------------------------------------------------|-------------------|-------------------|---|
| ✓ | 3<br>5<br>1 1 4 1 1<br>4<br>2 0 0 0<br>4<br>0 0 2 0 | YES<br>YES<br>YES | YES<br>YES<br>YES | ✓ |
| ✓ | 2<br>3<br>1 2 3<br>4<br>1 2 3 3                     | NO<br>YES         | NO<br>YES         | ✓ |

Passed all tests! ✓