

```

1  #include <stdio.h>
2  int main() {
3      int T,d,i=0,i1,i2,n;
4      char c;
5      scanf("%d",&T);
6      while(i<T){
7          scanf("%d",&d);
8          i1=0;
9          while(i1<d){
10             n=1;
11             i2=0;
12             if(i1%2==0){
13                 n=0;
14             }
15             while(i2<d){
16                 c='B';
17                 if(i2%2==n){
18                     c='W';
19                 }
20                 printf("%c",c);
21                 i2++;
22             }
23             i1+=1;
24             printf("\n");
25         }
26         i=i+1;
27     }
28 }

```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

```

1  #include <stdio.h>
2  int main() {
3      int T,d,i,i1,i2,o,z;
4      char c,s;
5      scanf("%d",&T);
6      for(i=0;i<T;i++){
7          scanf("%d %c",&d,&s);
8          for(i1=0;i1<d;i1++){
9              z=(s=='W')?0:1;
10             o=(i1%2==z)?0:1;
11             for(i2=0;i2<d;i2++){
12                 c=(i2%2==o)?'W':'B';
13                 printf("%c",c);
14             }
15             printf("\n");
16         }
17     }
18     return 0;
19 }

```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

```

1 #include <stdio.h>
2 int main() {
3     int num,t;
4     scanf("%d",&t);
5     int st1=1;
6     int st2;
7     for(int k=1;k<=t;k++){
8         printf("Case #%d\n",k);
9         scanf("%d",&num);
10        st1=1;
11        st2=num*(num+1);
12        for(int i=0;i<num;i++){
13            for (int j=0;j<i;j++){
14                printf("***");
15            }
16            for(int j=0;j<num-i;j++){
17                printf("%d",(st1++)*10);
18            }
19            st2=st2-(num-i-1);
20            for(int j=0;j<(num-i-1);j++){
21                printf("%d",(st2++)*10);
22            }
23            printf("%d",st2);
24            st2=st2-(num-i);
25            printf("\n");
26        }
27    }
28    return 0;
29 }

```

	Input	Expected	Got
✓	3	Case #1	Case #1
	3	10203010011012	102030100110
	4	**4050809	**4050809
	5	****607	****607
		Case #2	Case #2
		1020304017018019020	1020304017018
		**50607014015016	**50607014015
		****809012013	****809012013
		*****10011	*****10011
		Case #3	Case #3
		102030405026027028029030	1020304050260
		**6070809022023024025	**60708090220
		****10011012019020021	****100110120
		*****13014017018	*****130140
		*****15016	*****15016

Passed all tests! ✓