

```

1  #include <stdio.h>
2  #include <math.h>
3  int main() {
4      int n;
5      scanf("%d",&n);
6      int x=0,n2=n;
7      while(n2!=0){
8          x++;
9          n2=n2/10;
10     }
11     int sum=0;
12     int n3=n,n4;
13     while(n3!=0){
14         n4=n3%10;
15         sum=sum+pow(n4,x);
16         n3=n3/10;
17     }
18     if(n==sum){
19         printf("true");
20     }
21     else{
22         printf("false");
23     }
24     return 0;
25 }

```

	Input	Expected	Got	
✓	153	true	true	✓
✓	123	false	false	✓

Passed all tests! ✓

```

1  #include <stdio.h>
2  int main() {
3      int rn,n,nt=0,i=0;
4      scanf("%d",&n);
5      do{
6          nt=n;
7          rn=0;
8          while(n!=0){
9              rn=rn*10+n%10;
10             n=n/10;
11         }
12         n=nt+rn;
13         i++;
14     }
15     while(rn!=nt || i==1);
16     printf("%d",rn);
17     return 0;
18 }

```

	Input	Expected	Got	
✓	32	55	55	✓
✓	789	66066	66066	✓

Passed all tests! ✓

```

1  #include <stdio.h>
2  int main() {
3      int n=1,i=0,nt,co=0,e;
4      scanf("%d",&e);
5      while(i<e){
6          nt=n;
7          while(nt!=0){
8              co=0;
9              if(nt%10!=3&&nt%10!=4){
10                 co=1;
11                 break;
12             }
13             nt=nt/10;
14         }
15         if(co==0){
16             i++;
17         }
18         n++;
19     }
20     printf("%d",--n);
21     return 0;
22 }

```

	Input	Expected	Got	
✓	34	33344	33344	✓

Passed all tests! ✓