PASSIONATEPROGRAMMERS.COM

EVERYTHING NOTHING IN CODING IS NOT

Expect nothing
and you will never
be disappointed!

Swipe

PASSIONATEPROGRAMMERS.COM

NULL - NONE - NIL

```
let myVar = null;
```

Null is a **constant** value
that is not an integer, not
a string, not a boolean - not
anything really, except **something**
to hold and be a "**not there**" value.
This concept has different names in
different programming languages.

Swipe

PASSIONATE PROGRAMMERS

UNDEFINED

```
first_name = "Jon"

last_name = "Snow"

print(middle_name)
```

> An undefined variable in the source code of a program is a variable that is **accessed** in the code but has not been previously **declared** by that code.

Swipe

ZERO

```
int number = 0;
```

Zero is the lowest
unsigned **integer** value.
It fulfills a central role in
arithmetic and mathematics.

EMPTY STRING

```
string str = "";
```

An empty string
is a string instance of
zero length. It is a string and
a value, but it has **no characters**.

Swipe

FALSE

```
bool isTrue = false;
```

False is a **boolean** value that is used when the result of a logical statement or expression is **not true**.

NAN

```
console.log(0 / 0);
```

NaN stands for
Not a Number and
is a value that is **unrepresentable**,
especially in floating-point arithmetic.

VOID

```
void function() {
  // Do something
}
```

> Void is the type
> for the result of a
> function that does **not provide**
> a **result value** to its caller.

ANALOGY

Non-zero Value



0

null

undefined

PASSIONATEPROGRAMMERS.COM

THANKS A TON FOR READING!

Share your thoughts in the comments section!

Redden the heart

Drop a comment

Share with friends

Save for later