

Computer Kiwi Syslog Server Co...

Recycle Bin Cisco ASDM-ID...

Control Panel Ostinato 0.9



Tftpd32

C:\> Administrator: Command Prompt

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

```
Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
```

Tunnel adapter 6T04 Adapter:

```
Connection-specific DNS Suffix . :  
IPv6 Address. . . . . : 2002:3200:a::3200:a  
Default Gateway . . . . . :
```

```
C:\Users\user>ping 50.0.0.1
```

```
Pinging 50.0.0.1 with 32 bytes of data:
```

```
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
```

```
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
```

```
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
```

```
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
```

```
Ping statistics for 50.0.0.1:
```

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 1ms, Average = 1ms

```
C:\Users\user>
```

Action Center
No current issues detected

Router Configuration

1 30°C
Mostly cloudy


 Search

2:20 PM

ENG
IN

07:50 PM
19-08-2026

```
ROUTER
ROUTER(config)#
ROUTER(config)#
ROUTER(config)#
ROUTER(config)#
ROUTER(config)#
ROUTER(config)#interface e0/0
ROUTER(config-if)#ip address 50.0.0.1 255.0.0.0
ROUTER(config-if)#no sh
ROUTER(config-if)#no shutdown
ROUTER(config-if)#ex
ROUTER(config)#ex
% Ambiguous command: "ex"
ROUTER(config)#exit
ROUTER#s
*Aug 19 14:19:01.459: %SYS-5-CONFIG_I: Configured from console by console
ROUTER#show ip interface brief
Interface          IP-Address      OK? Method Status      Prot
ocol
Ethernet0/0        50.0.0.1        YES manual up          up
Ethernet0/1        unassigned      YES TFTP  down        down
Ethernet0/2        unassigned      YES TFTP  down        down
```



```
Username:
Username:
Username:
Username:
Username:
Username:
Username:
Username:
Username:
Username:
Username:
Username: CCNA
Password:
ROUTER>
```

ROUTER 50.0.0.1

TELNET

e0



Win

50.0.0.10

Router Configuration

Physical



30°C
Mostly cloudy



Search



ROUTER

```
Password:
Password:
% Bad secrets

ROUTER>en
Password:
ROUTER#config ter
Enter configuration commands, one per line. End with CNTL/Z.
ROUTER(config)#line vty 0 4
ROUTER(config-line)#transport input telnet
ROUTER(config-line)#
ROUTER(config-line)#
ROUTER(config-line)#login local
ROUTER(config-line)#
ROUTER(config-line)#
ROUTER(config-line)#
ROUTER(config-line)#
ROUTER(config-line)#exit
ROUTER(config)#exit
ROUTER#
*Aug 19 14:27:23.060: %SYS-5-CONFIG_I: Configured from console by CCNA on consol
e
ROUTER#
ROUTER#
```

LNET

e0



Win

50.0.0.10

Router Configuration

Physical

01 : 00 : 00 START