

Assignment No 6

Employee Performance Appraisal System

A) Procedure

1. Insert Employee & Calling :

```
mysql> DELIMITER $$
mysql>
mysql> CREATE PROCEDURE AddEmployee(
  ->     IN p_id INT,
  ->     IN p_name VARCHAR(50),
  ->     IN p_designation VARCHAR(50),
  ->     IN p_salary DECIMAL(10,2),
  ->     IN p_dept INT
  -> )
  -> BEGIN
  ->     INSERT INTO Employee(Emp_ID, Emp_Name, Designation, Salary, Dept_ID)
  ->     VALUES(p_id, p_name, p_designation, p_salary, p_dept);
  -> END $$
Query OK, 0 rows affected (0.003 sec)

mysql>
[mysql> DELIMITER ;
[mysql> CALL AddEmployee(106, 'Rohit', 'Manager', 80000, 1);
Query OK, 1 row affected (0.003 sec)
```

Output :

```
[mysql> select * from employee;
+-----+-----+-----+-----+-----+
| Emp_ID | Emp_Name | Designation | Salary | Dept_ID |
+-----+-----+-----+-----+-----+
| 101 | Vijay | Senior Manager | 60000.00 | 1 |
| 102 | Prachi | Developer | 70000.00 | 2 |
| 103 | Omraje | Analyst | 50000.00 | 3 |
| 104 | Sahil | AIML | 50000.00 | 2 |
| 105 | Atharva | Developer | 60000.00 | 2 |
| 106 | Rohit | Manager | 80000.00 | 1 |
+-----+-----+-----+-----+-----+
6 rows in set (0.001 sec)
```

2.Update Employee Salary & Calling :

```
mysql> DELIMITER $$
mysql>
mysql> CREATE PROCEDURE UpdateSalary(
  ->     IN p_id INT,
  ->     IN new_salary DECIMAL(10,2)
  -> )
  -> BEGIN
  ->     UPDATE Employee
  ->     SET Salary = new_salary
  ->     WHERE Emp_ID = p_id;
  -> END $$
Query OK, 0 rows affected (0.002 sec)

mysql>
[mysql> DELIMITER ;
[mysql> CALL UpdateSalary(101, 65000);
Query OK, 1 row affected (0.003 sec)
```

Output :

```
[mysql> select * from employee;
```

Emp_ID	Emp_Name	Designation	Salary	Dept_ID
101	Vijay	Senior Manager	65000.00	1
102	Prachi	Developer	70000.00	2
103	Omraje	Analyst	50000.00	3
104	Sahil	AIML	50000.00	2
105	Atharva	Developer	60000.00	2
106	Rohit	Manager	80000.00	1

```
6 rows in set (0.001 sec)
```

3.Delete Employee and Calling :

```
mysql> DELIMITER $$
mysql>
mysql> CREATE PROCEDURE DeleteEmployee(IN p_id INT)
  -> BEGIN
  ->     DELETE FROM Appraisal WHERE Emp_ID = p_id;
  ->     DELETE FROM Employee WHERE Emp_ID = p_id;
  -> END $$
Query OK, 0 rows affected (0.003 sec)

mysql>
[mysql> DELIMITER ;
[mysql> CALL DeleteEmployee(105);
Query OK, 1 row affected (0.004 sec)
```

Output :

```
[mysql> select * from employee;
```

Emp_ID	Emp_Name	Designation	Salary	Dept_ID
101	Vijay	Senior Manager	65000.00	1
102	Prachi	Developer	70000.00	2
103	Omraje	Analyst	50000.00	3
104	Sahil	AIML	50000.00	2
106	Rohit	Manager	80000.00	1

```
5 rows in set (0.001 sec)
```

4.Show all Employee and Calling :

```
mysql> DELIMITER $$
mysql>
mysql> CREATE PROCEDURE ShowEmployees()
  -> BEGIN
  ->     SELECT * FROM Employee;
  -> END $$
Query OK, 0 rows affected (0.003 sec)
```

```
mysql>
[mysql> DELIMITER ;
[mysql> CALL ShowEmployees();
```

Emp_ID	Emp_Name	Designation	Salary	Dept_ID
101	Vijay	Senior Manager	65000.00	1
102	Prachi	Developer	70000.00	2
103	Omraje	Analyst	50000.00	3
104	Sahil	AIML	50000.00	2
106	Rohit	Manager	80000.00	1

5 rows in set (0.001 sec)

Query OK, 0 rows affected (0.001 sec)

B) Function

1. Get Salary :

```
mysql> DELIMITER $$
mysql>
mysql> CREATE FUNCTION GetSalary(p_id INT)
  -> RETURNS DECIMAL(10,2)
  -> DETERMINISTIC
  -> BEGIN
  ->     DECLARE sal DECIMAL(10,2);
  ->
  ->     SELECT Salary INTO sal
  ->     FROM Employee
  ->     WHERE Emp_ID = p_id;
  ->
  ->     RETURN sal;
  -> END $$
Query OK, 0 rows affected (0.003 sec)
```

```
mysql>
[mysql> DELIMITER ;
[mysql> SELECT GetSalary(101);
+-----+
| GetSalary(101) |
+-----+
|      65000.00 |
+-----+
1 row in set (0.003 sec)
```

2. Count Employee :

```
mysql> DELIMITER $$
mysql>
mysql> CREATE FUNCTION TotalEmployees()
  -> RETURNS INT
  -> DETERMINISTIC
  -> BEGIN
  ->     DECLARE total INT;
  ->
  ->     SELECT COUNT(*) INTO total FROM Employee;
  ->
  ->     RETURN total;
  -> END $$
Query OK, 0 rows affected (0.003 sec)

mysql>
[mysql> DELIMITER ;
[mysql> SELECT TotalEmployees();
+-----+
| TotalEmployees() |
+-----+
|                5 |
+-----+
1 row in set (0.004 sec)
```

3.Count Employee by Department :

```
mysql> DELIMITER $$
mysql>
mysql> CREATE FUNCTION CountByDept(p_dept INT)
  -> RETURNS INT
  -> DETERMINISTIC
  -> BEGIN
  ->     DECLARE total INT;
  ->
  ->     SELECT COUNT(*) INTO total
  ->     FROM Employee
  ->     WHERE Dept_ID = p_dept;
  ->
  ->     RETURN total;
  -> END $$
```

Query OK, 0 rows affected (0.003 sec)

```
mysql>
mysql> DELIMITER ;
mysql> SELECT CountByDept(2);
```

CountByDept(2)
2

1 row in set (0.003 sec)