Tab.name	Content	Туре		From - to
Field no.			of char.	
oranaario) ::::::::::::::::::::::::::::::::::::		
	Drug information	10000000000000000000000000000000000000	11	1-11
01 02	Drugid Product type	N AN	2	12-13
03	Product type Product sub-type	AN	2	14-15
03 04	Alphabet. sequence text	AN	9	16-24
0 -	Spec. number	N	5	25-29
06	Name	AN	30	30-59
07	Dosage form, text	AN	20	60-79
08	Dosage form, code	AN	7	80-86
09	Code for further dos.form info	AN	7	87-93
10	Strength, text	AN	20	94-113
11	Strength, numeric	N	10	114-123
12	Strength, unit	AN	3	124-126
13	Owner of marketing authorisation	N	6	127-132
14	Danish representative / importer	N	6	133-138
15	ATC-code	AN	8	139-146
16	Route of administration	AN	8	147-154
17	Traffic warning	AN	1	155
18	Substitution	AN	1	156
19	Void	AN	1	157
20	Void	AN	1	158
21	Void	AN	1	159
22	Substitution group for formulation	AN	4	160-163
23	Dose dispensing	AN	1	164
24	Deregistration date for formulation	AN	8	165-172
25	Quarantine date	AN	8	173-180
	Total record length:		180	
	Package information			
01	Drugid	N	11	1-11
02	Package number	N	6	12-17
03	Alphabet. sequence no.	N N	3	18-20
04	Pack.no. for inner-pack. in multipack	N	6	21-26
05	Number of inner-packs in multipack	N	3	27-29
06	Package size, text	AN	30	30-59
07	Package size, numeric	N	8	60-67
80	Package size, unit	AN	2	68-69
09	Package type	AN	4	70-73
10	Dispensing group	AN	5	74-78
11 12	Dispensing specialist code	AN	5 2	79-83
13	Reimbursement code Reimbursement clause	AN AN	5	84-85 86-90
14	number of DDD per package	N	9	91-99
15	Shelf life, numeric	N	2	100-101
16	Shelf life, unit	AN	1	100-101
17	Storage	AN	1	102
18	Latest marketing date	N	8	104-111
19	Date for latest price change	N	8	112-119
20	Withdrawal date	N	8	120-127
21	Calculation code AIP to Reg.price	AN	1	128
22	Reimbursement price code	AN	1	129
23	Reconstitution fee code	AN	1	130
24	Void	AN	1	131
25	Package distributor	N	6	132-137
	Total record length		137	. 32 107
			, , ,	

uata_uk xis	5 (1).			
01	Package number	N	6	1-6
02	AIP (Pharmacy purchase price)	N	9	7-15
03	Register price	N	9	16-24
04	Consumer price, total (ESP)	N	9	25-33
05	Void	N	9	34-42
06	Void	N	9	43-51
07	Reimbursement price (TSP)	N	9	52-60
08	Distribution price to hospitals etc.	N	9	61-69
09	Void	N	9	70-78
10	Price of non-reimburseable part	N	9	79-87
11	Void	N	9	88-96
	Total record-længde		96	
LMS04	Substitution			
01	Substitution group number	N	4	1-4
02	Package no. on prescription	N	6	5-10
03	Package size, numeric	N	8	11-18
04	Alphabetic sequence	AN	9	19-27
05	Void		7	28-34
06	Substitution code for package	AN	1	35
07	Package no. for cheapest pack.	N	6	36-41
08	Void		6	42-47
	Total record length		47	
LMS05	Substitution of OTC-packages with	no fixed pric	e	
01	Substitution group number	N	4	1-4
02	Package number	N	6	5-10
	Total record length		10	
∷LMS07	Reimbursement price groups			
01	Reimbursement group number	N	4	1-4
02	Package number	N	6	5-10
03	Void		1	11
	Total record length		11	
∷LMS09	Company list			
01	Company number	N	6	1-6
02	Company name (short)	AN	20	7-26
03	Company name	AN	32	27-58
04	Parallel importer code	AN	2	59-60
	Total record length		60	
		J <u>L</u>		
::LMS10	Name changes			
01	Drugid	N	11	1-11
02	Date of name change	N	8	12-19
03	Former name	AN	50	20-69
	Total record length		69	
LMS11				
01	Code	AN	2	1-2
02	Short text	AN	10	3-12
03	Text	AN	50	13-62
04	Void		1	63
	Total record length		63	

: L:MS12: :				T
	ATC-codes and texts	::		
01	ATC-level 1	AN	2	1-2
02	ATC-level 2	AN	2	3-4
03	ATC-level 3	AN	1	5
04	ATC-level 4	AN	1	6
05	ATC-level 5	AN	2	7-8
06	Text	AN	72	9-80
07	Void	AN	72	81-152
	Total record length		152	
	Price calculation codes			
01	Code	AN	1	1
02	Text	AN	50	2-51
03	Void		1	52
	Total record length		52	
	Package type, codes			
01	Code	AN	4	1-4
02	Short text	AN	10	5-14
03	text	AN	50	15-64
04	Void		1	65
	Total record length		65	
LMS15	Various units, codes			
01	Unit type	N	1	1
02	Code	AN	3	2-4
03	Short text	AN	10	5-14
04	Text	AN	50	15-64
05	Void		1	65
	Total record length		65	
: LMS16: :	Reimbursement codes			
: LMS16 :	Reimbursement codes:	AN	2	1-2
	-,	AN AN	2	1-2 3-12
01 02	Code	AN	10	3-12
01 02 03	Code Short text Text		10 50	3-12 13-62
01 02	Code Short text Text Void	AN	10 50 1	3-12
01 02 03 04	Code Short text Text Void Total record length	AN	10 50	3-12 13-62
01 02 03 04	Code Short text Text Void Total record length Reimbursement clause, codes	AN AN	10 50 1 63	3-12 13-62 63
01 02 03 04 •••••••••••••••••••••••••••••••••	Code Short text Text Void Total record length Reimbursement clause, codes::::	AN AN AN	10 50 1 63	3-12 13-62 63 1-5
01 02 03 04 • LMS17 : 01 02	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text	AN AN AN AN AN	10 50 1 63 5 5	3-12 13-62 63 1-5 6-55
01 02 03 04 •••••••••••••••••••••••••••••••••	Code Short text Text Void Total record length Reimbursement clause, codes::::	AN AN AN	10 50 1 63	3-12 13-62 63 1-5 6-55
01 02 03 04 	Code Short text Text Void Total record length Reimbursement clause, codes: Code Short text Text Total record length	AN AN AN AN AN	10 50 1 63 5 5 50 500	3-12 13-62 63 1-5 6-55
01 02 03 04 •••••••••••••••••••••••••••••••••	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes	AN AN AN AN AN	10 50 1 63 5 50 500 555	3-12 13-62 63 1-5 6-55 56-555
01 02 03 04 •••••••••••••••••••••••••••••••••	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group	AN AN AN AN AN	10 50 1 63 5 50 500 555	3-12 13-62 63 1-5 6-55 56-555
01 02 03 04 ***LM\$17*** 01 02 03 ***LM\$18*** 01 02	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group Dispensing, general	AN AN AN AN AN AN	10 50 1 63 5 50 500 555	3-12 13-62 63 1-5 6-55 56-555
01 02 03 04 ***LMS17:: 01 02 03 ***LMS18:: 01 02 03	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing, general Short text	AN AN AN AN AN AN AN	5 50 1 63 5 50 500 555 5 1	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16
01 02 03 04 2 ELMS17: 01 02 03 01 02 03 04	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group Dispensing, general Short text Text Text	AN AN AN AN AN AN	50 1 63 50 50 50 500 555 5 1 10 50	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16 17-66
01 02 03 04 	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group Dispensing, general Short text Text Void	AN AN AN AN AN AN AN	50 1 63 50 50 50 500 555 51 10 50 1	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16
01 02 03 04 	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group Dispensing, general Short text Text Text Void Total record length	AN AN AN AN AN AN AN	50 1 63 50 50 50 500 555 5 1 10 50	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16 17-66
01 02 03 04 04 	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group Dispensing, general Short text Text Void Total record length	AN AN AN AN AN AN	5 50 5 5 5 50 555 5 1 10 50 1 67	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16 17-66
01 02 03 04 04 	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group Dispensing, general Short text Text Text Void Total record length	AN AN AN AN AN AN AN	50 1 63 50 50 50 500 555 51 10 50 1	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16 17-66 67
01 02 03 04 04 	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group Dispensing, general Short text Text Void Total record length	AN AN AN AN AN AN	5 50 5 5 5 50 555 5 1 10 50 1 67	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16 17-66
01 02 03 04 04 	Code Short text Text Void Total record length Reimbursement clause, codes Code Short text Text Total record length Dispensing group codes Dispensing group codes Dispensing general Short text Text Void Total record length Dispensing specialist code Code	AN AN AN AN AN AN AN AN	50 1 63 50 50 50 500 555 5 1 10 50 1 67	3-12 13-62 63 1-5 6-55 56-555 1-5 6 7-16 17-66 67

	Storage code			
01	Code	AN	1	1
02	Short text	AN	10	2-11
03	Text	AN	50	12-61
	Total record length		61	
M\$21	Formulation names			-
01	DrugID	N	11	1-11
02	Full name for formulation	AN	60	12-71
	Total record length		71	
MS22	Dosage forms			
01	Code	AN	7	1-7
02	Full text	AN	100	8-107
03	Active/inactive	AN	1 108	108
	Total record length		108	
M\$23				
01	Туре	N	2	1-2
02	Level	N	1	3
03	Lower level	N	8	4-11
04	Upper level	N	8	12-19
05	Percentage	N	5	20-24
	Total record length		24	
MS24	Information on dose dispensing			
01	Drugid	N	11	1-11
02	Package number	N	6	12-17
03	Substitution group for drug	N	4	18-21
04	Minimum AIP per unit	N	9	22-30
05	Minimum register price per unit	N	9	31-39
06	BGP per unit	N	9	40-48
07	Code for Drugid with minimum price	AN	<u>_</u>	49
08	Drugid with minimum price	N	<u>'</u> 11	50-60
	Total record length		60	30-00
	-			
M\$25		 AN	ο	1.0
01	ATC	AN	8	1-8
01 02	ATC Indication code	N	7	9-15
01	ATC Indication code DrugID			9-15
01 02 03	ATC Indication code DrugID Total record length	N	7 11	9-15
01 02 03	ATC Indication code DrugID Total record length Indication text	N N	7 11 26	9-15 16-26
01 02 03 M\$26 01	ATC Indication code DrugID Total record length Indication text Indication code	N N	7 11 26	9-15 16-26 1-7
01 02 03 M\$26 01 02	ATC Indication code DrugID Total record length Indication text Indication code Indication text, total	N N N N AN	7 11 26 7 78	9-15 16-26 1-7 8-85
01 02 03 M826 01 02 03	ATC Indication code DrugID Total record length Indication text Indication code Indication text, total Indication text, line 1	N N N N AN AN	7 11 26 7 78 26	9-15 16-26 1-7 8-85 86-11
01 02 03 M\$26 01 02 03 04	ATC Indication code DrugID Total record length bndication:text: Indication code Indication text, total Indication text, line 1 Indication text, line 2	N N N AN AN AN	7 11 26 7 78 26 26	9-15 16-26 1-7 8-85 86-11 112-13
01 02 03 M\$26 01 02 03 04 05	ATC Indication code DrugID Total record length Indication text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3	N N N AN AN AN	7 11 26 7 78 26 26 26	9-15 16-26 1-7 8-85 86-11 112-13 138-16
01 02 03 M\$26 01 02 03 04	ATC Indication code DrugID Total record length Indication text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive	N N N AN AN AN	7 11 26 7 78 26 26 26 26	9-15 16-26 1-7 8-85 86-11 112-13
01 02 03 	ATC Indication code DrugID Total record length Indication text: Indication code Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length	N N N AN AN AN	7 11 26 7 78 26 26 26	9-15 16-26 1-7 8-85 86-11 112-13 138-16
01 02 03 03 01 02 03 04 05 06	ATC Indication code DrugID Total record length Indication:text: Indication code Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code	N N N AN AN AN AN	7 11 26 7 78 26 26 26 1 164	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164
01 02 03 03 01 02 03 04 05 06	ATC Indication code DrugID Total record length Indication:text: Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code Drugid	N N N AN AN AN AN AN	7 11 26 7 78 26 26 26 1 164	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164
01 02 03 03 01 02 03 04 05 06	ATC Indication code DrugID Total record length Indication:text: Indication code Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code	N N N AN AN AN AN	7 11 26 7 78 26 26 26 1 164	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164
01 02 03 03 01 02 03 04 05 06	ATC Indication code DrugID Total record length Indication text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code Drugid Dosage code Total record length	N N N AN AN AN AN AN	7 11 26 7 78 26 26 26 1 164	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164
01 02 03 01 02 03 04 05 06 .M\$27 01 02	ATC Indication code DrugID Total record length Indication text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code Drugid Dosage code Total record length	N N N AN AN AN AN AN AN	7 11 26 7 78 26 26 26 1 164	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164
01 02 03 01 02 03 04 05 06 .M\$27 01 02	ATC Indication code DrugID Total record length Indication:text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code Drugid Dosage code Total record length Dosage code Total record length Dosage code Total record length	N N N N N N N N N N N N N N N N N N N	7 11 26 7 78 26 26 26 1 164 11 7	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164 1-11 12-18
01 02 03 01 02 03 04 05 06 .M\$27 01 02 .M\$28 01 02	ATC Indication code DrugID Total record length Indication:text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code Drugid Dosage code Total record length Dosage sode Total record length Dosage sode Total record length	N N N AN AN AN AN AN N	7 11 26 7 78 26 26 26 1 164 11 7 18	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164 1-11 12-18
01 02 03 01 02 03 04 05 06 W\$27 01 02 01 02 03	ATC Indication code DrugID Total record length Indication:text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code Drugid Dosage code Total record length Dosage text Dosage code Dosage, short text Dosage text, total	N N AN AN AN AN AN N N	7 11 26 7 78 26 26 26 26 1 164 11 7 18	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164 1-11 12-18
01 02 03 01 02 03 04 05 06 .M\$27 01 02 .M\$28 01 02	ATC Indication code DrugID Total record length Indication:text Indication text, total Indication text, line 1 Indication text, line 2 Indication text, line 3 Active/Inactive Total record length Dosage code Drugid Dosage code Total record length Dosage sode Total record length Dosage sode Total record length	N N N AN AN AN AN AN N	7 11 26 7 78 26 26 26 1 164 11 7 18	9-15 16-26 1-7 8-85 86-11 112-13 138-16 164 1-11 12-18

iala_uk xis	i (T).XIS			
07	Dosage text, line 3	AN	26	157-182
08	Active/Inactive	AN	1	183
	Total record length		183	
LMS29	Recommendations	999		
01	Recommendation group	N	4	1-4
02	DrugID	N	11	5-15
03	Package number	N	6	16-21
04	Recommendation level	AN	25	22-46
	Total record length		46	
LMS30	Substances			
01	DrugID	N	11	1-11
02	Package number	N	6	12-17
03	Substance class	AN	100	18-117
04	Substance group	AN	100	118-217
05	Substance name	AN	150	218-367
	Total record length		367	
LMS31	Unit prices	101010		
01	DrugID	N	11	
02	Package number	N	6	
03	Price per unit	N	9	
04	Price per DDD	N	9	
05	Cheapest package	AN	1	
	Total record length		36	
LMS32	☐ Package:combinations:			
01	Package no. on prescription	N	6	1-6
02	Package no. for substitute	N	6	7-12
03	Package no. for alternative	N	6	13-18
04	Number of alternative packages	N	2	19-20
05	Consumer price for combination	N	9	21-29
06	Obligatory information marking	AN	1	30
	Total record-længde	-	30	
	3			

SYSTEM	/ System file			
00	Record type	N	2	1-2
01	Version number	AN	5	3-7
02	Name of price list	AN	40	8-47
03	Valid date of price list	N	8	48-55
04	Void	N	8	56-63
05	Void	N	8	64-71
06	Number of diskettes	N	2	72-73
07	Total number of files incl. system	N	2	74-75
08	DOS-name for compressed file	AN	12	76-87
09	Year+week of valid price list	N	6	88-93
	Total record length		93	
00	Record type	N	2	1-2
01	Per cent VAT	N	5	3-7
02	Percent for profit calculation	N	5	8-12
03	Dispensary fee	N	5	13-17
04	Finishing fee	N	5	18-22
05	Telephone prescription fee	N	5	23-27
06	Void	N	5	28-32
07	Duty fee	N	5	33-37
08	Dose packing fee	N	5	38-42
09	Void	N	5	43-47
	Total record length		47	
00	Record type	N	2	1-2
01	File description	AN	30	3-32
02	Name of file before compression	AN	12	33-44
03	Number of files	N	2	45-46
04	Number of records in file	N	5	47-51
	Total record length		51	

Formulation identification number Field contains SP (Pharm. Speciality) Field contains LM (Registered product) May be used for sorting Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: G or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS20 Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void	DKMA / 200810	006
Formulation identification number Field contains SP (Pharm. Speciality) Field contains LM (Registered product) May be used for sorting Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS20 Format yyyymmdd	Comments	
Field contains SP (Pharm. Speciality) Field contains LM (Registered product) May be used for sorting Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: G or void Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15 Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15		
Field contains SP (Pharm. Speciality) Field contains LM (Registered product) May be used for sorting Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: G or void Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15 Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15		
Field contains SP (Pharm. Speciality) Field contains LM (Registered product) May be used for sorting Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: G or void Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15 Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS15		
Field contains LM (Registered product) May be used for sorting Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: G or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS15, unit type 4 Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS17 At distributor Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
May be used for sorting Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS18 Ref. to LMS19 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS18 Format yyyymmdd Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Danish Speciality number May be abbreviated May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS19 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15 Ref. to LMS16 Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS15 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS15 Ref. to LMS16 Ref. to LMS18		
May be abbreviated Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void	Danish Speciality number	
Ref. to LMS22, field 01 Void Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS17 At distributor Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS15 Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS15		
Ref. to LMS15, unit type 3 Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15, unit type 1 Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void	Void	
Ref. to LMS09 Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15, unit type 1 Ref. to LMS15 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS09 Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS13 2 values: F or void 2 values: B or void	Ref. to LMS15, unit type 3	
Ref. to LMS12 4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS17 At distributor Ref. to LMS20 Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
4 x 2 char. (ref. to LMS11) 2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
2 values: J or void 2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
2 values: G or void 2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
2 values: D or void Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Format: yyyymmdd e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS18 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
e.g. suspension date for MA Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS18 Ref. to LMS19 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS01, field 01 Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS19 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void	o.g. daopendien date for wire	
Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Package identification number In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
In record for multipack Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void	Package identification number	
Total Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void	In record for multipack	
Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS15, unit type 4 Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS14 Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS18 Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS19 Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS16 Ref. to LMS17 At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
At distributor Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void	Ref. to LMS17	
Ref. to LMS15, unit type 1 Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Ref. to LMS20 Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Format yyyymmdd Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Format yyyymmdd Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
Format yyyymmdd Ref. to LMS13 2 values: F or void 2 values: B or void		
2 values: F or void 2 values: B or void		
2 values: B or void	Ref. to LMS13	
Ref. to LMS09	2 values: B or void	
INCI. (U LIVIOUS	Ref. to LMS09	
	INCI. (U LIVIOUS	

data_uk xls (1).xls
Ref. to LMS02, field 02
Pharmacy purchase price
Calc. according to current Executive Order
Reg.price + dispensory and finishing fee
Field contains "000000000"
Field contains "00000000"
Tion comains coccesses
Calc. according to current Executive Order
Field contains "000000000"
e.g. medical device or part of comb.pack.
Field contains "000000000"
O halfi financia familia
Substitution group for package
Package no. on prescription
LMS02, field 07
LMS01, field 04+LMS02, field 03, concat.
Values = A - B - C
Reference to cheapest package (A)
Substitution group for package
Ref. to LMS02
Ref. to LMS02
Ref. to LMS01, field 13 - 14
Void
Void
Def to I MOOd
Ref. to LMS01
Ref. to LMS01, field 16
Danish only
Danish only
L

data_uk xls (1).xls
Field 01-05 ref. to LMS01, field 15
Danish only
Ref. to LMS02, field 21
Danish only
Def to IMCO2 field 00
Ref. to LMS02, field 09
Danish only
Danish only
<u></u>
Time=1, Strength=3, package size=4
LMS01, field 12, LMS02, field 08 and 16
Ref. to LMS02, field 12
Danish only
Danish only
Danish only
Danish only
Danish only
Danish only Danish only
Danish only Danish only Ref. to LMS02, field 13
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated
Danish only Danish only Ref. to LMS02, field 13
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only Danish only
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only Danish only Ref. to LMS02, field 11
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only Danish only Ref. to LMS02, field 11 Specialist type(s), abbreviated (Danish)
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only Danish only Ref. to LMS02, field 11
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only Danish only Ref. to LMS02, field 11 Specialist type(s), abbreviated (Danish)
Danish only Danish only Ref. to LMS02, field 13 Danish clause text, abbreviated Reimbursement clause, Danish text Ref. to LMS02, field 10 Prescription: A or B. OTC: H Danish only Danish only Ref. to LMS02, field 11 Specialist type(s), abbreviated (Danish)

data_uk xis (1).xis	
Ref. to LMS02, field 17	
Danish only	
Danish only	
Def to I MOOA Sold OA	
Ref. to LMS01, field 01	
Ref. to LMS01, field 08	
Full Danish text for dosage form	
A = Active (Standard Term) I = Inactive	
71 7101170 (Ottailed Term) 1 mactive	
	
Reimb. type: General, child, chronic, terminal	
eg 1-4 for general reimbursement, adults	
Price limit for lower level	
Price limit for upper level	
Reimbursement percentage	
All misses in Deniel II mell	
All prices in Danish "øre"	
Ref. to LMS01, field 01	
Ref. to LMS02, field 02	
Ref. to LMS02, field 22. May be void	
Min. AIP for all active packages per Drugid	
Min. reg.price for all active packs per Drugid	
Reimbursement price per unit	
Values: A - B - C	
Reference to cheapest Drugid	
Treference to cheapest brugiu	
<u></u>	
Ref. to LMS01	
Ref. to LMS26	
Ref. to LMS01, field 01	
Ref. to LMS25	
Field 03 + 04 + 05. Danish only	
Danish only	
Danish only	
Danish only	
A = active. I = inactive	
Ref. to LMS01	
Ref. to LMS28	
Ref. to LMS27	
Danish only	
Danish only Field 05 + 06 + 07, Danish only	
Danish only	

data_uk xls (1).xls
Danish only
A = active. I = inactive
Ref. to LMS01
Ref. to LMS01
Text in Danish only
TOXE III Dariion only
Ref. to LMS01
Ref. to LMS02
Active substances only
All prices in Danish "øre"
Ref. to LMS01
Ref. to LMS02
Price = Consumer price (ESP)
Price = Consumer price (ESP)
Cheapest package marked with *
Package no. on prescription
Package no. for substitute
Package no. for alternative small package Number of alternative package
ESP for alternative package combination
Marking = *
-

data_uk xls (1).xls
Value = 00
Field contains "12.0"
Field contains "LMS-TAKST"
Format: yyyymmdd
Void
Void
Field contains "01"
Number of LMS files
Field contains "LMS.ZIP"
Format: yyyyww, rel. to field 03
Value = 01
2 decimals
2 decimals
Fee incl. VAT (in Danish "øre")
Fee incl. VAT (in Danish "øre")
Fee incl. VAT (in Danish "øre")
Field contains "00000"
Fee incl. VAT (in Danish "øre")
Field contains "00000"
Field contains "00000"
Value = 10
Descriptions are in Danish
eg. LMS01.txt
Field contains "01"
Field Contains of