

SubsetSelectionForward-Backward.R

vijaykalmath

2022-01-04

```
# Subset Selection using Forward and Backware Stepwise Selection.
```

```
library(ISLR)
```

```
names(Hitters)
```

```
## [1] "AtBat"      "Hits"       "HmRun"      "Runs"       "RBI"        "Walks"
## [7] "Years"      "CAtBat"     "CHits"      "CHmRun"     "CRuns"      "CRBI"
## [13] "CWalks"     "League"     "Division"   "PutOuts"    "Assists"    "Errors"
## [19] "Salary"     "NewLeague"
```

```
dim(Hitters)
```

```
## [1] 322 20
```

```
# Removing NA from Hitters
```

```
Hitters = na.omit(Hitters)
```

```
# Dimensions after removing NA.  
dim(Hitters)
```

```
## [1] 263 20
```

```
# the Regsubsets function is part of the leaps library
```

```
library(leaps)
```

```
# calling regsubsets with forward method
```

```
regfit.fwd = regsubsets(Salary~.,Hitters,nvmax=19,method="forward")
```

```
regfit.fwd.summary = summary(regfit.fwd)
```

```
regfit.fwd.summary$which
```


```
## (Intercept) AtBat Hits HmRun Runs RBI Walks Years CAtBat CHits CHmRun  
## 1 TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
```

```
## 2      TRUE FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 3      TRUE FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 4      TRUE FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 5      TRUE TRUE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 6      TRUE TRUE TRUE FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE
## 7      TRUE TRUE TRUE FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE
## 8      TRUE TRUE TRUE FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE
## 9      TRUE TRUE TRUE FALSE FALSE FALSE TRUE FALSE TRUE FALSE FALSE
## 10     TRUE TRUE TRUE FALSE FALSE FALSE TRUE FALSE TRUE FALSE FALSE
## 11     TRUE TRUE TRUE FALSE FALSE FALSE TRUE FALSE TRUE FALSE FALSE
## 12     TRUE TRUE TRUE FALSE TRUE FALSE TRUE FALSE TRUE FALSE FALSE
## 13     TRUE TRUE TRUE FALSE TRUE FALSE TRUE FALSE TRUE FALSE FALSE
## 14     TRUE TRUE TRUE TRUE TRUE FALSE TRUE FALSE TRUE FALSE FALSE
## 15     TRUE TRUE TRUE TRUE TRUE FALSE TRUE FALSE TRUE TRUE FALSE
## 16     TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE TRUE TRUE FALSE
## 17     TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE TRUE TRUE FALSE
## 18     TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 19     TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
##      CRuns CRBI CWalks LeagueN DivisionW PutOuts Assists Errors NewLeagueN
## 1 FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 2 FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 3 FALSE TRUE FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE
## 4 FALSE TRUE FALSE FALSE FALSE TRUE TRUE FALSE FALSE FALSE
## 5 FALSE TRUE FALSE FALSE FALSE TRUE TRUE FALSE FALSE FALSE
## 6 FALSE TRUE FALSE FALSE FALSE TRUE TRUE FALSE FALSE FALSE
## 7 FALSE TRUE TRUE FALSE TRUE TRUE FALSE FALSE FALSE
## 8 TRUE TRUE TRUE FALSE TRUE TRUE FALSE FALSE FALSE
## 9 TRUE TRUE TRUE FALSE TRUE TRUE FALSE FALSE FALSE
## 10 TRUE TRUE TRUE FALSE TRUE TRUE TRUE FALSE FALSE
## 11 TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE FALSE
## 12 TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE FALSE
## 13 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 14 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 15 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 16 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 17 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 18 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 19 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
```

```
regfit.fwd.summary$rss
```


```
## [1] 36179679 30646560 29249297 27970852 27149899 26194904 25954217 25159234
## [9] 24814051 24500402 24387345 24333232 24289148 24248660 24235177 24219377
## [17] 24209447 24201837 24200700
```

```
plot(regfit.fwd.summary$rss, xlab = "Number of Variables used", ylab="RSS") +
points(which.min(regfit.fwd.summary$rss), min(regfit.fwd.summary$rss), col="red", cex=1.5, pch=15)
```




```
## integer(0)
```

```
plot(regfit.fwd.summary$adjr2, xlab = "Number of Variables used", ylab = "Adjusted RSq") +  
points(which.max(regfit.fwd.summary$adjr2), max(regfit.fwd.summary$adjr2), col = "red", cex = 1.5, pch = 15)
```




```
## integer(0)
```

```
plot(regfit.fwd.summary$cp, xlab = "Number of Variables used", ylab="Cp") +  
points(which.min(regfit.fwd.summary$cp), min(regfit.fwd.summary$cp), col="red", cex=1.5, pch=15)
```



```
## integer(0)
```

```
plot(regfit.fwd.summary$bic, xlab = "Number of Variables used", ylab="Cp") + points(which.min(regfit.fwd
```



```
## integer(0)
```

```
# Backward Selection
```

```
regfit.bckwd = regsubsets(Salary~.,Hitters,nvmax=19,method="backward")
```

```
regfit.bckwd.summary = summary(regfit.bckwd)
```

```
regfit.bckwd.summary$which
```


```
##      (Intercept) AtBat Hits HmRun Runs RBI Walks Years CAtBat CHits CHmRun
## 1             TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 2             TRUE FALSE TRUE  FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 3             TRUE FALSE TRUE  FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 4             TRUE  TRUE TRUE  FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 5             TRUE  TRUE TRUE  FALSE FALSE FALSE  TRUE  FALSE FALSE FALSE FALSE
## 6             TRUE  TRUE TRUE  FALSE FALSE FALSE  TRUE  FALSE FALSE FALSE FALSE
## 7             TRUE  TRUE TRUE  FALSE FALSE FALSE  TRUE  FALSE FALSE FALSE FALSE
## 8             TRUE  TRUE TRUE  FALSE FALSE FALSE  TRUE  FALSE FALSE FALSE FALSE
## 9             TRUE  TRUE TRUE  FALSE FALSE FALSE  TRUE  FALSE  TRUE FALSE FALSE
## 10            TRUE  TRUE TRUE  FALSE FALSE FALSE  TRUE  FALSE  TRUE FALSE FALSE
## 11            TRUE  TRUE TRUE  FALSE FALSE FALSE  TRUE  FALSE  TRUE FALSE FALSE
```

```
## 12      TRUE TRUE TRUE FALSE TRUE FALSE TRUE FALSE TRUE FALSE FALSE
## 13      TRUE TRUE TRUE FALSE TRUE FALSE TRUE FALSE TRUE FALSE FALSE
## 14      TRUE TRUE TRUE TRUE TRUE FALSE TRUE FALSE TRUE FALSE FALSE
## 15      TRUE TRUE TRUE TRUE TRUE FALSE TRUE FALSE TRUE TRUE FALSE
## 16      TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE TRUE TRUE FALSE
## 17      TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE TRUE TRUE FALSE
## 18      TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 19      TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
##      CRuns  CRBI CWalks LeagueN DivisionW PutOuts Assists Errors NewLeagueN
## 1  TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 2  TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 3  TRUE FALSE FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE
## 4  TRUE FALSE FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE
## 5  TRUE FALSE FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE
## 6  TRUE FALSE FALSE FALSE FALSE TRUE TRUE FALSE FALSE FALSE
## 7  TRUE FALSE TRUE FALSE TRUE TRUE FALSE FALSE FALSE
## 8  TRUE TRUE TRUE FALSE TRUE TRUE FALSE FALSE FALSE
## 9  TRUE TRUE TRUE FALSE TRUE TRUE FALSE FALSE FALSE
## 10 TRUE TRUE TRUE FALSE TRUE TRUE TRUE FALSE FALSE
## 11 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 12 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE FALSE
## 13 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 14 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 15 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 16 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 17 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 18 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
## 19 TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
```

```
regfit.bckwd.summary$rss
```


```
## [1] 36437951 31203460 29407297 28450807 27509524 26674092 25933487 25159234
## [9] 24814051 24500402 24387345 24333232 24289148 24248660 24235177 24219377
## [17] 24209447 24201837 24200700
```

```
plot(regfit.bckwd.summary$rss, xlab = "Number of Variables used", ylab = "RSS") +
  points(which.min(regfit.bckwd.summary$rss), min(regfit.bckwd.summary$rss), col = "red", cex = 1.5, pch = 15)
```




```
## integer(0)
```

```
plot(regfit.bckwd.summary$adjr2, xlab = "Number of Variables used", ylab = "Adjusted RSq") +  
  points(which.max(regfit.bckwd.summary$adjr2), max(regfit.bckwd.summary$adjr2), col = "red", cex = 1.5, pch = 15)
```


```
## integer(0)
```

```
plot(regfit.bckwd.summary$cp, xlab = "Number of Variables used", ylab="Cp") +  
  points(which.min(regfit.bckwd.summary$cp), min(regfit.bckwd.summary$cp), col="red", cex=1.5, pch=15)
```



```
## integer(0)
```

```
plot(regfit.bckwd.summary$bic, xlab = "Number of Variables used", ylab = "Cp") +  
points(which.min(regfit.bckwd.summary$bic), min(regfit.bckwd.summary$bic), col = "red", cex = 1.5, pch = 15)
```



```
## integer(0)
```