

TABLE: SCORES

id	score
1	3.5
2	3.65
3	4.0
4	3.85
5	4.0
6	3.65

QUESTION

Write an SQL query to rank the scores. The ranking should be calculated according to the following rules:

Rules:

- The scores should be ranked from the highest to the lowest.
- If there is a tie between two scores, both should have the same ranking.
- After a tie, the next ranking number should be the next consecutive integer value.

EXPECTED OUTPUT

score	rank
4.0	1
4.0	1
3.85	2
3.65	3
3.65	3
3.5	4

18/9/24

select score,
dense_rank() over (order by score desc) as
'rank'
from scores.

10. Classes With at Least 5 Students

TABLE: COURSES

student	class
A	Math
B	English
C	Math
D	Biology
E	Math
F	Computer
G	Math
H	Math
I	Math

QUESTION

Write an SQL query to report all the classes that have at least students.

Rules:

- Return the result table in any order.

EXPECTED OUTPUT

class
Math

10) Select class
from courses
group by class
having count (student) >= 5;

11. Customer Placing Largest Number of Orders

TABLE: ORDERS

order_number	customer_number
1	1
2	2
3	3
4	3

QUESTION

Write an SQL query to find the customer_number for the customer who has placed the largest number of orders.

Rules:

- It is guaranteed that exactly one customer will have placed more orders than any other customer.

EXPECTED OUTPUT

customer_number

3

11) select customer_number
from orders
group by customer_number
order by count (order_number) desc
limit 1;

12. Department Top Three Salaries

TABLE: EMPLOYEE

Id	name	salary	departmentId
1	Joe	85000	1
2	Henry	80000	2
3	Sam	60000	2
4	Max	90000	1
5	Janet	69000	1
6	Randy	85000	1
7	Will	70000	1

TABLE: DEPARTMENT

Id	name
1	IT
2	Sales

QUESTION

A company's executives are interested in seeing who earns the most money in each of the company's departments. A high earner in a department is an employee who has a salary in the top three salaries for that department.

Rules:

- Write an SQL query to find the employees who are high earner in each of the departments.

EXPECTED OUTPUT

Department	Employee	Salary
IT	Max	90000
IT	Joe	85000
IT	Randy	85000
IT	Will	70000
IT	Henry	80000
Sales	Sam	60000

12)

with ranked salary as

select

d.name as Department ,

e.name as Employee ,

e.salary as salary ,

Dense - rank () over (partition by e.departmentId

order by e.salary desc

) as rank

from employee e

join Department d on e.departmentId = d.Id

select Department , Employee , salary

from Ranked salary where rank <= 3 ;