

Theory of relativity

The **theory of relativity** usually encompasses two interrelated physics theories by Albert Einstein: special relativity and general relativity, proposed and published in 1905 and 1915, respectively.^[1] Special relativity applies to all physical phenomena in the absence of gravity. General relativity explains the law of gravitation and its relation to the forces of nature.^[2] It applies to the cosmological and astrophysical realm, including astronomy.^[3]

The theory transformed theoretical physics and astronomy during the 20th century, superseding a 200-year-old theory of mechanics created primarily by Isaac Newton.^{[3][4][5]} It introduced concepts including 4-dimensional spacetime as a unified entity of space and time, relativity of simultaneity, kinematic and gravitational time dilation, and length contraction. In the field of physics, relativity improved the science of elementary particles and their fundamental interactions, along with ushering in the nuclear age. With relativity, cosmology and astrophysics predicted extraordinary astronomical phenomena such as neutron stars, black holes, and gravitational waves.^{[3][4][5]}



Simulation of the merger GW150914, showing spacetime distortion from gravity as the black holes orbit and merge

Development and acceptance

Albert Einstein published the theory of special relativity in 1905, building on many theoretical results and empirical findings obtained by Albert A. Michelson, Hendrik Lorentz, Henri Poincaré and others. Max Planck, Hermann Minkowski and others did subsequent work.

Einstein developed general relativity between 1907 and 1915, with contributions by many others after 1915. The final form of general relativity was published in 1916.^[3]

The term "theory of relativity" was based on the expression "relative theory" (German: *Relativtheorie*) used in 1906 by Planck, who emphasized how the theory uses the principle of relativity. In the discussion section of the same paper, Alfred Bucherer used for the first time the expression "theory of relativity" (German: *Relativitätstheorie*).^{[6][7]}

By the 1920s, the physics community understood and accepted special relativity.^[8] It rapidly became a significant and necessary tool for theorists and experimentalists in the new fields of atomic physics, nuclear physics, and quantum mechanics.

By comparison, general relativity did not appear to be as useful, beyond making minor corrections to predictions of Newtonian gravitation theory.^[3] It seemed to offer little potential for experimental test, as most of its assertions were on an astronomical scale. Its mathematics seemed difficult and fully understandable only by a small number of people. Around 1960, general relativity became central to


physics and astronomy. New mathematical techniques to apply to general relativity streamlined calculations and made its concepts more easily visualized. As astronomical phenomena were discovered, such as quasars (1963), the 3-kelvin microwave background radiation (1965), pulsars (1967), and the first black hole candidates (1981),^[3] the theory explained their attributes, and measurement of them further confirmed the theory.

Special relativity

Special relativity is a theory of the structure of spacetime. It was introduced in Einstein's 1905 paper "On the Electrodynamics of Moving Bodies" (for the contributions of many other physicists and mathematicians, see History of special relativity). Special relativity is based on two postulates which are contradictory in classical mechanics:

1. The laws of physics are the same for all observers in any inertial frame of reference relative to one another (principle of relativity).
2. The speed of light in vacuum is the same for all observers, regardless of their relative motion or of the motion of the light source.

The resultant theory copes with experiment better than classical mechanics. For instance, postulate 2 explains the results of the Michelson–Morley experiment. Moreover, the theory has many surprising and counterintuitive consequences. Some of these are:



Albert Einstein, physicist,
1879-1955, Graphic:
Heikenwaelder Hugo, 1999

- Relativity of simultaneity: Two events, simultaneous for one observer, may not be simultaneous for another observer if the observers are in relative motion.
- Time dilation: Moving clocks are measured to tick more slowly than an observer's "stationary" clock.
- Length contraction: Objects are measured to be shortened in the direction that they are moving with respect to the observer.
- Maximum speed is finite: No physical object, message or field line can travel faster than the speed of light in vacuum.
 - The effect of gravity can only travel through space at the speed of light, not faster or instantaneously.
- Mass–energy equivalence: $E = mc^2$, energy and mass are equivalent and transmutable.
- Relativistic mass, idea used by some researchers.^[9]

The defining feature of special relativity is the replacement of the Galilean transformations of classical mechanics by the Lorentz transformations. (See Maxwell's equations of electromagnetism.)

General relativity

General relativity is a theory of gravitation developed by Einstein in the years 1907–1915. The development of general relativity began with the equivalence principle, under which the states of accelerated motion and being at rest in a gravitational field (for example, when standing on the surface of

the Earth) are physically identical. The upshot of this is that free fall is inertial motion: an object in free fall is falling because that is how objects move when there is no force being exerted on them, instead of this being due to the force of gravity as is the case in classical mechanics. This is incompatible with classical mechanics and special relativity because in those theories inertially moving objects cannot accelerate with respect to each other, but objects in free fall do so. To resolve this difficulty Einstein first proposed that spacetime is curved. Einstein discussed his idea with mathematician Marcel Grossmann and they concluded that general relativity could be formulated in the context of Riemannian geometry which had been developed in the 1800s.^[10] In 1915, he devised the Einstein field equations which relate the curvature of spacetime with the mass, energy, and any momentum within it.

Some of the consequences of general relativity are:

- Gravitational time dilation: Clocks run slower in deeper gravitational wells.^[11]
- Precession: Orbits precess in a way unexpected in Newton's theory of gravity. (This has been observed in the orbit of Mercury and in binary pulsars).
- Light deflection: Rays of light bend in the presence of a gravitational field.
- Frame-dragging: Rotating masses "drag along" the spacetime around them.
- Expansion of the universe: The universe is expanding, and certain components within the universe can accelerate the expansion.

Technically, general relativity is a theory of gravitation whose defining feature is its use of the Einstein field equations. The solutions of the field equations are metric tensors which define the topology of the spacetime and how objects move inertially.

Experimental evidence

Einstein explained that the theory of relativity falls under a category of scientific frameworks known as "principle-theories"—theories that start not from speculative constructs or imagined mechanisms, but from well-established empirical facts and observed regularities in nature. Unlike constructive theories, which attempt to build models of phenomena from assumed underlying processes, principle-theories, such as relativity, adopt an analytic approach: they begin with experimentally verified principles and work deductively to uncover the logical consequences and constraints that any physical process must obey. By observing natural processes, we understand their general characteristics, devise mathematical models to describe what we observed, and by analytical means we deduce the necessary conditions that have to be satisfied. Measurement of separate events must satisfy these conditions and match the theory's conclusions.^[2]

Tests of special relativity

Relativity is a falsifiable theory: It makes predictions that can be tested by experiment. In the case of special relativity, these include the principle of relativity, the constancy of the speed of light, and time dilation.^[12] The predictions of special relativity have been confirmed in numerous tests since Einstein published his paper in 1905, but three experiments conducted between 1881 and 1938 were critical to its validation. These are the Michelson–Morley experiment, the Kennedy–Thorndike experiment, and the Ives–Stilwell experiment. Einstein derived the Lorentz transformations from first principles in 1905, but these three experiments allow the transformations to be induced from experimental evidence.