# Vijay(Book18) 04/08/2023

#### In [1]:

- import numpy as np
  import pandas as pd
  import matplotlib.pyplot as plt
  import seaborn as sns
  from sklearn.linear\_model import LogisticRegression
- 6 **from** sklearn.preprocessing **import** StandardScaler
- 7 **import** re
- 8 from sklearn.datasets import load\_digits
- 9 from sklearn.model\_selection import train\_test\_split

1 a=pd.read\_csv(r"C:\Users\user\Downloads\Book18.csv") In [2]: 2 a

## Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост
0	2047	WEST MADHYA PRADESH	1901	25.8	5.8	5.8	2.8	2.1	41.2	228.9	349.9	47.9	5.6
1	2048	WEST MADHYA PRADESH	1902	22.1	8.4	0.0	2.0	5.9	35.9	401.9	179.4	194.1	37.9
2	2049	WEST MADHYA PRADESH	1903	5.3	0.0	0.0	0.0	22.3	50.6	304.9	261.1	250.2	55.1
3	2050	WEST MADHYA PRADESH	1904	3.2	15.5	14.8	0.0	12.0	96.6	273.0	218.6	125.9	3.3
4	2051	WEST MADHYA PRADESH	1905	3.5	4.4	1.1	0.8	3.0	36.1	326.3	137.6	183.5	0.3
110	2157	WEST MADHYA PRADESH	2011	0.0	1.7	0.1	1.8	3.6	241.5	306.7	343.3	165.0	0.2
111	2158	WEST MADHYA PRADESH	2012	6.2	0.0	0.0	0.9	3.1	48.2	439.2	341.2	194.3	2.1
112	2159	WEST MADHYA PRADESH	2013	1.7	31.1	8.5	2.8	0.4	263.7	485.1	432.6	98.9	68.7
113	2160	WEST MADHYA PRADESH	2014	25.6	34.4	4.6	1.4	1.4	30.6	337.4	211.0	192.6	7.0
114	2161	WEST MADHYA PRADESH	2015	40.2	6.4	53.5	13.3	2.0	154.1	428.2	276.6	55.6	11.0
115 rows × 20 columns													

```
In [3]: 1 a.info()
```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype				
0	index	115 non-null	int64				
1	SUBDIVISION	115 non-null	object				
2	YEAR	115 non-null	int64				
3	JAN	115 non-null	float64				
4	FEB	114 non-null	float64				
5	MAR	115 non-null	float64				
6	APR	115 non-null	float64				
7	MAY	115 non-null	float64				
8	JUN	115 non-null	float64				
9	JUL	115 non-null	float64				
10	AUG	115 non-null	float64				
11	SEP	115 non-null	float64				
12	OCT	115 non-null	float64				
13	NOV	115 non-null	float64				
14	DEC	115 non-null	float64				
15	ANNUAL	114 non-null	float64				
16	Jan-Feb	114 non-null	float64				
17	Mar-May	115 non-null	float64				
18	Jun-Sep	115 non-null	float64				
19	Oct-Dec	115 non-null	float64				
dtypes: float64(17), int64(2), object(1)							

memory usage: 18.1+ KB

localhost:8888/notebooks/project2.ipynb


b=a.fillna(method='ffill') In [4]: 2 b

## Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	2047	WEST MADHYA PRADESH	1901	25.8	5.8	5.8	2.8	2.1	41.2	228.9	349.9	47.9	5.6
1	2048	WEST MADHYA PRADESH	1902	22.1	8.4	0.0	2.0	5.9	35.9	401.9	179.4	194.1	37.9
2	2049	WEST MADHYA PRADESH	1903	5.3	0.0	0.0	0.0	22.3	50.6	304.9	261.1	250.2	55.1
3	2050	WEST MADHYA PRADESH	1904	3.2	15.5	14.8	0.0	12.0	96.6	273.0	218.6	125.9	3.3
4	2051	WEST MADHYA PRADESH	1905	3.5	4.4	1.1	0.8	3.0	36.1	326.3	137.6	183.5	0.3
110	2157	WEST MADHYA PRADESH	2011	0.0	1.7	0.1	1.8	3.6	241.5	306.7	343.3	165.0	0.2
111	2158	WEST MADHYA PRADESH	2012	6.2	0.0	0.0	0.9	3.1	48.2	439.2	341.2	194.3	2.1
112	2159	WEST MADHYA PRADESH	2013	1.7	31.1	8.5	2.8	0.4	263.7	485.1	432.6	98.9	68.7
113	2160	WEST MADHYA PRADESH	2014	25.6	34.4	4.6	1.4	1.4	30.6	337.4	211.0	192.6	7.0
114	2161	WEST MADHYA PRADESH	2015	40.2	6.4	53.5	13.3	2.0	154.1	428.2	276.6	55.6	11.0
115 r	115 rows × 20 columns												


In [5]: 1 b.plot.bar(legend=None)

### Out[5]: <AxesSubplot:>




In [6]: 1 b.plot.line(legend=None)

## Out[6]: <AxesSubplot:>




In [7]: 1 b.plot.area(legend=None)

### Out[7]: <AxesSubplot:>




In [8]: | 1 | b.plot.hist(legend=None)

Out[8]: <AxesSubplot:ylabel='Frequency'>



In [10]: 1 b.plot.pie(y='Jan-Feb',figsize=(8,8),labels=None,legend=None)

Out[10]: <AxesSubplot:ylabel='Jan-Feb'>



In [ ]: 1