Vijay(Book13) 04/08/2023

```
In [1]: 1 import numpy as np
2 import pandas as pd
3 import matplotlib.pyplot as plt
4 import seaborn as sns
5 from sklearn.linear_model import LogisticRegression
6 from sklearn.preprocessing import StandardScaler
7 import re
8 from sklearn.datasets import load_digits
9 from sklearn.model_selection import train_test_split
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ос
0	2622	MADHYA MAHARASHTRA	1901	18.8	0.6	7.7	36.6	30.4	107.7	215.9	194.1	83.7	68.
1	2623	MADHYA MAHARASHTRA	1902	7.8	0.0	0.1	5.0	9.8	102.6	210.9	114.5	169.5	60.
2	2624	MADHYA MAHARASHTRA	1903	7.6	0.0	0.0	3.2	77.2	86.3	281.8	155.5	142.3	74.
3	2625	MADHYA MAHARASHTRA	1904	0.4	4.7	1.7	3.0	18.7	114.6	126.5	59.5	183.0	91.
4	2626	MADHYA MAHARASHTRA	1905	0.0	1.2	0.0	2.3	23.6	65.0	252.8	79.0	52.6	52.
110	2732	MADHYA MAHARASHTRA	2011	0.0	0.3	0.3	5.0	2.9	133.3	261.4	238.1	148.4	62.
111	2733	MADHYA MAHARASHTRA	2012	0.0	0.0	0.0	3.0	1.4	67.9	203.0	187.8	129.5	95.
112	2734	MADHYA MAHARASHTRA	2013	0.1	5.3	8.0	5.7	6.0	212.4	311.8	147.0	210.3	57.
113	2735	MADHYA MAHARASHTRA	2014	3.1	6.2	24.4	7.5	29.8	44.0	277.9	240.3	120.4	38.
114	2736	MADHYA MAHARASHTRA	2015	1.4	0.8	41.2	9.6	24.4	177.0	111.7	67.2	146.6	48.

115 rows × 20 columns

```
In [3]: 1 a.info()
```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):

	•	21 20 columns).	
#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtype	es: float64(1	7), int64(2), ob	ject(1)


Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ос
0	2622	MADHYA MAHARASHTRA	1901	18.8	0.6	7.7	36.6	30.4	107.7	215.9	194.1	83.7	68.
1	2623	MADHYA MAHARASHTRA	1902	7.8	0.0	0.1	5.0	9.8	102.6	210.9	114.5	169.5	60.
2	2624	MADHYA MAHARASHTRA	1903	7.6	0.0	0.0	3.2	77.2	86.3	281.8	155.5	142.3	74.
3	2625	MADHYA MAHARASHTRA	1904	0.4	4.7	1.7	3.0	18.7	114.6	126.5	59.5	183.0	91.
4	2626	MADHYA MAHARASHTRA	1905	0.0	1.2	0.0	2.3	23.6	65.0	252.8	79.0	52.6	52.
110	2732	MADHYA MAHARASHTRA	2011	0.0	0.3	0.3	5.0	2.9	133.3	261.4	238.1	148.4	62.
111	2733	MADHYA MAHARASHTRA	2012	0.0	0.0	0.0	3.0	1.4	67.9	203.0	187.8	129.5	95.
112	2734	MADHYA MAHARASHTRA	2013	0.1	5.3	8.0	5.7	6.0	212.4	311.8	147.0	210.3	57.
113	2735	MADHYA MAHARASHTRA	2014	3.1	6.2	24.4	7.5	29.8	44.0	277.9	240.3	120.4	38.
114	2736	MADHYA MAHARASHTRA	2015	1.4	0.8	41.2	9.6	24.4	177.0	111.7	67.2	146.6	48.

115 rows × 20 columns


In [5]: 1 b.plot.bar(legend=None)

Out[5]: <AxesSubplot:>




In [6]: 1 b.plot.line(legend=None)

Out[6]: <AxesSubplot:>




In [7]: 1 b.plot.area(legend=None)

Out[7]: <AxesSubplot:>




In [8]: 1 b.plot.hist(legend=None)

Out[8]: <AxesSubplot:ylabel='Frequency'>



In [10]: 1 b.plot.pie(y='APR',figsize=(8,8),labels=None,legend=None)

Out[10]: <AxesSubplot:ylabel='APR'>



In []: 1