074-09-05 Function: A function is a block of code that performs a specific takk. \* Functions helps make programs modular, Organized readable and avoid Code repotition YPES OF FUNCTION IN PYTHON: del Jetiname () 1. Built-In function the turn " Vising" \* Algeody available in python \* It can Use directly without defining them Paind C'Hellor) # paint output X= len C'python!) = zeturn length of Slaving Y= type (20) # neturns data type n= Input ("Brk:") # takes (le) 2. User-defined function: \* Greated by the User Using the def-keyword Syn: des tonction-name (paramètes): externants in the second solum Malue tows Islays to Capate User defined functions 1 Without input and Without setion des Egnet ():
por of ("Hello") gracto 11 tello.

2. With Input and Without Dotor det greet (marrie) Don't C' fielle", name) good ("100") Il Hello Vijay 3. Without Popul and With seturn - TUNCHON, IN PAHON det get-name 0: "petuon" Vijay" point (get\_name ()) // Vijay a). With input and With seturn type: def add caib) Point Cada ( 5,10) 11 15,1 LAMBOA FUNCTION: \* Jambda function is also called as Anonymous (name ks) function \* ( Sed - po shoot, singt line Oppositions \* Defined Using the Lambda keywood Syn:- lambola agguments: expression Sau = lambda x x x x print (Sau (s)) 11 as

VARIABLES IN FUNCTION: O. Local Variable: \* Declared Inside a function \* Can only be load Within that functions def showo: x=10// local Variable
paint Cx) shows It 10 V many de la service gui managery la soction tons wildows also @ Global Marria be: Declard Outside the Variable. H Can be Clad Inside tand Octside to the state of the functions X=50 # Global VarPable det display 0

print (x)

display c) 11 50/1 We had not a though a cost of the