Loops:

* Loops in python is blood to execute a block of code sepectedly until a certain condition is met

Two types of Loops are used mainly in python:

1) too loop

2) While loop

3) Nested Loop

i) For Loop:
* Using too Loop We can execute a Set of statement

Once too each item ina List tuple, Set

type:-

a) too loop lalith Sequence:

String, List, tuple, set, dict b) too Loop With Range.

a) name = 11/1jay Raj"

point (name)

olp. Vijay Raj

ENUMERATE: - enumerate C) of is Used to return the Individual position and Character of Given String.

Fg: - for i in enumerate Cname:

print (i)

go della sporot hall a mater of god a Ism & n(2)) aloted a little yttab of a wind the wind of the selection of the selection (5 'R) [god simh (6 god batall to (7 A) b) for loop In Range: Syn: - too Cantialization; cond; inclders) sange (start value, stop Value, Step Value) Eg: +010 102 aller 137 (alle to print the first it value Claing in to i sange (1, 11, 1); of May Fal extended to observe to him without 9

s) to paint 20' number. too i in sange (20): (2.12.12) semos nil solpaint CD: Olp: 0 Here I do is acted as stop defaut Value of start Value is 0' Step Bize is 1 3) To paint position and Char use only sarge fun and not enumerate fun name = "Vijay": (1, + 1) senso of 1 st ter 69 in sange (0,6,0: paint (i) & (on asva", i) tring Olp: Con boo" 1) hing 1 9 3 9 3 odd No @. When there is No stop Value means Use len () function. name = "Vijay" too i in vange (o, len (name), 1): print i AY Olp:

6. to print even number from 1 to 20. to i'n dange (2,21,2): peint ci) Olp: 2 "only even No" 20. 0 202 932 6. to cheek and print Inthether No is odd (or even) storenme to 12 mut em to i in sange (1, 4, 1): ff (1.1.2=20): a space of 10 of print (i, "Even No") & else: print (i, "odd no") Olp:-1. odd No 2 Even No 3 odd No 4 Even No No stop Value