


* Application Context (Spring):

- ↳ Main container of the spring framework
- ↳ Responsible for management of beans.
- ↳ Replaces "new" keyword with ApplicationContext
- ↳ Follows (IoC) Inversion of Control as it creates & request the object from the container

Flow:



* @Component (Spring - managed bean):

- it will automatically create, manage & inject its object.
- Spring will automatically detect & create an object of this class and this process is called component scanning.

Program:

The main class ComponentApplication is annotated with @SpringBootApplication, which starts the Spring Boot application and initializes the Spring IoC (Inversion of Control) container.

Components Created

1. example_component

- Created as a Spring component using @Component.
- Contains the display() method.
- Retrieved from the Spring container using:
context.getBean(example_component.class)



```
1 package com.example.component;
2
3 import org.springframework.stereotype.Component;
4
5 @Component no usages
6 public class example_component {
7     public void display(){ no usages
8         System.out.println("Hello World");
9     }
10 }
11
```


2. Component_1

- Created as another Spring component using @Component.
- Contains the view() method.
- Retrieved from the Spring container using:
context.getBean(Component_1.class)



```
1 package com.example.component;
2
3 import org.springframework.stereotype.Component;
4
5 @Component no usages
6 public class Component_1 {
7     public void view(){ no usages
8         System.out.println("Show me the World");
9     }
10 }
11
```

- Using ApplicationContext, I retrieved the objects of the components created in the project through context.getBean() and called their respective methods.



```
1 package com.example.component;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5 import org.springframework.context.ApplicationContext;
6
7 @SpringBootApplication
8 public class ComponentApplication {
9
10     public static void main(String[] args) {
11         ApplicationContext context = SpringApplication.run(ComponentApplication.class, args);
12         example_component com = context.getBean(example_component.class);
13         com.display();
14         Component_1 com1 = context.getBean(Component_1.class);
15         com1.view();
16     }
17 }
18
19 }
```

Output:



```
Run ComponentApplication x
Console Beans Health Mappings Environment
2026-08-10T11:26:17.171+05:30 INFO 29576 --- [component] [main] c.e.component.ComponentApplication : Starting ComponentApplication using Java 26.0.2 with PID 29576
2026-08-10T11:26:17.176+05:30 INFO 29576 --- [component] [main] c.e.component.ComponentApplication : No active profile set, falling back to 1 default profile
2026-08-10T11:26:17.948+05:30 INFO 29576 --- [component] [main] c.e.component.ComponentApplication : Started ComponentApplication in 1.505 seconds (process ID 29576)
Hello World
Show me the World
Process finished with exit code 0
```